## \* APPLICATION FOR A PERMIT

## To Appropriate the Public Waters of the State of Oregon

I, W. E. Clancy	ame of applicant)
	, County of,
	eby make application for a permit to appropriate the
following described public waters of the State of Or	egon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date an	d place of incorporation
	· · · · · · · · · · · · · · · · · · ·
1. The source of the proposed appropriation	is Willamette (Name of stream)
•	(Name of stream)  tary of
	intends to apply to beneficial use isQ.Q.
•	•
cubic feet per second. (If water is to be used	
**3. The use to which the water is to be applied	is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
	t. N and 1900 ft. N from the SE
corner of Sec. 11 T. 2 S., R. 1 E., W. M.	(approximate)
	ust be described. Use separate sheet if necessary)
being within the SW1 SE1 (Give smallest legal subdivision)	•
R. 1 E	
5. The pipe (Main ditch, canal or pipe line)	to be(Miles or feet)
	on) of Sec, Tp, (N. or S.)
	g shown throughout on the accompanying map.
(E. or W.)	g constant c
DESCRIPTION	ON OF WORKS
Diversion Works—	
No dam 6. (a) Height of dam feet,	length on top feet, length at bottom
fact; material to be used and extracts	er of construction(Loose rock, concrete, masonry
jeet, material to be used and characte	(Loose rock, concrete, masonry
rock and brush, timber crib, etc., wasteway over or around dam)	······································
(b) Description of headgate	(Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general de	scription 11 pump (Size and type of pump)
	<u>.</u>
3 H.P. Electric motor (Size and type of engine or motor to be 25 ft. static head	used, total head water is to be lifted, etc.)
ZJ I V  BOG DIO HOM	

eadgate. At h	eadgate: width o	on top (at water	line)	feet; width on botto
feet; depth of water feet; grade feet.		feet fall per on		
WHELE	Mit To	miles from h	eadgate: width on top (at wat	er lin <b>e</b> )
			feet; depth of u	
		feet fall per one		
			; size at intake,	in saima ne
		•	f use in.; dij	
			s grade uniform?	
		'	y 5 sprinklers (5 g.p.m	
8. Locat	tion of area to be	e irrigated, or pl	ace of use	Number Acres
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2.5	1.E	11	SW <sup>1</sup> SE <sup>1</sup>	0.5
······································		<b></b>	·	
Being mor	e fully descr	ibed as follo	ws:	
	1		L. C. in T. 2 S., R. 1	E. of the WM - bound
	ibed as follo		ent.	
Beginning	at a point w	hich is S. 38	° 48' E. 245.00 feet di	stant and N 51° 12° E
60:00-fee			b	man the most Festerily
_	sh mrs came am	1 2 DO 1 1 1	. 233.27 feet distant f	TOUR one mose passerry
corner of	Tract No. 2	"Starkweather	· Acreage" according to	the duly recorded pla
	Tract No. 2	"Starkweather	Acreage" according to	the duly recorded pla
thereof.	Tract No. 2	"Starkweather	Acreage" according to WM as the same is duly	the duly recorded pla- recorded in Book 16,
thereof.	Tract No. 2	"Starkweather	Acreage" according to WM as the same is duly	the duly recorded pla- recorded in Book 16,
thereof, page 11, 12 W. 50	Tract No. 2 in T. 2 S., P Record of too 5.95 feet to	"Starkweather The of the In plats of Cl a point on the	Acreage" according to WM as the same is duly ackamas County, Oregon; he meander line of the r	the duly recorded plane recorded in Book 16, - Running thence S. Fight bank of the Will
thereof, page 11, 12 W. 50 River at	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water sta	"Starkweather C. I E. of the m plats of Cl a point on the ge; thence to	Acreage" according to WM as the same is duly ackamas County, Oregon; he meander line of the racing the meander line	the duly recorded plane recorded in Book 16, - Running thence S. ight bank of the Will of the right bank of
thereof, page 11, 12 W. 50 River at Willamett	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water sta te River up sta	"Starkweather 1. I E. of the en plats of Cl a point on the age; thence to ream S 83° 22	Acreage" according to WM as the same is duly ackamas County, Oregon; ne meander line of the racing the meander line of E. 132.61 feet; thence	the duly recorded plane recorded in Book 16, - Running thence S. Fight bank of the Williof the right bank of the 12' E. 446.10
thereof, page 11, 12 W. 50 River at Willamett	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water sta te River up sta	"Starkweather 1. I E. of the en plats of Cl a point on the age; thence to ream S 83° 22	Acreage" according to WM as the same is duly ackamas County, Oregon; he meander line of the racing the meander line	the duly recorded plane recorded in Book 16, - Running thence S. Fight bank of the Williof the right bank of the 12' E. 446.10
thereof, page 11, 12 W. 50 River at Willamett feet to a	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water sta te River up sta point; then	"Starkweather I. I E. of the m plats of Clapoint on the ge; thence to ream S 83° 22 to N. 58° 13' nore or less	Acreage" according to WM as the same is duly ackamas County, Oregon; he meander line of the racing the meander line 2' E. 132.61 feet; then W. 100.17 feet to the part of the	the duly recorded planer recorded in Book 16, - Running thence S. Fight bank of the Will of the right bank of the Right bank of the right bank of the place of beginning - contact of the second beginning - contact of the right bank of the right ba
thereof, page 11, 12' W. 50 River at Willamett feet to a taining 1	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water sta te River up sta	"Starkweather I. I E. of the m plats of Clapoint on the ge; thence to ream S 83° 22 to N. 58° 13' nore or less	Acreage" according to WM as the same is duly ackamas County, Oregon; ne meander line of the racing the meander line of E. 132.61 feet; thence	the duly recorded planer recorded in Book 16, - Running thence S. Fight bank of the Will of the right bank of the Right bank of the right bank of the place of beginning - contact of the second beginning - contact of the right bank of the right ba
thereof, page 11, 12' W. 50 River at Willamett feet to a taining 1	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water state River up state point; then 0324 acres	"Starkweather R. I E. of the en plats of Clapoint on the energy thence to tream S 83° 22 e N. 58° 13! nore or less	Acreage" according to WM as the same is duly ackamas County, Oregon; he meander line of the racing the meander line? E. 132.61 feet; then W. 100.17 feet to the racing the meander line.	the duly recorded plane recorded in Book 16, - Running thence S. Fight bank of the Will of the right bank of the right bank of the place of beginning - contact of the right bank of the second beginning - contact of the right bank of the right ban
thereof, page 11, 12' W. 50 River at Willamett feet to a taining 1	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water sta te River up sta point; then 0324 acres n	"Starkweather R. I E. of the en plats of Clapoint on the ege; thence to ream S 83° 22 e N. 58° 13' nore or less	Acreage" according to WM as the same is duly ackamas County, Oregon; he meander line of the racing the meander line 2' E. 132.61 feet; then W. 100.17 feet to the part of the	the duly recorded play recorded in Book 16, - Running thence S. Fight bank of the Will of the right bank of the N. 51° 12' E. 446.1 clace of beginning - c
thereof, page 11, 12 W. 50 River at Willamett feet to a taining 1	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water state River up state point; then .0324 acres	"Starkweather R. I E. of the en plats of Cl a point on the age; thence to tream S 83° 22 e N. 58° 13' nore or less	Acreage" according to WM as the same is duly lackamas County, Oregon; he meander line of the racing the meander line of E. 132.61 feet; then W. 100.17 feet to the p	the duly recorded planer recorded in Book 16, - Running thence S. Fight bank of the Williof the right bank of the right bank of the Pick 12 E. 446.1 blace of beginning - contact the second second beginning - contact the second
thereof, page 11, 12 W. 50 River at Willamett feet to a taining 1	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water state River up state point; then .0324 acres not acres not acres of soil	"Starkweather I. I E. of the In plats of Cl I point on the I ge; thence to I ream S 83° 22 I e N. 58° 13' I nore or less  (If more space	Acreage" according to WM as the same is duly ackamas County, Oregon; ne meander line of the racing the meander line? E. 132.61 feet; then W. 100.17 feet to the paragraph of the paragraph of the paragraph of the paragraph.	the duly recorded planer recorded in Book 16, - Running thence S. Fight bank of the Williof the right bank of the right bank of the place of beginning - contact of the right bank of the place of beginning - contact of the right bank of the right
thereof, page 11, 12 W. 50 River at Willamett feet to a taining 1	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water state River up state point; then 0324 acres in racter of soil	"Starkweather I. I E. of the In plats of Cl I point on the I ge; thence to I ream S 83° 22 I e N. 58° 13' I nore or less  (If more space	Acreage" according to WM as the same is duly ackamas County, Oregon; ne meander line of the racing the meander line? E. 132.61 feet; then W. 100.17 feet to the paragraph of the required, attach separate sheet)	the duly recorded planer recorded in Book 16, - Running thence S. Fight bank of the Williof the right bank of the right bank of the place of beginning - contact of the right bank of the place of beginning - contact of the right bank of the right
thereof, page 11, 12 W. 50 River at Willamett feet to a taining 1  (a) Cha (b) Kin  Power or Mini	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water state River up state point; then 0324 acres in d of crops raised ng Purposes—	"Starkweather I. I E. of the en plats of Cl a point on the age; thence to tream S 83° 22 ce N. 58° 13' nore or less  (H more space	Acreage" according to WM as the same is duly ackamas County, Oregon; ne meander line of the racing the meander line? E. 132.61 feet; then W. 100.17 feet to the paragraph of the required, attach separate sheet)	the duly recorded plane recorded in Book 16, - Running thence S. Fight bank of the Williof the right bank of the right bank of the place of beginning - contact of the right bank of the contact of the right bank
thereof, page 11, 12 W. 50 River at Willamett feet to a taining 1  (a) Cha (b) Kin Power or Mini 9. (a) 7	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water state River up state point; then 0324 acres not a composed and proposes— Fotal amount of	"Starkweather I. I E. of the In plats of Cl I point on the I ge; thence to I ream S 83° 22 I e N. 58° 13! I more or less  (H more space  porous  power to be deve	Acreage" according to WM as the same is duly ackamas County, Oregon; ne meander line of the racing the meander line? E. 132.61 feet; then W. 100.17 feet to the parameter of the	the duly recorded planer recorded in Book 16,  Running thence S.  Fight bank of the Willi of the right bank of the Willion of the Fight bank of the Rolling of the Polace of beginning - contact theoretical horsepow
thereof, page 11, 12 W. 50 River at Willamett feet to a taining 1  (a) Cha (b) Kin Power or Mini 9. (a) 7 (b) 6	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water state River up state point; then 0.0324 acres not a composed and proposes— Fotal amount of water	"Starkweather I. I E. of the en plats of Cl a point on the age; thence to ream S 83° 22 e N. 58° 13' nore or less  (H more space porous  power to be deve	Acreage" according to WM as the same is duly ackamas County, Oregon; ne meander line of the racing the meander line? E. 132.61 feet; then W. 100.17 feet to the parameter of the	the duly recorded planer recorded in Book 16,  Running thence S.  Fight bank of the Willi of the right bank of the Willion of the Fight bank of the Rolling of the Polace of beginning - contact theoretical horsepow
thereof, page 11, 12 W. 50 River at Willamett feet to a taining 1  (a) Cha (b) Kin  Power or Mini 9. (a) 7  (b) 6  (c) 7	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water state River up state point; then 0324 acres in d of crops raised ng Purposes— Fotal amount of Quantity of water	"Starkweather I. I. E. of the In plats of Cla I point on the I power to be developed to be used for I tilized	Acreage" according to WM as the same is duly lackamas County, Oregon; ne meander line of the r racing the meander line 2' E. 132.61 feet; theno W. 100.17 feet to the r required, attach separate sheet)  eloped  power  feet.  (Head)	the duly recorded planer recorded in Book 16,  Running thence S.  ight bank of the Williof the right bank of the Williof the right bank of the Williolace of beginning - contact of the description of the right bank of the right bank of the right bank of the right bank of the william of the right bank of the william of the right bank of the william of the will be
thereof, page 11, 12 W. 50 River at Willamett feet to a taining 1  (a) Cha (b) Kin  Power or Mini 9. (a) 7  (b) 6  (c) 7	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water state River up state point; then 0324 acres in d of crops raised ng Purposes— Fotal amount of Quantity of water	"Starkweather I. I. E. of the In plats of Cla I point on the I power to be developed to be used for I tilized	Acreage" according to WM as the same is duly ackamas County, Oregon; ne meander line of the racing the meander line? E. 132.61 feet; then W. 100.17 feet to the parameter of the	the duly recorded play recorded in Book 16, - Running thence S. Fight bank of the Will of the right bank of the right bank of the right bank of the place of beginning - contact theoretical horsepownsec. ft.
thereof, page 11, 12 W. 50 River at Willamett feet to a taining 1  (a) Cha (b) Kin  Power or Mini 9. (a) 1  (b) 0  (c) 1  (d) 2	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water state River up state point; then 0324 acres r d of crops raised ng Purposes— Fotal amount of Quantity of water Total fall to be u	"Starkweather I. I. E. of the In plats of Cla I point on the I power to be developed to be used for I tilized I power to by mean	Acreage" according to WM as the same is duly ackamas County, Oregon; ne meander line of the reacing the meander line? E. 132.61 feet; then W. 100.17 feet to the required, attach separate sheet)  required, attach separate sheet)  required feet.  (Head)  ins of which the power is to be	the duly recorded planer recorded in Book 16,  Running thence S.  Pight bank of the Willier of the right bank of the Willier of the right bank of the Pight Bank of the William Sec. 51° 12° E. 446.1° of the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the Pigh
thereof, page 11, 12 W. 50 River at Willamett feet to a taining 1  (a) Cha (b) Kin  Power or Mini 9. (a) 1  (b) 0  (c) 1  (d) 2	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water state River up state point; then 0.0324 acres r d of crops raised ng Purposes— Fotal amount of guantity of water Fotal fall to be used The nature of the such works to be	"Starkweather I. I E. of the en plats of Cl a point on the age; thence to ream S 83° 22 e N. 58° 13! nore or less  (H more space porous  porous  power to be deve er to be used for tilized  the works by mean the located in	Acreage" according to WM as the same is duly ackamas County, Oregon; ne meander line of the r racing the meander line 2' E. 132.61 feet; theno W. 100.17 feet to the r required, attach separate sheet)  required, attach separate sheet  required feet.  (Head)  Ins of which the power is to be (Legal subdivision)	the duly recorded planer recorded in Book 16,  Running thence S.  Pight bank of the Willier of the right bank of the Willier of the right bank of the Pight Bank of the William Sec. 51° 12° E. 446.1° of the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the Pigh
thereof, page 11, 12 W. 50 River at Willamett feet to a taining 1  (a) Cha (b) Kin  Power or Mini 9. (a) 1  (b) 0  (c) 1  (d) 1	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water state River up state point; then 0.0324 acres r cacter of soil d of crops raised ng Purposes— Fotal amount of guantity of water Fotal fall to be u The nature of the Such works to be such works to be such works to be such works to be	"Starkweather I. I E. of the In plats of Cl a point on the age; thence to ream S 83° 22 e N. 58° 13! nore or less  (H more space porous  porous  power to be deve er to be used for tilized  the works by mean the located in  o.E. or W.)	Acreage" according to WM as the same is duly lackamas County, Oregon; ne meander line of the r racing the meander line 2' E. 132.61 feet; theno W. 100.17 feet to the r required, attach separate sheet)  required, attach separate sheet)  required feet.  (Head)  (Legal subdivision)  M.	the duly recorded planer recorded in Book 16,  Running thence S.  Pight bank of the Willier of the right bank of the Willier of the right bank of the Pight Bank of the William Sec. 51° 12° E. 446.1° of the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the William Sec. 51° E.  The developed the Pight Bank of the Pigh
thereof, page 11, 12 W. 50 River at Willamett fact to a taining 1  (a) Cha (b) Kin  Power or Mini 9. (a) 7  (b) (c) 7  (d) 7  (e) 8	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water state River up state point; then constant constan	"Starkweather I. I E. of the In plats of Cl a point on the age; thence to ream S 83° 22 e N. 58° 13! nore or less  (H more space porous  porous  power to be deve er to be used for tilized  te works by mean e located in  continued to any started to any started	Acreage" according to WM as the same is duly ackamas County, Oregon; ne meander line of the reacing the meander line 2' E. 132.61 feet; theno W. 100.17 feet to the required, attach separate sheet)  required, attach separate sheet)  required by the meander line (Head)  (Legal subdivision)  M.  Team? (Yes or No)	the duly recorded planer recorded in Book 16,  Running thence S.  Ight bank of the Willi of the right bank of the right bank of the Solace of beginning — contact of the second beginning — contact theoretical horsepown sec. ft.  The developed ————————————————————————————————————
thereof, page 11, 12 W. 50 River at Willamett fact to a taining 1  (a) Cha (b) Kin  Power or Mini 9. (a) 7  (b) 0  (c) 7  (d) 7  (e) 8  (p) 1  (g) 1	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water state River up state point; then constructed and crops raised and of crops raised and purposes— Fotal amount of guantity of water fotal fall to be used The nature of the such works to be seen, R. s. (N) s water to be really so, name streat	"Starkweather in Le of the in plats of Cla point on the in point of the in point of the in point of the in point in the interval of the interv	Acreage" according to WM as the same is duly ackamas County, Oregon; ne meander line of the reacing the meander line 2' E. 132.61 feet; theno W. 100.17 feet to the required, attach separate sheet)  required, attach separate sheet)  required by the power is to be compared by the separate sheet of	the duly recorded plane recorded in Book 16,  Running thence S.  Ight bank of the Willi of the right bank of the right bank of the N. 510 12' E. 446.1 olace of beginning — contact theoretical horsepownsec. ft.  theoretical horsepownsec. ft.  of Sec.
thereof, page 11, 12 W. 50 River at Willamett feet to a taining 1  (a) Cha (b) Kin  Power or Mini 9. (a) 7  (b) 6  (c) 7  (d) 7  (e) 8  (p) (no. N. or (f) I  (g) 1	Tract No. 2 in T. 2 S., F Record of tov 5.95 feet to low water state River up state point; then 0324 acres r dof crops raised ng Purposes— Fotal amount of Quantity of water fotal fall to be w The nature of the Such works to be so, R. so, name strea	"Starkweather is I E. of the in plats of Cla point on the ge; thence to ream S 83° 22 ce N. 58° 13! nore or less power to be dever to be used for tilized power t	Acreage" according to WM as the same is duly ackamas County, Oregon; ne meander line of the reacing the meander line 2' E. 132.61 feet; theno W. 100.17 feet to the required, attach separate sheet)  required, attach separate sheet)  required by the meander line (Head)  (Legal subdivision)  M.  Team? (Yes or No)	the duly recorded plane recorded in Book 16,  Running thence S.  ight bank of the Will of the right bank of the right bank of the No. 510 12' E. 446.1' olace of beginning — contact theoretical horsepown sec. ft.  theoretical horsepown of Sec.  of Sec.

STATE ENGINEER

Application No	. 19925
Permit No	15/99

## **PERMIT**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon	
	on the 27th day of	
	194.3, at3:40 o'clockP M.	
	Returned to applicant:	
		•
v	Corrected application received:	
	Approved:	
•	July 23, 1943	:
	Recorded in book No. 38 of	
	Permits on page15499	
	CHAS. E. STRICKLIN	
	Drainage Basin No Page64 B	
	Fees Paid9.50	•
STATE OF OREGON	PERMIT	
County of Marion,	) <sup>ss</sup>	
stream, or its equivalent	in case of rotation with other water users, fromWill	amette River
The use to which	this water is to be applied isIrrigation	
	his appropriation shall be limited to1/80th	
second or its equive	lent for each acre irrigated and shall be fu	rther limited to a
diversion of not	to exceed 23 acre feet per acre for each acre	irrigated during the
irrigation season	of each year,	
	such reasonable rotation system as may be ordered by t	
The priority date	of this permit isMay 27, 1943	
Actual constructi	on work shall begin on or beforeJuly 23, 1944	and shall
thereafter be prosecuted	d with reasonable diligence and be completed on or before	re
October 1, 1945		
Complete applica	tion of the water to the proposed use shall be made on o	r before
October 1, 1946		
WITNESS my ha	nd this 23rd day of July '	, 194.3,
	CHAS. E. STRI	CKLIN STATE ENGINEER