

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 15288

To Appropriate the Public Waters of the State of Oregon

I, A. J. Heckler

(Name of applicant)

of Central Point, Route 1, Box 159, County of Jackson

(Post office)

State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Spring

(Name of stream)

trib. Kane Creek, a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.03

cubic feet per second, being 0.01 c.f.s. for domestic & 0.02 c.f.s. for stock use.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is stock, domestic and 1/2 acre garden.

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 589 ft. S and 586 ft. W from the East 1/2

(N. or S.)

(E. or W.)

corner of Section 11, Sec. 10, R. 1, W.

(Section or subdivision)

Stock use diversion 50 feet N.E. from spring.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of Sec. 10, Tp. 37 S,

(Give smallest legal subdivision)

(N. or S.)

R. 3 W., W. M., in the county of Jackson

(E. or W.)

5. The pipe line to be 1950 feet

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the SW 1/4, NW 1/4 of Sec. 11, Tp. 37 S,

(Smallest legal subdivision)

(N. or S.)

R. 3 W., W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction

(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Spring boxed in by 4 x 4 by 3 feet deep concrete box.

(Timber, concrete, etc., number and size of openings)

Diverted direct from box.

(c) If water is to be pumped give general description

(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one.....
.....
(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$400.00.....

12. Construction work will begin on or before One year from date of priority.....

13. Construction work will be completed on or before two years from date of priority.....

14. The water will be completely applied to the proposed use on or before three years from
date of priority.....

A. J. Heckler
(Signature of applicant)

R. #1 Box 159

Central Point, Oregon

Signed in the presence of us as witnesses:

(1)
(Name) (Address of witness)

(2)
(Name) (Address of witness)

Remarks: The spring is located on U. S. Government O. & C. land, and the
applicant has secured permission for a deeded right of way use from the office
located at City Hall, Medford, Oregon, which provides further that stock use
be made at location of spring.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 194.....

WITNESS my hand this day of, 194.....

Application No. 19952

Permit No. 15514

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 18th day of June 1943, at 1 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

July 23, 1943

Recorded in book No. 38 of

Permits on page 15514

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 78 A

Fees Paid 10.00

STATE OF OREGON

PERMIT

County of Marion,

ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from An Unnamed Spring,

The use to which this water is to be applied is Stock and Domestic, including the irrigation of a garden not exceeding 1/2 acre in area, being 0.02 c.f.s. for stock and 0.01 c.f.s. for domestic.

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 18, 1943

Actual construction work shall begin on or before July 23, 1944 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1945

Complete application of the water to the proposed use shall be made on or before October 1, 1946

WITNESS my hand this 23rd day of July, 1943

CHAS. E. STRICKLIN

STATE ENGINEER