ASSIGNED, See Mice. Bee. Vol. 3 Pop-862-Statement

## \* APPLICATION FOR A PERMIT

## To Appropriate the Public Waters of the State of Oregon

I,	Joseph I. Steel	
of	(Name of applicant)  4041 NE Wistaria Drive (Portland) , County of Multnomah	····••
	Oregon ,do hereby make application for a permit to approprie	
	cribed public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the	pplicant is a corporation, give date and place of incorporation individual	<b>-</b>
1 Th	source of the proposed appropriation is. Osburn Spring Creek, also small sr	ring
1. 1116	source of the proposed appropriation is Osburn Spring Creek, also small sp to (Name of stream)	(M.M116)
on my pro	erty, both , a tributary of Fairview Lake	•••••
	amount of water which the applicant intends to apply to beneficial use isOl cub or g gal. per min. from spring for domestic purposes and 4.0 second. / per min. from Osburn Spring Creek for irrigation of garden a of hydraulic ram of "I water is to be used from more than one source, give quantity from each) use to which the water is to be applied is for domestic supplies including	gal. and
gation of	garden, also operation of hydraulic ram requiring less than one theo	s, etc.)
4. The	to operate.  point of diversion is located 150 ft. N and 85 ft. E from the (N. or S.)	.SW
	t. 7 - Osburn Park Tract, same being situated in SE of NW of Section (Section or subdivision)	
	ht (28) Township One North, Range three East of Willamette Meridian (If preferable, give distance and bearing to section corner)	
	County, Oregon.	
being within	the of Sec. , Tp	·····,
R(E. or W	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  the	3./
5. The	pipe line is to be 200 feet	·
in length, ter	minating in the N center of Lot 7, Osburn of Sec. 28, Tp. One N  (Smallest legal subdivision)	, S.)
	, W. M., the proposed location being shown throughout on the accompanying map	
".	DESCRIPTION OF WORKS	
Diversion W	rks	
	Height of dam feet, length on top feet, length at	
	feet; material to be used and character of construction(Loose rock, concrete	, masonry,
rock and brush, ti	ber crib, etc., wasteway over or around dam)	
(b) D	scription of headgate(Timber, concrete, etc., number and size of openings)	
(c) If	water is to be pumped give general description (Size and type of pump)	
***************************************	<u> </u>	
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	

A different form of application is provided where storage works are contemplated.

<sup>••</sup> Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

eadgate. At he	eadgate: width o	n top (at water	line)	feet; width on bottom
feet; depth of water thousand feet.			feet; grade	feet fall per one
-		miles from h	neadgate: width on top (at w	ater line)
	feet; width	on bottom	feet; depth of	water feet;
	f			•
	·		•	in.; size at ft.
		-		l <b>iffe</b> rence in elevation betwee <b>n</b>
		•	· · · · · · · · · · · · · · · · · · ·	Estimated capacity,
_				_
9 7	sec. ji.	. iumi matad am mi	is approxim	ately 1/2 acre garden ded in north central port sburn Park tract (approx
70wnship	Range	Section	Forty-acre Tract	Number Acres
			ty, Oregon, same being	To Be Irrigated located in:
1. North	3 East W.M.	28	SEt of NWt Section 28	1/2 acre for family garden
······	,			gardon
			<del>-</del>	
	*			
	•••••			
				:
		,		
		·	e required, attach separate sheet)	
(a) Char	racter of soil			
(b) Kind	d of crops raised			
ower or Minii	ng Purposes—			
9. (a) T	otal amount of p	power to be dev	peloped	theoretical horsepower
(b) G	Quantity of wate	r to be used fo	r power	sec. ft.
(c) T	otal fall to be ut	ilized	(Head) feet.	
				be developed
		•••••		
(e) S	Such works to be	located in		of Sec
	, Rs.)			
			tream?(Yes or No)	
			(1000100)	
				, R, W. M.
(h) n	. we use to annach	POWET IS 10 06	uppueu is	
(h) 7	and we writen	•		

Municipal or Domestic Supply—				
10. (a) To supply the city of				
	nt population of			
and an estimated population of	in 19			
(b) If for domestic use state number of fe	amilies to be supplied Two families			
(Answer questions 11,	12, 13, and 14 in all cases)			
11. Estimated cost of proposed works, \$ 200	•00			
12. Construction work will begin on or before	2 August 15, 1943			
	or before August 1, 1944			
14. The water will be completely applied to the proposed use on or before August 1, 1944				
11. The water will be completely applied to	the proposed was on or object			
	TOCHOL T CHART			
	JOSEPH I. STEEL (Signature of applicant)			
Signed in the presence of us as witnesses:				
(1)(Name)				
	(Address of witness)			
(2)(Name)	(Address of witness)			
Remarks: I plan to utilize water from	om Osburn Spring creek for domestic purposes			
including irrigation of a garden of abou	ut half acre. A ram of one theoretical horse			
power or less, or hand operated pump wil	ll be used until war restrictions are lifted			
	of 250 gal. per hour, (1/3 H.P. motor) will			
	7			
· ·	d March 15, 1926, for fish pond also applies			
to this same property.	•			
<u> </u>				
STATE OF OREGON,	•			
County of Marion,				
This is to certify that I have examined the fo	oregoing application, together with the accompanying			
maps and data, and return the same for	ction and completion			
	•			
	ation must be returned to the State Engineer, with			
corrections on or beforeAugust_5				
WITNESS my hand this6th day o	of			
	CHAS. E. STRICKLIN			
	STATE ENGINEER			
	Ed K. Humphrey, Assistant md			

Application 1	Vo. 19966
Permit No.	15536

PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE

	OF OREGON
	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon
	on the 2nd day of July,
	1943., at1:00 o'clock P. M.
	Returned to applicant:
	<u> </u>
	Corrected application received:
	Approved:
	September 15, 1943
	Recorded in book No
	Permits on page15536
	CHAS, E. STRICKLIN
	STATE ENGINEER
1.0	Drainage Basin No3
	Fees Paid 10.25
STATE OF OREGON	PERMIT
County of Marion,	SS
This is to certify th	at I have examined the foregoing application and do hereby grant the same,
	RIGHTS and the following limitations and conditions:  anted is limited to the amount of water which can be applied to beneficial use
	5.8.2.m. cubic feet per severed measured at the point of diversion from the
	a case of rotation with other water users, from Osburn Spring Creek and
	being 4.0 g.p.m. from creek and 0.5 g.p.m. from spring.
<u> </u>	
	is water is to be applied is Domestic, including the irrigation of a loperation of a hydraulic ram, being 0.5 g.p.m. from spring for from creek for irrigation of garden and ram.
If for irrigation, this	s appropriation shall be limited to of one cubic foot per
second	
and shall be subject to su	ch reasonable rotation system as may be ordered by the proper state officer.
	this permit is July 2, 1943
Actual construction	work shall begin on or before September 15, 1944 and shall
thereafter be prosecuted a Extender October 1, 1945	with reasonable diligence and be completed on or before to Oct. 1, 1948 to Oct. 1, 1947 Extended to Oct. 1, 1950 Extended to Oct. 1, 1950 Extended to Oct. 1, 1950
~	
October 1, 1946	of the water to the proposed use shall be made on or before
	this15th day of September, 194.3
	CHAS. E. STRICKLIN
Permits for power developm	STATE ENGINEER nent are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.