

alt. made

CERTIFICATE NO. 15160

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Sybil Brown (Name of applicant) of 333 NE Halsey St., Portland, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed spring on applicant's property, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.05 cubic feet per second. being 0.03 cfs for ram, 0.01 for dom. & 0.01 for stock

**3. The use to which the water is to be applied is Operation of ram, stock and domestic including irrig. of 1/2 acre garden

4. The point of diversion is located 1200 ft. N and 1500 ft. W from the SE corner of section 35, T. 3 S., R. 2 W., W. M.

being within the SW SE as projected of Sec. 35, Tp. 3 S. R. 2 W., W. M., in the county of Yamhill

5. The pipe to be 1500 ft. in length, terminating in the of Sec. 35, Tp. 3 S. R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 1 1/2" Hill ram

* A different form of application is provided where storage works are contemplated. ** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 S	2 W	35	SE SE	dom., including $\frac{1}{8}$ acre gard. & stock
			SW SE	ram

above subdivisions are as projected on John S. Smith DLC No. 61

The land on which water is to be used under this application is a part of the property described below:

A part of the John S. Smith and wife Donation Land Claim Numbers 60 and 79 in Townships 3 and 4 South, Range 2 West, all of Lots 4 and 5 and part of Lot 6 in Section 35, Township 3 South, Range 2 West of the Willamette Meridian described as follows: Beginning at the Southwest corner of said John S. Smith and Wife Donation Land Claim on the left bank of the Willamette River; thence North along the west line of said claim 73.63 chains to the Northeast corner of the Michel LaFromboise Donation Land Claim; thence North $59^{\circ} 45'$ West 26 chains to the intersection of the North line of said Section 35; thence along said north line south $89^{\circ} 55'$ east 36.60 chains to the Northwest corner of "Tract #4" which is a basalt stone 9x8x7 inches marked L4 on east and L5 on west faces and + on top from which a fir 16 inches in diameter bears south $48^{\circ} 30'$ east 52 links and a fir 18 inches in diameter bears south $37^{\circ} 55'$ west 83 links; thence south $6^{\circ} 3'$ east 67.31 chains to a point from which an iron bar driven in the ground near spring bears south $6^{\circ} 3'$ east 472 links; thence south $12^{\circ} 15'$ west 13 chains to a granite stone 14x9x7 inches marked + on top set on the North line of Section 2, Township 4 South, Range 2 West at a point 5.64 chains west of the Northeast corner thereof; thence south 5.10 chains to the left bank of the Willamette River; thence with the meanders of said left bank upstream North 60° west 4.49 chains; thence West 10 chains; thence South 60° West 5.07 chains to the place of beginning and containing 167.69 acres, more or less, and being the same land conveyed to The Union Central Life Insurance Company by Deed dated May 31, 1938, and recorded in Book 114, Page 296, of the Records of Yamhill County, Oregon.

(e) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 1
.....
(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....100.00.....

12. Construction work will begin on or before

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before ...Has been completely
...applied.....

SYBIL BROWN
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)

(2) (Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 20018

Permit No. 15589

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 23rd day of August, 1943, at 3:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

December 3, 1943

Recorded in book No. 38 of Permits on page 15589

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 76 L

Fees Paid 10.25

STATE OF OREGON } ss County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from An Unnamed Spring

The use to which this water is to be applied is Operation of Ram, Stock, and Domestic, including the irrigation of 1/2 acre garden, being 0.03 cfs for ram, 0.01 cfs for stock, and 0.01 cfs for domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 23, 1943

Actual construction work shall begin on or before December 3, 1944 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1945

Complete application of the water to the proposed use shall be made on or before October 1, 1946

WITNESS my hand this 3rd day of December, 1943

CHAS. E. STRICKLIN STATE ENGINEER