CERTIFICATE NO. 156/3

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

| of Grand Ronds, County of | | I, Polk Operating Company (Name of applicant) |
|--|----------|---|
| State of | of | Grand Ronde , County of Polk |
| If the applicant is a corporation, give date and place of incorporationQct131926. State.of.Oragon. 1. The source of the proposed appropriation is | State (| |
| 1. The source of the proposed appropriation is | follow | ing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: |
| 1. The source of the proposed appropriation is | | If the applicant is a corporation, give date and place of incorporationQct. 13 - 1926 |
| | Stat | e of Oregon |
| | | 1. The source of the proposed appropriation isRock_Creek |
| cubic feet per second. beging 1.9 cfs for pond and 0.1 cfs for boiler (it water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied isTo_fill_and_maintain_a log_pond for derigation, power, mining, meantscuturin, domestic supplies, etc. handling and storage of logs and to supply water for steam boiler 4. The point of diversion is located | | , a tributary of South Yamhill River |
| **3. The use to which the water is to be applied is To fill and maintain a log pond for (trigation, power, mining, manufacturing, domestic supplies, etc.) handling and storage of logs and to supply water for steam boiler 4. The point of diversion is located from the form of steam boiler 4. The point of diversion is located from the form of steam boiler 4. The point of diversion is located from the form of steam boiler 6. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW+ of NW+ of Steam of Sec. 13 , T. 6 S., R. 8 W., W. M. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW+ of NW+ of Sec. 13 , Tp. 6 S. (R. 8 W. , W. M., in the county of Polk (Sec. 13 , Tp. 6 S.) F. 8 W. , W. M., in the county of Polk (Sec. 13 , Tp. 6 S.) (Co. or W.) (Miles or feet) in length, terminating in the SW+ of NW+ of N | | 2. The amount of water which the applicant intends to apply to beneficial use is2.0 |
| handling and storage of logs and to supply water for steam boiler 4. The point of diversion is located | cubic ; | feet per second. being 1.9 cfs for pond and 0.1 cfs for boiler (If water is to be used from more than one source, give quantity from each) |
| 4. The point of diversion is locatedft | ** | 3. The use to which the water is to be applied isTo_fill_and_maintain a log_pond for th (Irrigation, power, mining, manufacturing, domestic supplies, etc.) |
| Corner of | hand | lling and storage of logs and to supply water for steam boiler |
| No. 43° 141 W., 1044.0 ft., to NW corner of Sec. 13, T. 6 S., R. 8 W., W. M. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW of NW of NW of Sec. 13 , Tp. 6.8. (Give smallest legal subdivision) of Sec. 13 , Tp. 6.8. (R. 8 W , W. M., in the county of Polk (E. or W.) 5. The Dipe line to be 650 feet (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SW of NW of Sec. 13 , Tp. 6.8. (Smallest legal subdivision) of Sec. 13 , Tp. 6.8. (R. 8 W , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam None feet, length on top feet, length at bo feet; material to be used and character of construction (Loose rock, concrete, m. rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate None (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 6" centrifugal (Size and type of pump) | | 4. The point of diversion is located ft and ft from the |
| (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the | | |
| being within the NNL of NNL of NNL of NNL of Sec. 13 , Tp. 6 S. (R. or S.) R. 8 M , W. M., in the county of Polk (E. or W.) 5. The pipe line to be 650 feet (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SNL of NNL of S. (Smallest legal subdivision) (N. or S.) R. R. 8 M , W. M., the proposed location being shown throughout on the accompanying map. (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam None feet, length on top feet, length at bo feet; material to be used and character of construction (Loose rock, concrete, m.) (b) Description of headgate None (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 6" centrifugal (Size and type of pump) | .Na | |
| R. S. W. , W. M., in the county of Polk 5. The pipe line (Miles or feet) (Maile ditch, canal or pipe line) (Miles or feet) in length, terminating in the S. A. S. W. (Smallest legal subdivision) R. R. S. W. , W. M., the proposed location being shown throughout on the accompanying map. (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam None feet, length on top feet, length at bo feet; material to be used and character of construction (Loose rock, concrete, m. (Loose rock, concrete, m. (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 6" centrifugal (Size and type of pump) | •••••• | |
| 5. The | | |
| in length, terminating in the SWA of NWA of Sec. 13 , Tp. 6 S (Smallest legal subdivision) R R. S. W, W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam None feet, length on top feet, length at bo feet; material to be used and character of construction (Loose rock, concrete, murber and size of openings) (b) Description of headgate None (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 6" centrifugal (Size and type of pump) | R§ | (M. O. H.) |
| R | | (Main ditch, canal or pipe line) (Miles or feet) |
| DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam | in len | gth, terminating in the SW4 of NW4 of Sec. 13 , Tp. 6.8 (Smallest legal subdivision) |
| Diversion Works— 6. (a) Height of damNone feet, length on top feet, length at bo feet; material to be used and character of construction (Loose rock, concrete, material by the contract of the contract of construction (Loose rock, concrete, material by the contract of construction (Loose rock, concrete, material by the contract of construction (Loose rock, concrete, material by the contract of construction (Loose rock, concrete, material by the contract of construction (Loose rock, concrete, material by the contract of construction (Loose rock, concrete, material by the contract of construction (Loose rock, concrete, material by the contract of construction (Loose rock, concrete, material by the contract of construction (Loose rock, concrete, material by the contract of construction (Loose rock, concrete, material by the contract of construction (Loose rock, concrete, material by the contract of construction (Loose rock, concrete, material by the contract of construction (Loose rock, concrete, material by the contract of construction (Loose rock, concrete, material by the contract of construction | R | R. S. W. M., the proposed location being shown throughout on the accompanying map. (E. or W.) |
| 6. (a) Height of dam None feet, length on top feet, length at bo feet; material to be used and character of construction (Loose rock, concrete, material brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate None (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 6" centrifugal (Size and type of pump) | ٠ | DESCRIPTION OF WORKS |
| feet; material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Coose rock, concrete, material to be used and character of construction (Coose rock, concrete, material to be purple of pumps) (b) Description of headgate | Diver | sion Works— |
| (b) Description of headgate None (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 6" centrifugal (Size and type of pump) | | 6. (a) Height of damNone feet, length on top feet, length at bottom |
| (b) Description of headgateNone | | feet; material to be used and character of construction(Loose rock, concrete, masonry, |
| (c) If water is to be pumped give general description 6" centrifugal (Size and type of pump) | rock and | i brush, timber crib, etc., wasteway over or around dam) |
| | | (b) Description of headgateNone(Timber, concrete, etc., number and size of openings) |
| | | (c) If water is to be pumped give general description 6" centrifugal (Size and type of pump) |
| | 30 | |
| Not less than 850 gallons per minute. | | |

[•] A different form of application is provided where storage works are contemplated.

^{..} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-

| lgate. At he | feet; width o | n bo | | | |
|----------------------|-------------------|---------------------|--|----------------|-------------|
| | feet fal | l pe | | | |
| sand feet. (b) At | | miles from he | adgate: width on top (at wate | er line) | |
| | | | feet; depth of w | | |
| | | feet fall per one t | | | |
| | | | | | |
| | | | size at intake, | | |
| | | • | use in.; dif | | |
| - | | ft. Is | grade uniform? | Estimated | cap |
| | sec. ft. | | | | |
| 8. Locati | on of area to be | e irrigated, or pla | ce of use | Number Acre | |
| Township | Range | Section | Forty-acre Tract | To Be Irrigate | |
| 6 S | 8_W | 13 | SW1 NW1 | | ••••• |
| | | \ | | - | |
| | | | | | |
| | | | | | |
| | \ | | | | |
| | | | | | |
| | , | , | ······································ | | ······· |
| | •••••••••••• | | | | |
| | | | · · · · · · · · · · · · · · · · · · · | | |
| | | | | | |
| | | | | | ••••• |
| | | | | | |
| | | | | - | |
| | | • | required, attach separate sheet) | | |
| (a) Char | acter of soil | | | | •-• |
| (b) Kind | l of crops raised | | | | · |
| | ng Purposes— | | , | | |
| 9. (a) T | otal amount of | power to be deve | loped | theoretical ho | rsep |
| (b) Q | uantity of wate | er to be used for | power | sec. ft. | |
| (c) T | otal fall to be u | tilized | feet. | | |
| | | | is of which the power is to b | e developed | |
| | | | | | |
| (e) S | uch works to be | e located in | (Legal subdivision) | of Sec | |
| | | , W. M. | | · | |
| • | • | | | | |
| | | | eam?(Yes or No) | | |
| | | _ | nt of return | | |
| | | , Sec | , Tp. (No. N. or S.) | (No. E. or W.) | ·····, |
| (h) 7 | he use to which | n power is to be | applied is | ····· | |

| Municipal or Domestic Supply— | |
|--|--|
| 10. (a) To supply the city of | |
| (Name of) County, having a prese | ent population of |
| and an estimated population of | in 19 |
| (b) If for domestic use state number of | families to be supplied |
| (Answer questions 11 | 1, 12, 13, and 14 in all cases) |
| 11. Estimated cost of proposed works, \$3, | 000,00 |
| 12. Construction work will begin on or befor | e Nov. 1st, 1943 |
| 13. Construction work will be completed on | or before Dec. 1st, 1943 |
| 14. The water will be completely applied to | the proposed use on or beforeIanlst,1944 |
| | POLK OPERATING COMPANY (Signature of applicant) |
| • | R. F. Morse, President |
| Signed in the presence of us as witnesses: | |
| (1) Wilma Whitney (Name) | , Longview, Washington (Address of witness) |
| (2) C. J. Simpson (Name) | Longview, Washington (Address of witness) |
| Remarks: | |
| | ······································ |
| <u> </u> | |
| | |
| | |
| | |
| | 7 |
| STATE OF OREGON, County of Marion, ss | ! |
| This is to certify that I have examined the fo | oregoing application, together with the accompanying |
| maps and data, and return the same for | |
| | |
| | |
| | ation must be returned to the State Engineer, with |
| corrections on or before | |
| WITNESS my hand this day of | of, 194, |
| | STATE ENGINEED |

| Application | No. 20041 |
|-------------|-----------|
| Permit No. | 15608 |

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

| | Division No District No | |
|--------------------|--|--|
| | This instrument was first received in the office of the State Engineer at Salem, Oregon | |
| | on the 22nd day of September, | |
| | 194.3, at2:55 o'clock P M. | |
| | Returned to applicant: | |
| | Corrected application received: | |
| | Approved: | |
| • | December 3, 1943 | |
| | Recorded in book No. 38 of | |
| • | Permits on page15608 | |
| | CHAS. E. STRICKLIN STATE ENGINEER | |
| | Drainage Basin No. 2 Page 90 I | |
| | Fees Paid 11.00 | • |
| | | |
| STATE OF OREGON | PERMIT | |
| County of Marion, | ss | |
| The right herein g | or of RIGHTS and the following limitations and condi- granted is limited to the amount of water which can 2.0 cubic feet per second measured at the in case of rotation with other water users, from | be applied to beneficial use point of diversion from the |
| | this water is to be applied is To Supply Steam Bo | |
| cribed in Applicat | tion No. R-20040, Permit No. R-783, being 1 | .9 cfs for pond and 0.1 |
| | · | |
| | | |
| | such reasonable rotation system as may be ordered by of this permit isSeptember 22, 1943 | |
| | on work shall begin on or before December | |
| | d with reasonable diligence and be completed on or b | |
| | | ejore |
| | tion of the water to the proposed use shall be made or | n or before |
| | nd this3rd day of December | |
| | • • | RICKLIN |
| | Januar Ja | STATE ENGINEER |