

chart made

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 14755

To appropriate the Public Waters of the State of Oregon

I, Frank H. Woodley (Name of applicant) of Glendale (Post office), County of Douglas, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Section Creek (Name of stream), a tributary of Cow Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.03 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 110 ft. N. and 1450 ft. W. from the S.E. corner of Section 32, Township 32 South, Range 6 West, Willamette Meridian (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of the SE 1/4 of Sec. 32, Tp. 32 S., R. 6 W., W. M., in the county of Douglas

5. The Pipe Line to be 180 feet in length, terminating in the S.E. of S.E. of Sec. 32, Tp. 32 S., R. 6 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Motor and pump of sufficient size to deliver the required amount of water to a height of 8 feet and a distance of 180 feet. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
32 S.	6 W.	32	S.E. of S.E. and	1/2 A.
			S.W. of S.E.	1 1/2 A. Two Acres
<p>A tract of land containing two (2) acres situate north of the Southern Pacific Railway right of way in the southeast quarter of Section 32, Township 32 South, Range 6 West, Willamette Meridian, more particularly described as follows; to wit: Beginning at a point 1270.8 feet West and 40 feet north of the southeast corner of Section 32, Township 32 South, Range 6 West, Willamette Meridian; thence north a distance of 456.7 feet to a point; thence North 67 degrees and 05 minutes West a distance of 206.97 feet to a point; thence south a distance of 456.7 feet to a point; thence South 67 degrees and 05 minutes East a distance of 206.97 feet to the place of beginning.</p>				

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam

(b) Kind of crops raised Vegetables and Garden Stuff, Fruit

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 100.00

12. Construction work will begin on or before April 1, 1944

13. Construction work will be completed on or before Sept. 1, 1944

14. The water will be completely applied to the proposed use on or before Sept. 1, 1944

FRANK H. WOODLEY
(Signature of applicant)

Signed in the presence of us as witnesses:

(1)
(Name) (Address of witness)

(2)
(Name) (Address of witness)

Remarks: This application is for the use of water for irrigation purposes from a stream running through the property of the applicant. The water is to be pumped from the stream by means of a portable pumping plant with a flexible suction hose of sufficient size to raise the water vertically eight feet and discharge the same a distance of 180 feet to the highest point of the tract to be irrigated.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 10, 1943

WITNESS my hand this 11th day of October, 1943

CHAS. E. STRICKLIN
STATE ENGINEER

By Ed K. Humphrey, Assistant

Application No. 20057

Permit No. 15622

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 8th day of October 1943, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

December 3, 1943

Recorded in book No. 38 of Permits on page 15622

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 16 Page 12

Fees Paid 9.50

STATE OF OREGON } ss County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Section Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/70th of one cubic foot per second or its equivalent for each acre irrigated during the irrigation season from April 1st to October 1st of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 8, 1943

Actual construction work shall begin on or before December 3, 1944 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1945

Complete application of the water to the proposed use shall be made on or before October 1, 1946

WITNESS my hand this 3rd day of December, 1943.

CHAS. E. STRICKLIN STATE ENGINEER