

* APPLICATION FOR A PERMIT CERTIFICATE NO. 15300

To appropriate the Public Waters of the State of Oregon

I, Nelson M. and Clarice Nye and Marian Bean (Name of applicant) of Prospect (Post office), County of Jackson, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Nye Spring (Name of stream) in Rogue River watershed, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.10 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic and stock, being 0.09 c.f.s. (Irrigation, power, mining, manufacturing, domestic supplies, etc.) for domestic and 0.01 c.f.s. for stock

4. The point of diversion is located 215 ft. N. and 1420 ft. E. from the SW corner of Section 3 (N. or S.) (E. or W.) (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE 1/4 SW 1/4 of Sec. 3, Tp. 33 S., R. 2 E., W. M., in the county of Jackson (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The pipe line to be 3/4 mile (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SW 1/4 NE 1/4 of Sec. 10, Tp. 33 S., R. 2 E., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, Spring boxed in by 6 x 6 x 3 ft. concrete box. rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate direct from source (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1200.00

12. Construction work will begin on or before 1 year from date of priority.

13. Construction work will be completed on or before 2 years from date of priority.

14. The water will be completely applied to the proposed use on or before 3 years from date of priority

/s/ NELSON M. AND CLARICE NYE
(Signature of applicant)

MARIAN BEAN

Prospect, Oregon by C.N.

Signed in the presence of us as witnesses:

(1)
(Name) (Address of witness)

(2)
(Name) (Address of witness)

Remarks:

Spring is on Nye land. Permission for use and right of way granted. Spring to be developed for use.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

Application No. 20100

Permit No. 15660

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 13th day of December, 1943, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 1, 1944

Recorded in book No. 38 of

Permits on page 15660

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 78-B

Fees Paid \$10.00

STATE OF OREGON

PERMIT

County of Marion,

ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Nye Spring

The use to which this water is to be applied is Domestic and Stock, being 0.09 c.f.s. for Domestic and 0.01 c.f.s. for Stock

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 13, 1943

Actual construction work shall begin on or before March 1, 1945 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1946

Complete application of the water to the proposed use shall be made on or before

October 1, 1947

WITNESS my hand this 1st day of March, 1944.

/s/ CHAS. E. STRICKLIN

STATE ENGINEER