

15620

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 15620

To appropriate the Public Waters of the State of Oregon

I, Joelson Lumber Company (Name of applicant) of Roseburg (Post office), County of Douglas, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation No.

1. The source of the proposed appropriation is Deer Creek (Name of stream), a tributary of South Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 30,000 Cu. Ft. PER Week. cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Filling Mill Pond (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located N. 64° 12' E. 1438.8 feet ft. and ft. from the corner of North-west Corner of Donation Land Claim No. 40 in T. 27 S. R 5 W. W. M. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NE 1/4 of NE 1/4 of Sec. 19, Tp. 27 S. R. 5 W., W. M., in the county of Douglas.

5. The Pipe Line to be 640 Ft. in length, terminating in the NE 1/4 of NE 1/4 of Sec. 19, Tp. 27 S. R. 5 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam XX feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate XX (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 5 inch Centrifical Pumping Head about 20 feet. (Size and type of pump) 25 H. p Gas Motor (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 640.0 ft.; size at intake, 4 in.; size at ft. from intake in.; size at place of use 4 in.; difference in elevation between intake and place of use, 20 feet ft. Is grade uniform? yes. Estimated capacity, $\frac{1}{4}$ sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
27 S.	5 W.	19	1 $\frac{1}{2}$ acres	1 $\frac{1}{2}$ acres
<p>Beginning at the Southwest corner of Lot 8 of First Brookside Addition to the City of Roseburg, Douglas County, Oregon, according to the official plat and survey thereof now on file in the office of the County Clerk of Douglas County, Oregon, running thence westerly along the North side of East Avenue of the Dixonville Road and the Southerly line of First Brookside Addition 747 feet thence North 375 feet thence East 747 feet thence South 375 feet to the place of beginning, being a part of Lots 4, 5, 6, and 7 of said First Brookside Addition to the City of Roseburg, Douglas County, Oregon, and containing 6.43 acres, more or less.</p>				

(If more space required, attach separate sheet)

(a) Character of soil Black Mud

(b) Kind of crops raised None

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

(Name of) County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$750.00

12. Construction work will begin on or before Oct. 16th. 1943

13. Construction work will be completed on or before Dec. 1st. 1943.

14. The water will be completely applied to the proposed use on or before Dec. 1st. 1943.

Joelson Lbr. Co., By J. A. Joelson
(Signature of applicant)

Idlyeld Rt.

Roseburg, Ore.

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)

(2) (Name) (Address of witness)

Remarks: This water is to be pumped from Deer Creek by pump with

a gas motor, through a 4 inch pipe to an acres and one half Mill

pond which is about 5 feet deep in water. The pump will not be working all the time, but an estimate of 2 hour a day.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon
on the 15th day of November
1943, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

May 1, 1944

Recorded in book No. 38 of
Permits on page 15681

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 6 Page 30
Fees Paid \$10.00

STATE OF OREGON }
County of Marion, } ss

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from
Deer Creek

The use to which this water is to be applied is Filling mill pond

If for irrigation, this appropriation shall be limited to of one cubic foot per
second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 15, 1943

Actual construction work shall begin on or before May 1, 1945 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1946

Complete application of the water to the proposed use shall be made on or before
October 1, 1947

WITNESS my hand this 1st day of May, 1944

CHAS. E. STRICKLIN
STATE ENGINEER