CERTIFICATE NO. 15625

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Harry Renzelms	n (Various of applicant)	
of Hebo, Oregon	(Name of applicant), County of ost office)	Tillamook
•	, do hereby make application fo	
following described public was	ters of the State of Oregon, SUBJECT TO EX	XISTING RIGHTS:
If the applicant is a cor	poration, give date and place of incorporation	ı
		·
1. The source of the pr	roposed appropriation is Three Rivers	
	, a tributary of Nestucca Ri	
•		•
	r which the applicant intends to apply to ben	eficial use is
cubic feet per second	second feet (If water is to be used from more than one source, give qu	uantity from each)
**3. The use to which the	water is to be applied is Irrigation of	
	(Irrigation, power, mining	, manufacturing, domestic supplies, etc.)
4 The point of diversion	on is located 980 ft. N and 740	ft. W from the SE
Section 11 T	on is located $$ 980 ft. N and $$ 740 w. (N. or s.)	(E. or W.)
corner of Section 11, T.	(Section or subdivision)	••••••
•	(If preferable, give distance and bearing to section corner)	
· · · · · · · · · · · · · · · · · · ·	(if preferance, give distance and bearing to section corner)	
	han one point of diversion, each must be described. Use separate she	
	e S E of the S E of Sec. 11 ive smallest legal subdivision)	(N. of 5.)
(E. or W.)	e county of Tillamook	
5 The Pipe line	to be 13	30 feet
in length, terminating in the $^{ m N}$	(Main ditch, canal or pipe line) $ \sqrt{\frac{1}{2}} $ of the $SW_{\frac{1}{4}}$ of the $SW_{\frac{1}{4}}$ of Sec. 12 (Smallest legal subdivision)	(Miles or feet) , Tp. 4 S (N. or S.)
R. 10 W , W. M., the	proposed location being shown throughout on	the accompanying map.
	DESCRIPTION OF WORKS	
•	DESCRIPTION OF WORKS	
Diversion Works—		
6. (a) Height of dam	None feet, length on top	feet, length at bottom
feet: material t	• to be used and character of construction	
· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •	(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway o	over or around dam)	
	n.	
(b) Description of head	lgate None (Timber, concrete, etc., number an	nd size of openings)
(c) If water is to be mu	umped give general description 1½" pump of	delivering about
(Size a	Motor against an average head of 100 and type of engine or motor to be used, total head water is to be lifted	

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

والمحمراه

[•] A different form of application is provided where storage works are contemplated.

rusand feet.	jeco, acpoir of	f water	feet; grade	feet fall per one
(b) At		miles from l	headgate: width on top (at wate	r line)
, .			feet; depth of wo	
				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		· ·	•	
			t.; size at intake,4."	
			of use4 in.; diff	· .
		ft. I	Is grade uniform?No	Estimated capacity,
•28	sec. ft.			
8. Loca	tion of area to b	e irrigated, or p	lace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 S.	10 W.	11	SE4 of SE4	16.2
4 S.	10 W.	12	SWa of SWa	9.8
on the	following des	cribed proper	ety, on the attached sheet	_
ast corne	r of the scho		est side of said claim l	
f said conhence learne C. C. 7.89 acrest of the	unty road nor ving said road road road road road road road roa	center line th 37° 41' we d center line thence north ss, all in Se Meridian; the following se Rivers: B ter of the se willamette of the Lars e 10 West of it; thence sou mary of said ming, contain ing 5 acres,	of the County road; thence for the 280.1 feet; thence nor north 89° 30' west 1304. In 680 feet to the place of ections 11 and 12, of Town described property lying egimping the cortical feet of the Willamette Meridian, the 89° 21' east 733.93 fee Homestead; thence north ing 44.4 acres more or less;	th 19° 40' west 451.30 3 feet to the east line beginning, containing ship 4 south of Range 1 south of the corner of ax the south 2634.49 feet alo cons 11 and 14, of Towns to the southwest corner et; thence north 2634.9 89° 30' west 733.93 fee ss; the tract of land h
f said conhence learner to the C. C. r.89 acrests of the control o	unty road nor ving said road road road road road road road roa	center line th 37° 41' we d center line thence north ss, all in Se Meridian; the following se Rivers: B ter of the se willamette of the Lars e 10 West of d; thence sou makery of said ming, contain ing 5 acres, ter to be used for	of the County road; thence for the 280.1 feet; thence nor north 89° 30' west 1304. In 680 feet to the place of ections 11 and 12, of Town described property lying egimping the cortical feet of the Willamette Meridian, the 89° 21' east 733.93 fee Homestead; thence north ling 44.4 acres more or less; or power	e along the center line th 19° 40° west 451.30° 3 feet to the east line beginning, containing ship 4 south of Range 1 south of the corner of at the corner of at the south 2634.49 feet alons 11 and 14, of Towns to the southwest corner et; thence north 2634.9 89° 30° west 733.93 fee ss; the tract of land he sec. ft.
f said conhence learner C. C. (89 acrest of the central control central centra	unty road nor ving said road road road road road road road roa	center line th 37° 41' we d center line thence north ss, all in Se Meridian; the following see Rivers: be willemette of the Lars e 10 West of d; thence sou adary of said aning, contain ing 5 acres, eer to be used for utilized	of the County road; thence for the 280.1 feet; thence nor north 89° 30' west 1304. In 680 feet to the place of ections 11 and 12, of Town described property lying egiming the forthwest contract the worthwest contract the willamette Meridian, the 89° 21' east 733.93 fe. Homestead; thence north ling 44.4 acres more or less; or power feet.	e along the center line th 19° 40° west 451.30 3 feet to the east line beginning, containing ship 4 south of Range 1 south of the corner of at the corner of at the south 2634.49 feet along to the southwest corner et; thence north 2634.9 89° 30° west 733.93 fee ss; the tract of land he sec. ft.
f said conhence learner C. C. (89 acrest of the central control central centra	unty road nor ving said road road road road road road road roa	center line th 37° 41' we d center line thence north ss, all in Se Meridian; the following see Rivers: be willemette of the Lars e 10 West of d; thence sou adary of said aning, contain ing 5 acres, eer to be used for utilized	of the County road; thence for the 280.1 feet; thence nor north 89° 30' west 1304. In 680 feet to the place of ections 11 and 12, of Town described property lying egimping the cortical feet of the Willamette Meridian, the 89° 21' east 733.93 fee Homestead; thence north ling 44.4 acres more or less; or power	e along the center line th 19° 40° west 451.30 3 feet to the east line beginning, containing ship 4 south of Range 1 south of the corner of at the corner of at the south 2634.49 feet along to the southwest corner et; thence north 2634.9 89° 30° west 733.93 fee ss; the tract of land he sec. ft.
f said conhence learner C. C. (89 acrests of the central control central centr	unty road nor ving said road road road road road road road roa	center line th 37° 41' we d center line thence north ss, all in Se Meridian; the following see Rivers: B ter of the Lars e 10 West of d; thence sou adary of said aning, contein ing 5 acres, er to be used for utilized he works by me	of the County road; thence for the 280.1 feet; thence nor north 89° 30' west 1304. In 680 feet to the place of ections 11 and 12, of Town described property lying egiming the forthwest contract the worthwest contract the willamette Meridian, the 89° 21' east 733.93 fe. Homestead; thence north ling 44.4 acres more or less; or power feet.	e along the center line th 19° 40° west 451.30 3 feet to the east line beginning, containing ship 4 south of Range 1 south of the corner of at the corner of at the south 2634.49 feet along to the southwest corner et; thence north 2634.9 89° 30° west 733.93 fee ss; the tract of land he sec. ft.
f said conhence learner control conhence learner control contr	unty road nor ving said road lensen tract; so more or le e Willamette lso, all of the lense of the west line said Homestead he north bour reyed contains Quantity of wat Total fall to be a Such works to be Such works to be said works to be such works.	center line th 37° 41' we d center line thence north ss all in Se Meridian; the following see Rivers: B ter of the Se willamette of the Lars e 10 West of d; thence sou mary of said ming, contain ing 5 acres, ter to be used fo utilized he works by me se located in	of the County road; thence st 280.1 feet; thence nor north 89° 30' west 1304. 1680 feet to the place of ections 11 and 12, of Town described property lying egimning the the worthwast outree of sections. The worthwast outree of sections 12 and 12, of Town described property lying egimning the the worthwast outree of sections. The worthwast outree of sections 11 and 12, of Town described property lying egimning the worthwast outree of sections. The worthwast outree of sections in Sections 12 and	e along the center line th 19° 40° west 451.30 3 feet to the east line beginning, containing ship 4 south of Range 1 south of the corner of at the corner of at the south 2634.49 feet along to the southwest corner et; thence north 2634.9 89° 30° west 733.93 fee ss; the tract of land he sec. ft.
f said conhence learner C. C. (89 acrests of the center of	unty road nor ving said road lensen tract; so more or le e Willamette lso all of the lense of the west line west line west line said Homestead he north bour of begin reyed contains Quantity of wat Total fall to be a The nature of the such works to be seen to the lack of	center line th 37° 41' we d center line thence north ss all in Se Meridian; the following see Rivers: Willemette of the Lars e 10 West of d; thence sou adary of said aning, contein ing 5 acres, ser to be used for utilized he works by me se located in No. E or W.)	of the County road; thence for the 280.1 feet; thence nor north 89° 30' west 1304. In 680 feet to the place of ections 11 and 12, of Town described property lying egiming the forthwest contract the willamette Meridian, the 89° 21' east 733.93 fe. Homestead; thence north ling 44.4 acres more or less; or power feet. (Head) (Legal subdivision) M.	e along the center line th 19° 40° west 451.30 3 feet to the east line beginning, containing ship 4 south of Range 1 south of the corner of at the corner of at the south 2634.49 feet along to the southwest corner et; thence north 2634.9 89° 30° west 733.93 fee ss; the tract of land he sec. ft.
f said conhence learner C. C. (89 acrests of the central control central centr	unty road nor ving said road lensen tract; so more or le e Willamette lso all of the lense of the west line west line west line said Homestead he north bour of begin reyed contains Quantity of wat Total fall to be a The nature of the such works to be seen to the lack of	center line th 37° 41' we d center line thence north ss all in Se Meridian; the following see Rivers: Willemette of the Lars e 10 West of d; thence sou adary of said aning, contein ing 5 acres, ser to be used for utilized he works by me se located in No. E or W.)	of the County road; thence st 280.1 feet; thence nor north 89° 30' west 1304. 1680 feet to the place of ections 11 and 12, of Town described property lying egimning the the worthwast outree of sections. The worthwast outree of sections 12 and 12, of Town described property lying egimning the the worthwast outree of sections. The worthwast outree of sections 11 and 12, of Town described property lying egimning the worthwast outree of sections. The worthwast outree of sections in Sections 12 and	e along the center line th 19° 40° west 451.30 3 feet to the east line beginning, containing ship 4 south of Range 1 south of the corner of at the corner of at the south 2634.49 feet along to the southwest corner et; thence north 2634.9 89° 30° west 733.93 fee ss; the tract of land he sec. ft.
f said conhence learne C. C. 1.89 acre 1. t. (b) (c) (d) (n) (n) (n) (n) (n) (n) (n	unty road nor ving said road lensen tract; so more or le e Willamette lso, all of the lense of the west line said Homestead the north bour reyed contains Quantity of wat Total fall to be a The nature of the said works to be said works to be said to be a lense of the latter of latte	center line th 37° 41' we d center line thence north ss all in Se Meridian; the following see Rivers: B ter of the Se willamette of the Lars e 10 West of d; thence sou adary of said aning, contain ing 5 acres, ser to be used fo utilized he works by me se located in we located in we located in the works by me se located in the works by me	of the County road; thence for the 280.1 feet; thence nor north 89° 30' west 1304. In 680 feet to the place of ections 11 and 12, of Town described property lying egiming the forthwest contract the willamette Meridian, the 89° 21' east 733.93 fe. Homestead; thence north ling 44.4 acres more or less; or power feet. (Head) (Legal subdivision) M.	e along the center line th 19° 40' west 451.30 3 feet to the east line beginning, containing ship 4 south of Range 1 south of the corner of at the corner of at the corner of at the south 2634.49 feet alones 11 and 14, of Towns to the southwest corner et; thence north 2634.989° 30' west 733.93 fees; the tract of land he sec. ft.

Municipal or Domestic Supply— 10. (a) To supply the city of	
	esent population of
(Name of) and an estimated population of	
	of families to be supplied
(Answer question	ns 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	
12. Construction work will begin on or be	fore
13. Construction work will be completed	on or before
14. The water will be completely applied	to the proposed use on or before
	Harry Renzelman
	(Signature of applicant)
	· · · · · · · · · · · · · · · · · · ·
Signed in the presence of us as witnesses:	
(1)(Name)	(Address of witness)
(2)(Name)	(Address of witness)
Remarks:	
· · · · · · · · · · · · · · · · · · ·	
	3
<u> </u>	
	,
STATE OF OREGON,	
County of Marion,	
This is to certify that I have examined the	e foregoing application, together with the accompanying
maps and data, and return the same for	·
	•
In order to retain its priority, this app	olication must be returned to the State Engineer, with
corrections on or before	, 194
WITNESS my hand this do	ay of, 194

•	Application No. 20134		1
	Permit No. 15707		
	PERMIT		-
	TO APPROPRIATE THE PUBLIC		
	WATERS OF THE STATE OF OREGON	Programme and the second	
•			•
	Division No. District No.		ş * ·
	This instrument was first received in the office of the State Engineer at Salem, Oregon		
	on the 8th day of March,		
	1944., at 1:00 o'clock P. M.		
	Returned to applicant:		
	Corrected application received:		
	Approved:		
	May 1, 1944		
	Recorded in book No38 of		
	Permits on page15707		
	CHAS. E. STRICKLIN		
	STATE ENGINEER		
•	Drainage Basin No. 1 Page 16B		
. •	Fees Paid \$9.50	• • • • • • • • • • • • • • • • • • •	
STATE OF OREGON	PERMIT		
	ss ·		
• • • • •	at I have examined the foregoing application an	d do hereby grant the s	same.
	nt I have examined the foregoing application an RIGHTS and the following limitations and conc		
•	nted is limited to the amount of water which car		
nd shall not exceed 0.33	cubic feet per second measured at the	point of diversion from	ı the
tream, or its equivalent in	case of rotation with other water users, from		·····
	Three Rivers		
The use to which thi	s water is to be applied is Irrigation		
• • • •	appropriation shall be limited to 1/80th ent for each acre irrigated and shall be		
	exceed $2\frac{1}{2}$ acre feet per acre for each ac		
	each year,		,
and shall be subject to suc	this permit is		
	work shall begin on or before Mey 1, 19		
Actual construction	work snaw begin on or before	ana	snan

CHAS. E. STRICKLIN

WITNESS my hand this 1st day of Mey, 194.4

October 1, 1946

October 1, 1947

thereafter be prosecuted with reasonable diligence and be completed on or before

Complete application of the water to the proposed use shall be made on or before