

check made

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, W. S. Rowland (Name of applicant) of Rt. 3, Box 174 (Post office), County of Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed spring (Name of stream) trib of Abernathy Crk., a tributary of Willamette R.

2. The amount of water which the applicant intends to apply to beneficial use is 0.21 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation, dom and stock (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 700 ft. S and 1200 ft. E from the NW 1/4 corner of Sec 2, T 3 S (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW SW as projected of Sec. 2, Tp. 3 S (Give smallest legal subdivision) (N. or S.) R. 2 E, W. M., in the county of Clackamas (E. or W.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. Tp. (N. or S.) R. W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

Will use sprinklers detail not determined

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 S	2 E	2	NWSW as projected	15 dom & stock
Land to be irrigated is a part of the property described below				
Situating in the county of Clackamas and State of Oregon, and being a				
part of the D.L.C. of Charles Walker in T.3S. of R 2E. of the Willamette Meridian and				
described as follows, to-wit:				
Beginning at the re-entrant corner in the east boundary of the said				
Charles Walker D.L.C., and running thence S. 45° E. 2.80 chains to the N.W. corner				
of the Adams and Fowler Tract; thence S. 36°14' W. tracing the N.W. boundary of said Adams				
and Fowler tract 17.26 chains to a basalt stone 18x12x14 inches marked W.C. on the right				
bank of Abernathy Creek; thence S. 36°14' W. 74 links to the middle of the Abernathy				
Creek; thence with the meanders of the Abernathy Creek down stream N. 2° W. 3.36 chains;				
thence N. 27° W. 2 chains; thence N. 72°40' W. 98 links; thence S. 55° 20' W. 2.23				
chains; thence S. 9° W. 93 links; thence S. 2°30' E. 1.10 chains; thence S. 12° W 1.50 chains;				
thence S. 66° W. 1.25 chains; thence N. 64°30' W. 2.30 chains; thence N. 24° W. 1.07 chains;				
thence N. 64°30' W. 2.30 chains; thence N. 24° W. 1.07 chains; thence N. 38;30' W.				
2.55 chains; thence N. 36°14' E. 57 links to a basalt stone marked W. C. on the S.W. and				
L.B.R. on the S.E. face from which a cedar 14 inches in diameter bears S. 20° E. 6 links				
distant; thence N. 36°14' E. 22.85 chains to a basalt stone 20x18x12 inches marked L.B.R				
ON THE S.W. face and X on the upper face; thence S. 32° E. 7.65 chains to the place of				
beginning, containing 20 acres more or less; Reserving therefrom a road 30 feet wide on the				
Easterly end of the above described tract				

(If more space required, attach separate sheet)

(a) Character of soil Clay loam

(b) Kind of crops raised Hay - garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ Not determined

12. Construction work will begin on or before One year after approval

13. Construction work will be completed on or before 2 yrs " "

14. The water will be completely applied to the proposed use on or before 3 yrs " "

W. S. Rowland

(Signature of applicant)

by N. C. Rowland

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)

(2) (Name) (Address of witness)

Remarks: Part of spring and diversion point is on applicant's property

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. _____ District No. _____

This instrument was first received in the
office of the State Engineer at Salem, Oregon
on the 24th day of March
1944, at 12:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

May 1, 1944

Recorded in book No. 38 of
Permits on page 15721

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 2 Page 76 m
Fees Paid \$14.50

STATE OF OREGON

PERMIT

County of Marion, } ss

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.21 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from
Unnamed spring

The use to which this water is to be applied is Irrigation, domestic and stock; being
0.19 c.f.s. for irrigation, 0.01 c.f.s. for domestic and 0.01 c.f.s. for stock

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the
irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 24, 1944

Actual construction work shall begin on or before May 1, 1945 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1946 Extended to Oct. 1, 1947
Extended to Oct. 1, 1948

Complete application of the water to the proposed use shall be made on or before
October 1, 1947 Extended to Oct. 1, 1948

WITNESS my hand this 1st day of May, 1944

CHAS. E. STRICKLIN

STATE ENGINEER