

CERTIFICATE NO: 56209
15300

alter made

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, George L. Jantzer Lumber Co., Inc. (Name of applicant)
of Trail (Post office), County of Jackson,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is No. 1 Unnamed spring system in
Rogue River watershed, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.12
cubic feet per second.

**3. The use to which the water is to be applied is domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 225 ft. N and 700 ft. W from the N 1/4
corner of Section 10

being within the SE 1/4 SW 1/4 of Sec. 3, Tp. 33 S,
R. 2 E, W. M., in the county of Jackson

5. The pipe line to be 2600
in length, terminating in the SE 1/4 NW 1/4 of Sec. 10, Tp. 33 S,
R. 2 E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction Spring system collected
by pipe into 12' x 2' x 2' concrete box
600 gal. service tank on line

(b) Description of headgate direct from concrete box

(c) If water is to be pumped give general description
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ... 2400 ft.; size at intake, ... $2\frac{1}{2}$ in.; size at ... 400 ft. from intake ... 2 in.; size at place of use ... $3/4$ in.; difference in elevation between intake and place of use, ... 100 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
33 S.	2 E.	10	SE $\frac{1}{4}$ NW $\frac{1}{4}$	Domestic

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised Not more than $\frac{1}{2}$ acre garden & lawn for each user.

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.) (Legal subdivision)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied .. twelve

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$... 300.00.....

12. Construction work will begin on or before .. 1 year from date of priority.....

13. Construction work will be completed on or before .. 2 years from date of priority.....

14. The water will be completely applied to the proposed use on or before .. 3 years from
date of priority.....

(Sgd) Geo. L. Jantzer Lbr. Co., Inc.
(Signature of applicant)

By (Sgd) E. W. Pease
Secy.

Signed in the presence of us as witnesses:

(1)
(Name) (Address of witness)

(2)
(Name) (Address of witness)

Remarks: The same pipe line will be used as provided for in
Permit No. 13901 and same spring system is used as described in above
permit. Additional water needed for enlarged plant.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for .. correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before .. January 17 .., 1944..

WITNESS my hand this .. 18th .. day of .. December .., 1943..

(Sgd) CHAS. E. STRICKLIN
STATE ENGINEER

per

(Sgd) ED K. HUMPHREY
Assistant

Application No. 20105

Permit No. 15729

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 16th day of December 1943, at 1:00 o'clock P M.

Returned to applicant:

Corrected application received:

Approved:

July 10, 1944

Recorded in book No. 38 of

Permits on page 15729

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 78 b

Fees Paid \$10.00

STATE OF OREGON } ss County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.12 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from An Unnamed Spring

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 16, 1943

Actual construction work shall begin on or before July 10, 1945 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1946

Complete application of the water to the proposed use shall be made on or before

October 1, 1947

WITNESS my hand this 10th day of July, 1944

(Sgd) CHAS. E. STRICKLIN

STATE ENGINEER