## CERTIFICATE NO. 19739

## \* APPLICATION FOR A PERMIT

## To Appropriate the Public Waters of the State of Oregon

I, Arvid	A. Thumberg	(Name of an	olicant)	
				······,
State of	<b>(2 333 33337)</b>	, do hereby ma	ke application fo	or a permit to appropriate the
following described pu		_		
	•	•		
If the applicant	is a corporation, gii		F,	ı
1. The source o				Tame of stream)
				(ame of stream)
				eficial use is0.85
cubic feet per second.			<u>-</u>	
The use to w	hich the water is to	be applied is	rrigation, power, mining	, manufacturing, domestic supplies, etc.)
	····		,	
4. The point of	diversion is located	.1600 ftS	and100	ft. $\mathbb{N}$ from the $\mathbb{N}^{\frac{1}{4}}$
corner of Sec. 12,	T. 4 S., R. 2 W	• W • M • (Section or sul	odivision)	
	(If preferable	e, give distance and bearin	g to section corner)	
(If the	ere is more than one point of di	iversion, each must be desc	cribed. Use separate she	et if necessary)
being within the	SENW	nubdivision)	of Sec12	7p. 4 S,
R2 \\ (E. or W.)	M., in the county of	Marion		7 (N. or S.)
5. The	(Main ditch, canal	or pipe line)	to be	(Miles or feet)
				, Tp,
				the accompanying map.
	DE	SCRIPTION OF	WORKS	
Diversion Works—				
6. (a) Height o	of dam	feet, length	on top	feet, length at bottom
feet; m	raterial to be used an	nd character of co	nstruction	(Loose rock, concrete, masonry,
rock and brush, timber crib, etc.,		·		
			•	
(b) Description	of headgate	(Minch an		nd size of openings)
				nu size or openings)
(c) If water is	to be pumped give (	gene <b>ral des</b> criptio	η	(Size and type of pump)
				(Size and type of pump)
07		or motor to be used, total		d, etc.)
∠ı sprınkı€	ers details	Not deserming		

<sup>\*</sup> A different form of application is provided where storage works are contemplated.

<sup>.</sup> Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-

rusand feet.	feet; depth of	water	feet; grade	feet fall per
•		miles from	headgate: width on top (at wat	er lin <b>e</b> )
			feet; depth of u	
			e thousand feet.	•
		,	t.; <b>size a</b> t intake,	in · sizo at
_			of use in.; dif	
			Is grade uniform?	
			18 grade unijorm:	Estimatea capac
	•			
	1		place of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 S	2 W	12	SENW as projected	. 33
		\	SWNW # #	
······································	<b>\</b>			68
·····	Property on	which water	is to be used	
	is more ful	ly described	under "Remarks."	
	<u> </u>	÷		
			5	
······································				
•••••••				
······································				
			ace required, attach separate sheet)	
(a) Cha	ractor of soil		ave required, assum separate anecs)	·
	-			
		FAS.LILL.G	bay	·
	ng Purposes— otal amount of	power to be de	veloped	theoretical horsepo
		_	or power	_
	- •	_	_	800. jv.
			(Head) feet.	a dan dan d
(a) 1	ne nature of th	ie works by т	eans of which the power is to b	e aevelopea
			······································	
			(Legal subdivision)	of Sec
(No. N. or	, R s.) (N	o. E. or W.)	. M.	
(f) Is	s water to be re	turned to any	stream?(Yes or No)	
(a) I	f so, name strea	m and locate p	ooint of return	
(3) -		Sec	, Tp(No. N. or S.)	, R, W
			(Mo. M. Of S.)	(2:0: =: 02 11:)
			e applied is	

į

ï

	esent population of
nd an estimated population of	in 19
(b) If for domestic use state number of	of families to be supplied
(Answer question	ns 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	1200 00
12. Construction work will begin on or bej	fore One year after approval
13. Construction work will be completed	on or before 2 yrs " "
14. The water will be completely applied	to the proposed use on or before 3. " "
	(Sgd) ARVID A. THUMBERG
	(Sgd) ARVID A. THUMBERG (Signature of applicant)
Signed in the presence of us as witnesses:	
1)	
(Name)	(Address of witness)
(Name)  Remarks: Lot Five, more particular corge Rhoades DLC, in Twp. 4 S, Rng. 2 and running th S 8° 07' W along the E 1: line of sd DLC, th N 27° 30' E 26 chs C, th E 26.90 chs to the pl of bg; A	(Address of witness)  ly described as follows: Bg at the NE cor of the , West of the Willamette Meridian, ine of sd DLC 23.50 chs, th W. 36.26 chs to the , more or less, to the NW cor of sd George Rhoad lso bg at the NW cor of the DLC of Robert Childe
Remarks: Lot Five, more particular corge Rhoades DLC, in Twp. 4 S, Rng. 2 and running th S 8° 07' W along the E 1: line of sd DLC, th N 27° 30' E 26 chs. C, th E 26.90 chs. to the pl of bg; And wf, in Twp. 4 S, Rng. 2, W of the William across the creek commonly known in Nly with the meanders of sd bluff to DLC the Wly on the sd N line to the tuated in the DLC of George Rhoades as S, Rng 2 West of the Willamette Merid	(Address of witness)  ly described as follows: Bg at the NE cor of the , West of the Willamette Meridian, ine of sd DLC 23.50 chs, th W. 36.26 chs to the , more or less, to the NW cor of sd George Rhoad lso bg at the NW cor of the DLC of Robert Childe illamette Meridian, run th S with the W bndry lies Cases Creek to the foot of the bluff of sd crethe intersection of the North boundary line of sd NW cor of sd DLC to the pl of bbg; Being and of Robert Childers, respectively, in sd Twp. ian; Together with all rights of way held, owner
Remarks: Lot Five, more particular corge Rhoades DLC, in Twp. 4 S, Rng. 2 and running th S 8° 07' W along the E 1: line of sd DLC, th N 27° 30' E 26 chs. C, th E 26.90 chs to the pl of bg; And wf, in Twp. 4 S, Rng. 2, W of the Willer of the Cl, across the creek commonly known in Nly with the meanders of sd bluff to DLC the Wly on the sd N line to the tuated in the DLC of George Rhoades at S, Rng 2 West of the Willamette Meridian used in connection with above lands	(Address of witness)  ly described as follows: Bg at the NE cor of the , West of the Willamette Meridian, ine of sd DLC 23.50 chs, th W 36.26 chs to the , more or less, to the NW cor of sd George Rhoad lso bg at the NW cor of the DLC of Robert Childe illamette Meridian, run th S with the W bndry lies Cases Creek to the foot of the bluff of sd crethe intersection of the North boundary line of sd NW cor of sd DLC to the pl ofbbg; Being and of Robert Childers, respectively, in sd Twp.
Remarks: Lot Five, more particular corge Rhoades DLC, in Twp. 4 S, Rng. 2 and running th S 8° 07' W along the E 1: line of sd DLC, th N 27° 30' E 26 chs. C, th E 26.90 chs. to the pl of bg; And wf, in Twp. 4 S, Rng. 2, W of the Willer Cl; across the creek commonly known in Nly with the meanders of sd bluff to DLC the Wly on the sd N line to the tuated in the DLC of George Rhoades at S, Rng 2 West of the Willamette Meridian used in connection with above lands wrion County, Oregon	(Address of witness)  ly described as follows: Bg at the NE cor of the , West of the Willamette Meridian, ine of sd DLC 23.50 chs, th W. 36.26 chs to the , more or less, to the NW cor of sd George Rhoad lso bg at the NW cor of the DLC of Robert Childe illamette Meridian, run th S with the W bndry lies Cases Creek to the foot of the bluff of sd crethe intersection of the North boundary line of sd NW cor of sd DLC to the pl ofbbg; Being and of Robert Childers, respectively, in sd Twp. ian; Together with all rights of way held, owner.
Remarks: Lot Five, more particular corge Rhoades DLC, in Twp. 4 S, Rng. 2 and running th S 8° 07' W along the E 1: line of sd DLC, th N 27° 30' E 26 chs. C, th E 26.90 chs. to the pl of bg; And wf, in Twp. 4 S, Rng. 2, W of the Willer of St. C. Who across the creek commonly known in Nly with the meanders of sd bluff to DLC the Wly on the sd N line to the tuated in the DLC of George Rhoades at S, Rng 2 West of the Willamette Meridian used in connection with above lands arion County, Oregon	(Address of witness)  ly described as follows: Bg at the NE cor of the , West of the Willamette Meridian, ine of sd DLC 23.50 chs, th W 36.26 chs to the , more or less, to the NW cor of sd George Rhoad lso bg at the NW cor of the DLC of Robert Childe illamette Meridian, run th S with the W bndry lims Cases Creek to the foot of the bluff of sd crethe intersection of the North boundary line of sd NW cor of sd DLC to the pl ofbbg; Being and of Robert Childers, respectively, in sd Twp. ian; Together with all rights of way held, owner.
Remarks: Lot Five, more particular corge Rhoades DLC, in Twp. 4 S, Rng. 2 and running th S 8° 07' W along the E 1: line of sd DLC, th N 27° 30' E 26 chs. C, th E 26.90 chs. to the pl of bg; And wf, in Twp. 4 S, Rng. 2, W of the Willer of the Willer of St. Cl., across the creek commonly known in Nly with the meanders of sd bluff to DLC the Wly on the sd N line to the stuated in the DLC of George Rhoades at S, Rng 2 West of the Willamette Meridian used in connection with above lands arion County, Oregon  TATE OF OREGON, Sss. County of Marion,	(Address of witness)  (Address of witness)  ly described as fohlows: Bg at the NE cor of the , West of the Willamette Meridian, ine of sd DLC 23.50 chs, th W 36.26 chs to the , more or less, to the NW cor of sd George Rhoadlso bg at the NW cor of the DLC of Robert Childerillamette Meridian, run th S with the W bndry lies Cases Creek to the foot of the bluff of sd crethe intersection of the North boundary line of sd NW cor of sd DLC to the pl ofbbg; Being and of Robert Childers, respectively, in sd Twp. ian; Together with all rights of way held, owners.
Remarks: Lot Five, more particular corge Rhoades DLC, in Twp. 4 S, Rng. 2 and running th S 8° 07' W along the E 1: line of sd DLC, th N 27° 30' E 26 chs. C, th E 26.90 chs. to the pl of bg; And wf, in Twp. 4 S, Rng. 2, W of the Willer, across the creek commonly known in Nly with the meanders of sd bluff to DLC the Wly on the sd N line to the tuated in the DLC of George Rhoades and S, Rng 2 West of the Willamette Meridian used in connection with above lands arion County, Oregon  TATE OF OREGON,  County of Marion,  This is to certify that I have examined the	(Address of witness)  ly described as follows: Bg at the NE cor of the , West of the Willamette Meridian, ine of sd DLC 23.50 chs, th W 36.26 chs to the , more or less, to the NW cor of sd George Rhoad lso bg at the NW cor of the DLC of Robert Childer illamette Meridian, run th S with the W bndry lies Cases Creek to the foot of the bluff of sd crethe intersection of the North boundary line of sd NW cor of sd DLC to the pl ofbbg; Being and of Robert Childers, respectively, in sd Twp. ian; Together with all rights of way held, owner to the place of the start of the start of the section of the section of the same is the section of the section of the section of the place of the section of th
Remarks: Lot Five, more particular corge Rhoades DLC, in Twp. 4 S, Rng. 2 and running the S & 07' W along the E liline of sd DLC, the N 27° 30' E 26 chs. C, the E 26.90 chs to the plof bg; And wf, in Twp. 4 S, Rng. 2, W of the William of sd bluff to Nly with the meanders of sd bluff to DLC the Wly on the sd N line to the stuated in the DLC of George Rhoades at S, Rng 2 West of the Willamette Meridian dused in connection with above lands arion County, Oregon  TATE OF OREGON, County of Marion,  This is to certify that I have examined the maps and data, and return the same for	(Address of witness)  (Address of witness)  ly described as fohlows: Bg at the NE cor of the , West of the Willamette Meridian, ine of sd DLC 23.50 chs, th W 36.26 chs to the , more or less, to the NW cor of sd George Rhoadlso bg at the NW cor of the DLC of Robert Childerillamette Meridian, run th S with the W bndry lies Cases Creek to the foot of the bluff of sd crethe intersection of the North boundary line of sd NW cor of sd DLC to the pl ofbbg; Being and of Robert Childers, respectively, in sd Twp. ian; Together with all rights of way held, owners.
Remarks: Lot Five, more particular corge Rhoades DLC, in Twp. 4 S, Rng. 2 and running th S 8° 07' W along the E 1: line of sd DLC, th N 27° 30' E 26 chs. C, th E 26.90 chs to the pl of bg; A and wf, in Twp. 4 S, Rng. 2, W of the Will Cl., across the creek commonly known in Nly with the meanders of sd bluff to DLC the Wly on the sd N line to the stuated in the DLC of George Rhoades at S, Rng 2 West of the Willamette Meridian used in connection with above lands. This is to certify that I have examined the maps and data, and return the same for	(Address of witness)  ly described as follows: Bg at the NE cor of the , West of the Willamette Meridian, ine of sd DLC 23.50 chs, th W 36.26 chs to the , more or less, to the NW cor of sd George Rhoad lso bg at the NW cor of the DLC of Robert Childe illamette Meridian, run th S with the W bndry lies Cases Creek to the foot of the bluff of sd cr the intersection of the North boundary line of sd NW cor of sd DLC to the pl ofbbg; Being and of Robert Childers, respectively, in sd Twp. ian; Together with all rights of way held, owners to foregoing application, together with the accompanying
Remarks: Lot Five, more particular corge Rhoades DLC, in Twp. 4 S, Rng. 2 and running th S 8° 07' W along the E 1: line of sd DLC, th N 27° 30' E 26 chs. C, th E 26.90 chs. to the pl of bg; A and wf, in Twp. 4 S, Rng. 2, W of the Willer, across the creek commonly known in Nly with the meanders of sd bluff to DLC the Wly on the sd N line to the structed in the DLC of George Rhoades at S, Rng 2 West of the Willamette Meridian used in connection with above lands arion County, Oregon  TATE OF OREGON, County of Marion,  This is to certify that I have examined the caps and data, and return the same for	(Address of witness)  ly described as follows: Bg at the NE cor of the , West of the Willamette Meridian, ine of sd DLC 23.50 chs, th W. 36.26 chs to the , more or less, to the NW cor of sd George Rhoad lso bg at the NW cor of the DLC of Robert Childer illamette Meridian, run th S with the W bndry lies Cases Creek to the foot of the bluff of sd create intersection of the North boundary line of sd NW cor of sd DLC to the pl of bbg; Being and of Robert Childers, respectively, in sd Twp. ian; Together with all rights of way held, owner is foregoing application, together with the accompanying
Remarks: Lot Five, more particular corge Rhoades DLC, in Twp. 4 S, Rng. 2 and running th S 8° 07' W along the E 1: line of sd DLC, th N 27° 30' E 26 chs. C, th E 26.90 chs. to the pl of bg; A and wf, in Twp. 4 S, Rng. 2, W of the Willer, across the creek commonly known in Nly with the meanders of sd bluff to DLC the Wly on the sd N line to the structed in the DLC of George Rhoades at S, Rng 2 West of the Willamette Meridian used in connection with above lands arion County, Oregon  TATE OF OREGON, County of Marion,  This is to certify that I have examined the caps and data, and return the same for	(Address of witness)  ly described as follows: Bg at the NE cor of the , West of the Willamette Meridian, ine of sd DLC 23.50 chs, th W. 36.26 chs to the , more or less, to the NW cor of sd George Rhoad lso bg at the NW cor of the DLC of Robert Childe illamette Meridian, run th S with the W bndry lies cases Creek to the foot of the bluff of sd crethe intersection of the North boundary line of sd NW cor of sd DLC to the pl ofbbg; Being and of Robert Childers, respectively, in sd Twp. ian; Together with all rights of way held, owner.  The foregoing application, together with the accompanying deforegoing application, together with the accompanying lication must be returned to the State Engineer, with

Application No	20206
Permit No	15757

## **PERMIT**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No	Dist	rict No.		1.5	
	This instrum	i nent was firs nte Engineer				
	on the 15th	day of	April	,		
	194.4., at 10:4	o'clock!	. М.			
	Returned to app	olicant:				
	Corrected appli	cation receiv	ed:	•		
	Approved:	i				
		ly 10, 194				
	Recorded in	book No	38	of		
	Permits on pag	e15757				
	CHAS.	E. STRICK	LIN STATE ENGI	NEER		
	Drainage Basin	No2	Page76	M		
	Fees Paid\$		·			••
County of Marion,  This is to certify that SUBJECT TO EXISTING I  The right herein gran and shall not exceed	RIGHTS and the ted is limited to to the ted is limited to the ted is cubic fee ase of rotation with water is to be appropriation shall	following ling the amount of the amount of the theorem water that the theorem was also be limited to the limited to the theorem was also be limited to the limite	nitations and f water whi measured a rusers, from Irrigation of 1/80	d condition ch can be at the poin Case	ns: applied to ben nt of diversion Creek  of one cub	eficial use from the
diversion of not to ex						
irrigation season of e						
and shall be subject to such	reasonable rotat					
The priority date of th	nis permit is	Apr	il 15, 194	4		
Actual construction u	oork shall begin o	on or before.	July 10	, 1945		and shall
thereafter be prosecuted wi Ex October 1, 1946	tended to Oct. 1, 1948	•	completed	on or befo	re	
•						
	of the water to t		use shall be 1	made on or	before	·
October 1, 1947  WITNESS my hand the		·····				