

check made

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Godfrey V. Copson (Name of applicant) of Corvallis (Post office), County of Benton, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Dixon Creek and Reservoir, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.13 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located ft. and ft. from the corner of it is just about in the center of the NW 1/4 of the NE 1/4 of Section 27, Township 11 S., Range 5 W., W. M. (5 W) approx. 87 ft east of a point on the half section line running north and south through Section 27 that is 14.51 chains south of the north line of said section

being within the NW 1/4 of the NE 1/4 of Sec. 27, Tp. 11 S. R. 5 W., W. M., in the county of Benton

5. The to be 400' in length, terminating in the NW 1/4 of NE 1/4 of Sec. 27, Tp. 11 S. R. 5 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 6 feet, length on top 40 feet, length at bottom 6 feet; material to be used and character of construction concrete

(b) Description of headgate Timber no openings but many leaks & diversion canal large enough to take full flow of creek.

(c) If water is to be pumped give general description centrifugal pump 1 1/2" discharge 70 gal. per minute lifted 20 ft. electric motor 3/4 horse

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line— None except pipe as described below

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

Pipe (c) Length of pipe, 400 ft.; size at intake, 2" in.; size at 200 ft. from intake 1 1/2" in.; size at place of use 1" in.; difference in elevation between intake and place of use, 20' ft. Is grade uniform? yes Estimated capacity, 70 gals. per minute ~~sec. ft.~~

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
11 S	5 W. W. M.	27	NW 1/4 of NE 1/4	4 supp. 1 new
<p>Beginning at a point on the west boundary of D. L. C. of James L. Mulkey, being Cl. No. 63 in T. 11 S., R. 5 W. in Benton Co. at a point 10 chains south of the N. W. corner of said claim, and running thence East 40 chains to a post on the east boundary of said claim 10 chains South of the N. E. corner of the said claim; thence south along the said east boundary 10 chains to a post; thence west 40 chains to a post on the west boundary of the said claim; thence north 10 chains to the place of beginning, containing 40 acres. Said land also described as beginning at a point 20 chains south of N. W. corner of said James L. Mulkey Cl. and run thence north along west line of said claim 10 chains; thence east to center of County Road known as Sol King Road, thence south following center of said road to a point due east of place of beginning and then west to place of beginning the amount of land hereby conveyed being 30 acres, more or less.</p>				

(If more space required, attach separate sheet)

(a) Character of soil adobe & heavy loam

(b) Kind of crops raised pasture, garden, alfalfa, bulbs

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before

has been completely applied

(Sgd) GODFREY V. COPSON

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)

(2) (Name) (Address of witness)

Remarks: A small irrigation project for garden, pasture, alfalfa crop, some bulbs. Water pumped directly from just below the dam through two inch pipe tapering to one-inch finally with some one- and one-half inch pipe between. Two sprinklers are used. I think the pump will deliver about 70 gals. per minute. The whole pipe line can be moved to irrigate different fields.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 18, 1944.

WITNESS my hand this 18th day of May, 1944.

CHAS. E. STRICKLIN
STATE ENGINEER

By (Sgd) Ed K. Humphrey
Ed K. Humphrey, Assistant

Application No. 20239
Permit No. 15780

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon
on the 17th day of May
1944, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

July 10, 1944

Recorded in book No. 38 of
Permits on page 15780

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 2 Page 76 M

Fees Paid \$9.50

STATE OF OREGON }
County of Marion, } ss

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.07 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from ~~XXXXXXXXXX~~ A Reservoir
as described in Application # R-20256, Permit No. R-790.

The use to which this water is to be applied is Irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the
irrigation season of each year; provided further that the amount of water allowed
herein, together with the amount secured under any other right existing for the same
lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 17, 1944

Actual construction work shall begin on or before July 10, 1945 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1946

Complete application of the water to the proposed use shall be made on or before
October 1, 1947

WITNESS my hand this 10th day of July, 1944

(Sgd) CHAS. E. STRICKLIN

STATE ENGINEER