

\* APPLICATION FOR A PERMIT

CERTIFICATE NO. 15321

To appropriate the Public Waters of the State of Oregon

I, George G. Sikes (Name of applicant) of Route 1, Box 325 Ashland (Post office), County of Jacksonville, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is No. 1 and No. 2 spring (Name of stream) Bear Creek Watershed, a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.03 cubic feet per second, being 0.02 c.f.s. from No. 1 Spring & 0.01 c.f.s. from No. 2 spring (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is domestic and stock (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located No. 1 Spring 480 ft. N. and 5 ft. E. from the S1/4 corner of Section 14 and No. 2 Spring is located 450 feet N. and 15 feet E. from said 1/4 corner. (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW 1/4 SE 1/4 of Sec. 14, Tp. 39 S (Give smallest legal subdivision) (N. or S.)

R. 1 E (E. or W.), W. M., in the county of Jackson

5. The ditch and pipe to be 700 (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SW 1/4 SE 1/4 of Sec. 14, Tp. 39 S (Smallest legal subdivision) (N. or S.)

R. 1 E (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works--

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction springs boxed in by brick and tile (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate direct (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied ..... one

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 100.00 .....
- 12. Construction work will begin on or before one year from date of priority .....
- 13. Construction work will be completed on or before two years from date of priority .....
- 14. The water will be completely applied to the proposed use on or before three years from date of priority.

George G. Sikes  
(Signature of applicant)

Rt. # 1, Box 325

Ashland, Oregon

Signed in the presence of us as witnesses:

(1) .....  
(Name) (Address of witness)

(2) .....  
(Name) (Address of witness)

Remarks: The intention is to use No. 1 Spring for domestic and Stock  
and No. 2 Spring for garden and lawn.

Both springs on property of Applicant.  
G.G.S.

STATE OF OREGON, }  
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with  
corrections on or before ....., 194.....

WITNESS my hand this ..... day of ....., 194.....

STATE ENGINEER

Application No. 20333

Permit No. 15862

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 17th day of July, 1944, at 8:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

September 15, 1944

Recorded in book No. 39 of

Permits on page 15862

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 23

Fees Paid \$10.00

STATE OF OREGON

County of Marion,

} ss

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Two springs

The use to which this water is to be applied is domestic and stock, being 0.02 c.f.s. from north spring, 0.01 c.f.s. from south spring

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 17, 1944

Actual construction work shall begin on or before September 15, 1945 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1946

Complete application of the water to the proposed use shall be made on or before

October 1, 1947

WITNESS my hand this 15th day of September, 1944

CHAS. E. STRICKLIN

STATE ENGINEER