

Correction - CERTIFICATE NO. 24466

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Leo B. Sander (Name of applicant) of Tillamook, Box 122 (Post office), County of Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is three unnamed streams and two unnamed springs (Name of stream) a tributary of Wilson River

2. The amount of water which the applicant intends to apply to beneficial use is 0.06 cubic feet per second. being 0.04 c.f.s. for irrig. & 0.01 c.f.s. each for dom. & Stock (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation, domestic and stock (Irrigation, power, mining, manufacturing, domestic supplies, etc.) See "Remarks"

4. The point of diversion are located ft. and ft. from the corner of Sec. 22, T. 1 S., R. 9 W. as follows: N. 9° W. 285 ft. N. 14° W. 805 ft. N. 37° 15' W. 1360 ft. N. 22° W. 1128 ft. N. 42° W. 804 ft. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NE 1/4 of Sec. 22, Tp. 1 S., R. 9 W., W. M., in the county of Tillamook

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.), R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$... 350.00.....
- 12. Construction work will begin on or before Has been commenced.....
- 13. Construction work will be completed on or before 2 yrs. after approval.....
- 14. The water will be completely applied to the proposed use on or before 3 yrs. after approval.....

Leo B. Sander
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) (Name) (Address of witness)
- (2) (Name) (Address of witness)

Remarks:

0.02 c.f.s. from each of 2 streams farthest west for irrig.
 0.01 c.f.s. from spring farthest north for stock ✓
 0.005 c.f.s. from east stream for domestic use ✓
 0.005 c.f.s. from spring farthest south for domestic use ✓

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 20351
Permit No. 15874

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon
on the 26th day of July
1944, at 1:10 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

September 15, 1944

Recorded in book No. 39 of

Permits on page 15874

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 1 Page 22

Fees Paid \$14.50

STATE OF OREGON

PERMIT

County of Marion, } ss

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from three unnamed streams and
two unnamed springs.

The use to which this water is to be applied is irrigation, domestic and stock, being 0.02
c.f.s. from each of 2 west streams for irrig., 0.01 c.f.s. from north spring for
stock, 0.005 c.f.s. from east stream for dom., 0.005 c.f.s. from south spring for dom.
If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the
irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 26, 1944

Actual construction work shall begin on or before September 15, 1945 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before

Extended to Oct. 1, 1947

October 1, 1946

Complete application of the water to the proposed use shall be made on or before

Extended to Oct. 1, 1947

October 1, 1947

WITNESS my hand this 15th day of September, 1944.

CHAS. E. STRICKLIN

STATE ENGINEER