

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, A. T. Robertson (Name of applicant) of Grants Pass, R#2, Box 515 (Post office), County of Josephine, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Rogue River (Name of stream), a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.10 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2400 ft. S and 1100 ft. E from the NE 1/4 corner of section 35 (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW 1/4 NE 1/4 of Sec. 35, Tp. 35 S, R. 7 W, W. M., in the county of Josephine

5. The pipe and ditch to be 800 feet in length, terminating in the SW 1/4 NE 1/4 of Sec. 35, Tp. 35 S, R. 7 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam no dam feet, length on top feet, length at bottom feet; material to be used and character of construction pump from river

(b) Description of headgate Valve in 3" pipe

(c) If water is to be pumped give general description 3 1/2" centrifugal pump 3 1/2 H.P. Electric motor. 15 to 30 ft. lift

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1000.00 (work completed)

12. Construction work will begin on or before Aug. 14th, 1945

13. Construction work will be completed on or before Aug. 14th, 1946

14. The water will be completely applied to the proposed use on or before Aug. 14, 1946

A. T. Robertson

(Signature of applicant)

Rt. 2, Box 515

Grants Pass, Oregon

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)

(2) (Name) (Address of witness)

Description of property:

Remarks: Beginning at a point 263 feet South of the Southeast corner of the

Northwest one quarter of the Northeast one quarter of Section 35, Township 35 South, Range 7 West., Willamette Meridian; thence running West 1320 feet to the North and South center line of said Section 35; thence running South along the center line of said section, 864.7 feet to the South right of way line of a county road; thence North 66° 18' East along the South right of way line 43.2 feet; thence Northeasterly on a 2 degree curve to the left along the right of way line of the county road 430 feet thence North 57° 42' East 357.4 feet along the south right of way line of the county road; thence South 38° 49' East about 475 feet to Rogue River; thence Northeasterly along Rogue River about 900 feet to an iron stake on the North bank of Rogue River; thence North 32° 55' West about 200 feet to an iron stake directly East of the point of beginning; thence West about 395 feet to the point of beginning, Less 13.4 acres off of North side found in DR vol. 84 pg. 243 as follows: Beginning 1320 feet East and 1583 feet South of the North one quarter of Section 35 in Township 35 South Range 7 West of the Willamette Meridian; thence running West 1320 feet to the North and South line of said Section thence running South 346 feet; thence East 1302 feet; thence South 45° 40' East 122 feet to Rogue River; thence Northeasterly along Rogue River about 508 feet; thence North 22° 35' West 133 feet; thence West 416 feet to the point of beginning.

STATE OF OREGON, } ss
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 20399

Permit No. 15906

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 14th day of August, 1944, at 8:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

September 15, 1944

Recorded in book No. 39 of

Permits on page 15906

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 60 A

Fees Paid \$9.50

STATE OF OREGON

County of Marion,

} ss

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Rogue River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season from April 2, to October 31, of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 14, 1944

Actual construction work shall begin on or before September 15, 1945 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1946

Complete application of the water to the proposed use shall be made on or before

October 1, 1947

WITNESS my hand this 15th day of September, 1944

CHAS. E. STRICKLIN

STATE ENGINEER