* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

We, E. K. Greener and Ed R. Greener (Name of applicant)
of Halfway , County of Baker ,
State of Oregon , do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Waste and seepage water from \mathbb{W}_{2}^{1} of \mathbb{SW}_{4}^{1} (Name of stream)
of Sec. 9, Tp. 8 S R 46 E. W. M. , a tributary of
2. The amount of water which the applicant intends to apply to beneficial use is Two
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is Irrigation and Stock (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 36 ft. N and 1190 ft. E from the SW (N. or S.)
corner of Section 9 Township 8 S. R. 46 E. W. M. (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SW_4^1 of SW_4^2 of Sec. 9, Tp. 8 S (Give smallest legal subdivision) (N. or S.)
R. 46 E , W. M., in the county of Baker
5. The Ditch to be about 1486 feet (Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NWANE & NE SEA of Sec. 16 , Tp. 8 S
(Smallest legal subdivision) (N. or S.) R. 46 E (E. or W.) (E. or W.)
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction (Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate(Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

^{*} A different form of application is provided where storage works are contemplated.

electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

bout 6 feet; depth of water 2 feet; grade about 7 feet fall per o consum feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; width on top (at water line) feet; width on bottom feet; width on top (at water line) feet; width on bottom feet; width on top (at water line) feet; width on bottom feet; width on top difference in elevation between the water feet; width on bottom feet; width on bottom feet; width on top difference in elevation between the width on the programment feet; with the programment feet; w	eadgate. At he	eadgate: width o	on top (at water li	ne) about 6	feet; width on botto
(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water for feet feet; depth of power feet feet fall per one thousand feet. (c) Length of pipe, feet; size at intake, in.; size at com intake in.; size at place of use in.; difference in elevation betwee stake and place of use, feet. Is grade uniform? Estimated capacit see. ft. 8. Location of area to be irrigated, or place of use Township Range Section Fury-wave treat Treat Township Range Section Fury-wave treat Township Range Section Fury-wave treat Township Range Section See. J. 15 SEE NE NE 15 SEE NE 10 At 15 SEE SEE 10 8. A6 15 SEE SEE 10 8. A6 15 SEE SEE 10 8. A6 15 SEE SEE 10 (a) Character of soil ETAYALY (b) Kind of crops raised have and ETALIN cover or Mining Purposes 9. (a) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized Total fall to be utilized for the works by means of which the power is to be developed (c) Such works to be located in Casal modelvision) (e) Such works to be located in Casal modelvision) (f) Is water to be returned to any stream? (vaser No) (g) If so, name stream and locate point of return , Sec. , Tp , R. Good Estern), W.	·····	feet; depth of	water 2	feet; gradeabou	ut 7 feet fall per or
feet; width on bottom feet; depth of water feet fell per one thousand feet. (c) Length of pipe, feet; size at intake, in.; size at (c) Length of pipe, fft; size at intake, in.; size at om intake in.; size at place of use in.; difference in elevation betwee take and place of use, ft. Is grade uniform? Estimated capacit sec. ft. 8. Location of area to be irrigated, or place of use Township Research Section Forty-acce track Remissional Research Remissional Research Remissional Remissional Research Remissional Remis	•		miles from he	adgate: width on top (at wat	ter line)
Township Reage Section Pour section Se					
(c) Length of pipe, ft.; size at intake, in.; size at					,
om intake in.; size at place of use in.; difference in elevation betwee take and place of use, ft. Is grade uniform? Estimated capacit sec. ft. 8. Location of area to be irrigated, or place of use Township Renge Section Forty-acre Trust Township Renge Renge Section Forty-acre Trust Township Renge Reng				·	in.: size at
take and place of use, ft. Is grade uniform? Estimated capacit sec. ft. 8. Location of area to be irrigated, or place of use Township Nange Section Province Treet Number Across 15 Per England 8					
Sec. ft. 8. Location of area to be irrigated, or place of use Township Range Section Full-Life 15 8					•
8. Location of area to be irrigated, or place of use Township Nance Section Forty-acre Treet To his irrigated 8. 46 16 NE NE 15 SW NE NE 15 SE NE 15 SE NE 10 NE SE SE 11.4 SE SE SE 10. 8 46 15 SW SW SW 18.6 80.0 (a) Character of soil ETAYELY (b) Kind of crops raised hay and grain ower or Mining Purposes— 9. (a) Total amount of power to be developed the owner of the works by means of which the power is to be developed for the nature of the works by means of which the power is to be developed for power is to be developed for the nature of the works by means of which the power is to be developed for power is power is to be developed for power is power is power is power in the power is to be developed for power is power in the power is to be developed for power is power in the power in the power is power in the power in	_		, , , , , , , , , , , , , , , , , , ,	g. a.a.o a, o	
Township Range Section Forty-acre Tract Number Acres To Be Irrigated A6 A6 A6 A6 A6 A6 A6 A6 A6 A		•	e irrigated or pla	ce of use	
SW NE 15 15 15 16 SW NE 15 15 SE NE 16 SW NE 15 16 SE SE 10 11 14 16 SE SE 10 10 10 10 10 10 10 1					Number Acres
SNH_ NEL_ 15 10 SEL_ NEL_ 10 SEL_ NEL_ 11.4 SEL_ SEL_ 11.4 SEL_ SEL_ 10. SUL_ SEL_ SEL_ SEL_ 10. SUL_ SEL_ SEL_ SEL_ SEL_ SEL_ SEL_ SEL_ SE	R	46	16	NE NE	
SET NET 10		•			
NE SE 11.4					
SET SET 10. SET SET SET SET 10. SET					
(a) Character of soil	•	\			
(a) Character of soil					***************************************
(If more space required, attach separate sheet) (a) Character of soil	8	40	15	SN型 SW量	
(If more space required, attach separate sheet) (a) Character of soilETAVely	•••••••••	***************************************			
(a) Character of soilgravely. (b) Kind of crops raisedhay and grain Power or Mining Purposes— 9. (a) Total amount of power to be developed		***************************************		······	
(If more space required, attach separate sheet) (a) Character of soilETAYELY. (b) Kind of crops raisedhay andETAIN Ower or Mining Purposes— 9. (a) Total amount of power to be developed	••••••••	***************************************		······	
(a) Character of soil					
(a) Character of soil					
(a) Character of soilgravely			<u> </u>		
(b) Kind of crops raised hay and grain Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed feet. (e) Such works to be located in feet. (legal subdivision) (p) (No. N. or S.) (No. E. or W.) (g) If so, name stream and locate point of return (No. N. or S.) (No. E. or W.) (No. E. or W.)	(n) (lh				
9. (a) Total amount of power to be developed		·			
9. (a) Total amount of power to be developed			nay and ar	Z.111	
(b) Quantity of water to be used for power			power to be devel	oped	theoretical horsepow
(c) Total fall to be utilized					_
(d) The nature of the works by means of which the power is to be developed					
(e) Such works to be located in					na developed
(p, R, W. M. (f) Is water to be returned to any stream? (g) If so, name stream and locate point of return, Sec, Tp, R, W, W, W, W, W	(4) 1	ne navare of th	e works og meun	s of which the power is to t	ое иевеюрей
(p, R, W. M. (f) Is water to be returned to any stream? (g) If so, name stream and locate point of return, Sec, Tp, R, W, W, W, W, W	(a) C	wah anamba ta h	o loogtod in		of Co.
(f) Is water to be returned to any stream?					of Sec
(g) If so, name stream and locate point of return, R, W, W	-				
, Sec, Tp, R, W. (No. N. or S.) (No. E. or W.)					
			-	-	
			, Sec		

· · · · · · · ·

:1

	Municipal or Domestic Supply—	
		sent population of
	and an estimated population of	
,	(b) If for domestic use state number of	families to be supplied
	(Answer questions	11, 12, 13, and 14 in all cases)
	11. Estimated cost of proposed works, \$No.	ot any- Ditch is constructed.
	12. Construction work will begin on or befo	re
	13. Construction work will be completed or	n or before Completed many years.
		o the proposed use on or before At once.
		(Sød) E. K. Greener
		(Sgd) E. K. Greener (Signature of applicant)
		(Sgd) Ed R. Greener
	Signed in the presence of us as witnesses:	
	(1)	(Address of witness)
	(2)(Name)	(Address of witness)
mptying into puth line of course and is aving been aid waste as waste and stance and est of the line. Greene ne, rights of	to the E. K. Greener ditch diverting water of said section 9. The waste water from s is augmented by seepage and springs therei completed for many years and used in convend seepage water for use on NE of section and seepage water to the lands of Ed R. Greection 15, by conveying the same through denotying into Pine Creek, and thence dow SE corner of the SW NE of section 16 and er to and upon his said lands. Said water of applicants from Pine Creek. Said E K. Guth of said slough to the branch therefrom STATE OF OREGON, ditch is owned by County of Marion, This is to certify that I have examined the maps and data, and return the same for	foregoing application, together with the accompanying
	. ,	
		cation must be returned to the State Engineer, with
	corrections on or before	
	WITNESS my hand this day	of, 194
		STATE ENGINEER

Application	No. 20397
Permit No.	1591 1

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	OF OREGON	
	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon	
	on the8th day of November,	
	194.4., at8:30 o'clockA. M.	
· ·	Returned to applicant:	į
	Corrected application received:	i i
	Approved:	:
	December 11th, 1944	
	Recorded in book No39 of	
	Permits on page 15911	
	CHAS. E. STRICKLIN STATE ENGINEER	
	Drainage Basin No9 Page 23	
	Fees Paid \$22.00	
STATE OF OREGON	PERMIT	
County of Marion,	SS	
SUBJECT TO EXISTING	at I have examined the foregoing application and do hereby grant the same, RIGHTS and the following limitations and conditions: anted is limited to the amount of water which can be applied to beneficial use	
	•00 cubic feet per second measured at the point of diversion from the	
	a case of rotation with other water users, from Waste and seepage water	
or cant, or the equivalent to	case of rotation with other water acres, from	
The use to which th	is water is to be applied is irrigation and stock	
	s appropriation shall be limited to 1/40th of one cubic foot per	
second or its equival April 1, to October 1 foot per acre for eac	ent for each acre irrigated during the irrigation season from , and shall be further limited to a diversion of not to exceed l h acre irrigated during the month of July, 1 acre foot per acre	acre
for each acre irrigat	ed during the month of August, and $\frac{1}{2}$ of one acre foot per acre	
for each acre irrigat	ed during the month of September,	
and shall be subject to su	ch reasonable rotation system as may be ordered by the proper state officer.	
The priority date of	this permit is November 8, 1944	
Actual construction	work shall begin on or before December 11, 1945 and shall	
thereafter be prosecuted a	with reasonable diligence and be completed on or before	
October 1,	1946	
Complete application	n of the water to the proposed use shall be made on or before	
October 1,	1947	
WITNESS my hand	this 11th day of December , 1944.	
	CHAS. E. STRICKLIN	