## \* APPLICATION FOR A PERMIT

## To Appropriate the Public Waters of the State of Oregon

I, Clarence Moser	(Name of applicant)
of Rt 1 Silverton	, County of
	, do hereby make application for a permit to appropriate the
following described public waters	s of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corpor	ration, give date and place of incorporation
1. The source of the propo	osed appropriation is Abiqua Creek (Name of stream)
	, a tributary ofPudding River
2. The amount of water w	which the applicant intends to apply to beneficial use is0.38
cubic feet per second	(If water is to be used from more than one source, give quantity from each)
	ater is to be applied isIrrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is	s located 1000 ft. N. and 500 ft. W. from the SE.
corner of Sec. 24, T. 6 S.,	R. 1 W., W. M. (Section or subdivision)
	(If preferable, give distance and bearing to section corner)
(If there is more than o	one point of diversion, each must be described. Use separate sheet if necessary)
being within the SESE (Give st	of Sec. 24, Tp. 6.5
R. $W.$ $W.$ $W.$ $W.$ $W.$ $W.$ $W.$	to be (Miles or feet)
	(Smallest legal subdivision) of Sec. (N. or S.)
(E. or W.)	oposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Diversion Works—	
6. (a) Height of dam	feet, length on top feet, length at botton
feet; material to b	e used and character of construction(Loose rock, concrete, masonry
rock and brush, timber crib, etc., wasteway over o	
(b) Description of headgat	(Timber, concrete, etc., number and size of openings)
(c) If water is to be pump	ped give general description (Size and type of pump)
Not determined	ype of engine or motor to be used, total head water is to be lifted, etc.)
Not determined (Size and ty	·

adgate. At headgate: width on top (at water line)			feet; width on bottom	
sand feet.	feet; depth o	f water	feet; grade	feet fall per one
•		miles from h	eadgate: width on top (at wat	ter line)
				vater feet;
				varer jeei,
		feet fall per one	•	
				in.; size at ft.
intake	i	n.; size at place o	of use in.; di	fference in elevation between
e and plac	ce of use,	ft. Is	s grade uniform?	Estimated capacity,
	sec. ft.			
8. Locat	ion of area to b	e irrigated, or pl	ace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 S 6 S	1 W	19	SW SW	16
				12
Proper	tyon which w	water is to be	used is more explicitl	y described below:
ginning .	at a point 20	O chains South	of the corner of Secti	ons 18 and 19. in T. 6.9
£6-• <u>-</u> <u>-</u> <u>-</u>	12.00-1500-1-0-1-0-1-0-1-0-1-1-1-1-1-1-1-1-	· Loand · Z4 · in·	illand Sankani Wanofuther	ปี เหมือนที่ทางใช้พร้าสาย (ใสรพระพ
egon .and	running ther	ice South 680	East 30 links: thomas S	outh 8° 30' West 43.84 o
2501194114	Tanna 11	0 10 000	East 30 IIIRS; thence 5	outh 8° 30' West 43.84 d
a rr s	wurp, unence	pouth so wes	t I.10 chains: thence S	outh 63° 30' West 6.30 c
<b>ence</b> Sou	th 840 301 1/6	est 2-45 chain	s. thence North 650 /51	Wast / FO shains the
ence Sou	th 84° 30' We	est 2.45 chain	s: thence North 650 151	West 4.50 chains: thence
ence Sou rth-1 <sup>0</sup> -3	th 84° 30' We 4' West 4.47	est 2.45 chain chains; thenc	s; thence North 65° 45' e North 21° 45' East 45	West 4.50 chains; thence
ence Sou rth-1 <sup>0</sup> -3	th 84° 30' We 4' West 4.47	est 2.45 chain chains; thenc	s; thence North 65° 45' e North 21° 45' East 45	West 4.50 chains; thence
ence Sourth 10 3. ne of W.	th 84° 30' West 4.47 W. Sanders ]	est 2.45 chain chains; thenc land; thence S	s; thence North 65° 45' e North 21° 45' East 45 outh 68° East 4.70 chai	West 4.50 chains; thence .07 chains to the East
ence Sourth 1933. ne of W. ntaining	th 84° 30° Me 4° West 4.47 W. Sanders 1 46.15 acres.	chains; thence S and; thence S more or less	s; thence North 65° 45' e North 21° 45' East 45 outh 68° East 4.70 chai situated in Bichard St	West 4.50 chains; thence .07 chains to the East ns to the place of begin
ence Sourth 10 3 ne of W. ntaining Section	th 84° 30' We 4' West 4.47 W. Sanders 1 46.15 acres, 24, Townshir	chains; thence S and; thence S more or less	s; thence North 65° 45' e North 21° 45' East 45 outh 68° East 4.70 chai situated in Bichard St	West 4.50 chains; thence .07 chains to the East ns to the place of begin
ence Sourth 10 3 ne of W. ntaining Section	th 84° 30' We 4' West 4.47 W. Sanders 1 46.15 acres, 24, Townshir	chains; thence S and; thence S more or less	s; thence North 65° 45' e North 21° 45' East 45 outh 68° East 4.70 chai situated in Bichard St	West 4.50 chains; thence .07 chains to the East
ence Sourth 10 3 ne of W. ntaining Section	th 84° 30' We 4' West 4.47 W. Sanders 1 46.15 acres, 24, Townshir	chains; thence S and; thence S more or less	s; thence North 65° 45' e North 21° 45' East 45 outh 68° East 4.70 chai situated in Bichard St	West 4.50 chains; thence .07 chains to the East ns to the place of begin
ence Sourth 10 3 ne of W. ntaining Section	th 84° 30' We 4' West 4.47 W. Sanders 1 46.15 acres, 24, Townshir	chains; thence S and; thence S more or less	s; thence North 65° 45' e North 21° 45' East 45 outh 68° East 4.70 chai situated in Bichard St	West 4.50 chains; thence .07 chains to the East ns to the place of begin
ence Sourth 10 3 ne of W. ntaining Section	th 84° 30' We 4' West 4.47 W. Sanders 1 46.15 acres, 24, Townshir	chains; thence S and; thence S more or less	s; thence North 65° 45' e North 21° 45' East 45 outh 68° East 4.70 chai situated in Bichard St	West 4.50 chains; thence .07 chains to the East ns to the place of begin
ence Sourth 10 3 ne of W. ntaining Section	th 84° 30' We 4' West 4.47 W. Sanders 1 46.15 acres, 24, Townshir	chains; thence S and; thence S more or less	s; thence North 65° 45' e North 21° 45' East 45 outh 68° East 4.70 chai situated in Bichard St	West 4.50 chains; thence .07 chains to the East ns to the place of begin
ence Sourth 10 3 ne of W. ntaining Section	th 84° 30' We 4' West 4.47 W. Sanders 1 46.15 acres, 24, Townshir	chains; thence S and; thence S more or less	s; thence North 65° 45' e North 21° 45' East 45 outh 68° East 4.70 chai situated in Bichard St	West 4.50 chains; thence .07 chains to the East ns to the place of begin
ence Sourth 10 3 ne of W. ntaining Section	th 84° 30' We 4' West 4.47 W. Sanders 1 46.15 acres, 24, Townshir	chains; thence S and; thence S more or less	s; thence North 65° 45' e North 21° 45' East 45 outh 68° East 4.70 chai situated in Bichard St	West 4.50 chains; thence .07 chains to the East ns to the place of begin
ence Sourth 10 3 ne of W. ntaining Section	th 84° 30' We 4' West 4.47 W. Sanders 1 46.15 acres, 24, Townshir	chains; thence S and; thence S more or less	s; thence North 65° 45' e North 21° 45' East 45 outh 68° East 4.70 chai situated in Bichard St	West 4.50 chains; thence .07 chains to the East ns to the place of begin
ence Sourth 10 3 ne of W. ntaining Section	th 84° 30° West 4.47° West 4.47° West 4.47° 30° West 4.47° West 4.	chains; thence S land; thence S more or less 6 South, Ran	s; thence North 65° 45' e North 21° 45' East 45' outh 68° East 4.70 chai situated in Richard Stge 1 West of the Willam	West 4.50 chains; thence of chains to the East no to the place of begin out Donation Land Claim, ette Meridian in Marion.
ence Sourth 10 3 ne of W. ntaining Section	th 84° 30° West 4.47° West 4.47° West 4.47° 30° West 4.47° West 4.	chains; thence Stand; thence Stand; thence Stand; thence Stand; Ran	s; thence North 65° 45' e North 21° 45' East 45 outh 68° East 4.70 chai situated in Bichard St	West 4.50 chains; thence of chains to the East no to the place of begin out Donation Land Claim, ette Meridian in Marion.
ence Sourth 10-3, ne of W. ntaining Section unty, Or	th 84° 30° We 4.47° West 4.47° W. Sanders 1 46.15 acres, 24, Townshire gon.	chains; thence Sand; thence Sand; thence Sand; thence Sand; thence Sand 6 South, Ran	e North 21° 45' East 45' e North 21° 45' East 45' outh 68° East 4.70 chai situated in Richard Stge 1 West of the Willam	West 4.50 chains; thence of chains to the East no to the place of begin out Donation Land Claim, ette Meridian in Marion.
ence Sourth 10-3, ne of W. ntaining Section unty, Ordan	th 84° 30° We 4.47° West 4.47° W. Sanders 1.46.15 acres, 24, Townshire gon.	chains; thence Sandy	e North 21° 45' East 45' e North 21° 45' East 45' outh 68° East 4.70 chai situated in Richard Stge 1 West of the Willam	West 4.50 chains; thence 07 chains to the East is to the place of begin out Donation Land Claim, ette Meridian in Marion.
ence Sourth 10 3. ne of W. ntaining Section unty, Orona (a) Cha (b) Kin	th 84° 30° We 4.47 West 4.47 W. Sanders 1 46.15 acres, 24, Townshire gon.	chains; thence Sandy	e North 21° 45' East 45' e North 21° 45' East 45' outh 68° East 4.70 chai situated in Richard Stge 1 West of the Willam	West 4.50 chains; thence 07 chains to the East is to the place of begin out Donation Land Claim, ette Meridian in Marion.
ence Sourth 10 3. ne of W. ntaining Section unty, Oro	th 84° 30° We 4.47° West 4.47° We	chains; thence Sandy  (If more space Sandy  Pasture	s; thence North 65° 45' e North 21° 45' East 45 outh 68° East 4.70 chai situated in Richard Stge 1 West of the Willam	West 4.50 chains; thence 07 chains to the East is to the place of begin out Donation Land Claim, ette Meridian in Marion.
ence Sourth 10 3. ne of W. ntaining Section unty, Oro	th 84° 30° We 4.47° West 4.47° We	chains; thence Sandy  (If more space Sandy  Pasture	s; thence North 65° 45' e North 21° 45' East 45 outh 68° East 4.70 chai situated in Richard Stge 1 West of the Willam	West 4.50 chains; thence 07 chains to the East is to the place of begin out Donation Land Claim, ette Meridian in Marion.
ence Sourth 10-3, ne of W. ntaining Section unty, Ordanty, Ordanty	th 84° 30° Me  Viest 4.47  W. Sanders 1  46.15 acres,  24, Townshir  gon.  racter of soil  d of crops raised  ng Purposes—  otal amount of	chains; thence Stand; thence Stand; thence Stands Courted France  [Hence Stands of South, Range Stands of Pasture]  [Hence space Stands of Pasture]  [Pasture of Pasture]	s; thence North 65° 45' e North 21° 45' East 45 outh 68° East 4.70 chai situated in Richard Stge 1 West of the Willam	West 4.50 chains; thence of chains to the East is to the place of begin out Donation Land Claim, ette Meridian in Marion.  theoretical horsepower.
ence Sourth 10-3, ne of W. ntaining Section unty, Ordan (b) Kinger or Mining 9. (a) 1 (b) 6	racter of soil	chains; thence Stand; thence Stand; thence Stands and South, Ran  (Hemore space Sandy  Pasture  power to be develer to be used for	e North 21° 45' East 45' outh 68° East 4.70 chai situated in Richard Stge 1 West of the Willam required, attach separate sheet)	West 4.50 chains; thence of chains to the East is to the place of begin out Donation Land Claim, ette Meridian in Marion.  theoretical horsepower.
ca) Cha  (a) Cha  (b) Kin  er or Minim  9. (a) 7  (b) 6  (c) 7	racter of soil	chains; thence stand; thence stand; thence stand; thence stand; thence stands are stands and stands are stands.  (Hemore space Sandy are stands	e North 21° 45' East 45' outh 68° East 4.70 chai situated in Richard St ge 1 West of the Willam required, attach separate sheet)  eloped feet.  (Head)	West 4.50 chains; thence of chains to the East is to the place of begin out Donation Land Claim, ette Meridian in Marion.  theoretical horsepower.
(a) Cha (b) Kin er or Mini 9. (a) 7 (b) 6 (c) 7	racter of soil	chains; thence stand; thence stand; thence stand; thence stand; thence stands are stands and stands are stands.  (Hemore space Sandy are stands	e North 21° 45' East 45' outh 68° East 4.70 chai situated in Richard St ge 1 West of the Willam required, attach separate sheet)  eloped feet.  (Head)	West 4.50 chains; thence of chains to the East is to the place of begin out Donation Land Claim, ette Meridian in Marion.  theoretical horsepower.  sec. ft.
ca) Cha  (a) Cha  (b) Kin  er or Mini  9. (a) T  (b) C  (c) T  (d) T	racter of soil	chains; thence shains; thence shains; thence shains; thence shains and thence shains and the shains are chains; thence shains; thence shains; thence shains; thence shains; thence shains; thence shains are chains; thence shains are chains; thence shains are chains; thence shains are chains are chains are chains are chains are chains are chains.  (Hence shains thence shains are chains; thence shains; thence sh	e North 21° 45' East 45' outh 68° East 4.70 chai situated in Richard St ge 1 West of the Willam required, attach separate sheet)  eloped	West 4.50 chains; thence of chains to the East is to the place of begin out Donation Land Claim, ette Meridian in Marion.  theoretical horsepower.  sec. ft.
ca) Cha (b) Kin er or Mini 9. (a) T (d) T (e) S	racter of soil d of crops raised amount of Quantity of wat to be well as the nature of the nature of the such works to be	chains; thence Short thence Short or less of South, Ran  (Hemore space Sandy  Pasture  power to be develer to be used for attilized the works by meaning the located in	e North 21° 45' East 45' outh 68° East 4.70 chai situated in Richard St ge 1 West of the Willam required, attach separate sheet)  eloped	West 4.50 chains; thence of chains to the East is to the place of begin out Donation Land Claim, ette Meridian in Marion.  theoretical horsepower.  sec. ft.
ence Sourth 10 3, ne of W. ntaining Section unty, Order (a) Cha (b) Kiner or Minim 9. (a) 1 (b) 6 (c) 1 (d) 1 (e) S	racter of soil	chains; thence Some chains; thence Some chains; thence Some control of the some contro	e North 21° 45' East 45' outh 68° East 4.70 chai situated in Richard St ge 1 West of the Willam required, attach separate sheet)  eloped	West 4.50 chains; thence of chains to the East is to the place of begin out Donation Land Claim, ette Meridian in Marion.  theoretical horsepower.  sec. ft.
ence Sourth 10 3, ne of W. ntaining Section unty, Order (a) Cha (b) Kiner or Minim 9. (a) 1 (b) 6 (c) 1 (d) 1 (e) S	racter of soil	chains; thence Some chains; thence Some chains; thence Some control of the some contro	e North 21° 45' East 45' outh 68° East 4.70 chai situated in Richard St ge 1 West of the Willam required, attach separate sheet)  eloped	West 4.50 chains; thence of chains to the East is to the place of begin out Donation Land Claim, ette Meridian in Marion.  theoretical horsepower.  sec. ft.
(a) Cha (b) Kin er or Mini 9. (a) T (b) G (c) T (d) T (e) S	racter of soil	chains; thence Some chains; thence Some chains; thence Some control of the some contro	e North 21° 45' East 45 outh 68° East 4.70 chai situated in Richard St ge 1 West of the Willam  required, attach separate sheet)  eloped  power  (Head)  (Legal subdivision)  M.  ream?  (Yes or No)	West 4.50 chains; thence of chains to the East is to the place of begin out Donation Land Claim, ette Meridian in Marion.  theoretical horsepower.  sec. ft.
ence Sourth 10 3 ne of W. ntaining Section unty, Order or Minimer or Minimer or Minimer of Minimer	racter of soil	chains; thence Some chains; thence Some chains; thence Some control of the some contro	e North 21° 45' East 45 outh 68° East 4.70 chai situated in Richard St ge 1 West of the Willam  required, attach separate sheet)  eloped  power  (Head)  (Legal subdivision)  M.  ream?  (Yes or No) int of return	West 4.50 chains; thence of chains to the East is to the place of begin out Donation Land Claim, ette Meridian in Marion.  theoretical horsepower.  sec. ft.  be developed

STATE ENGINEER

Municipal or Domestic Supply—		
10. (a) To supply the city of		
	ent population of	
and an estimated population of		
(b) If for domestic use state number of	families to be supplied	
(Answer questions 1	l, 12, 13, and 14 in all cases)	
11. Estimated cost of proposed works, \$	ot determined	
12. Construction work will begin on or before		
13. Construction work will be completed on		
14. The water will be completely applied to	-	
approval		
F 2		
	Clarence Moser (Signature of applic	ant)
Signed in the presence of us as witnesses:		
(1)(Name)		
(2)(Name)	(Address of witne	ss)
Remarks:		
STATE OF OREGON,		
County of Marion, \bigg\{ \bigs\}^{\mathbf{s}s}		
This is to certify that I have examined the f	oregoing application, together wi	th the accompanying
maps and data, and return the same for		
,		
In order to retain its priority, this applic		·
corrections on or before		
WITNESS my hand this day	·	194
· · · · · · · · · · · · · · · · · · ·	-,, ·	

Application No.	20376
Permit No	15913

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon	
	on the 5th day of August,	
	1944, at9:15. o'clockA. M.	
	Returned to applicant:	
	Corrected application received:	
	Approved: September 15, 1944	
	Recorded in book No39 of	
	Permits on page 15913	- m.
	CHAS. E. STRICKLIN STATE ENGINEER	
	Drainage Basin No. 2 Page 33 E  Fees Paid \$9.50	
	rees ruid	
STATE OF OREGON	PERMIT	
County of Marion,		
The right herein g	IG RIGHTS and the following limitations and conc granted is limited to the amount of water which can	n be applied to beneficial use
	0.38 cubic feet per second measured at the	
stream, or its equivalent	in case of rotation with other water users, fromA	olqua Creek
The use to which	this water is to be applied is Irrigation	
If for irrigation, th	nis appropriation shall be limited to1/80th	
second or its equiv	alent for each acre irrigated and shall	e further limited to a
diversion of not to	exceed. 2 acre feet per acre for each ac	ere irrigated during the
irrigation season o	f each year.	
	such reasonable rotation system as may be ordered l	by the proper state officer.
The priority date	of this permit is August 5, 1944	
	on work shall begin on or before September 1	
	The work brust begin on or bejore	
-		before
Commission with an	l with reasonable diligence and be completed on or	before
Complete applicat	l with reasonable diligence and be completed on or	
	with reasonable diligence and be completed on or	
October 1,	l with reasonable diligence and be completed on or  1946  ion of the water to the proposed use shall be made of the water to the proposed use the water to the water to the proposed use the water to	on or before
October 1,	with reasonable diligence and be completed on or  1946  ion of the water to the proposed use shall be made of the water to the proposed use shall be made of this	on or before