

CERTIFICATE NO. 15780

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Royce Hinton (Name of applicant) of Sweet Home (Post office), County of Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed stream and unnamed spring (Name of stream) trib. of Wiley Creek, a tributary of trib. of S. Santiam

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic including irrigation of 1/2 acre domestic garden (Irrigation, power, mining, manufacturing, domestic supplies, etc.) See "Remarks"

4. The point of diversion is located 600 ft. N and 15 ft. W from the center corner of Sec. 35, T. 13 S., R. 1 E., W. M. (distances approximate) (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE 1/4 of Sec. 35, Tp. 13 S., R. 1 E., W. M., in the county of Linn

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.) R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works— No dam required

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, 200 ft of 3/4" pipe creek to garden sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
13 S.	1 E.	35	SENW	
The land on which water is to be used is more explicitly described below:				
Beginning at a point in the center of a county road which is N. 123.5 feet from the S. E. corner of the N. W. quarter of Sec. 35, in Tp. 13 S., Range 1 E. of the Will. Merd., Oregon; thence N. 58 degrees 32' W. along the center of said road 441.5 feet; thence N. 31 degrees 28' E. 457.7 feet, to the center of a county road; thence northerly on a curve to the left with a radius of 359.3 feet, a distance of 12.5 feet; thence N. 8 degrees 22' W. 444.9 feet; thence northerly on a curve to the right with a radius of 359.3 feet, a distance of 331.2 feet; thence N. 44 degrees 38' E. a distance of 96.7 feet; thence northeasterly on a curve to the left with a radius of 573 feet, a distance of 140.3 feet, to a point N. of the place of beginning; thence S. 1570 feet, more or less, to the place of beginning, containing 7.26 acres, more or less, all lying in Linn County, State of Oregon.				

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied
.....
(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before has been
completely applied

(Sgd.) Royce Hinton
(Signature of applicant)

by Katie Hinton

Signed in the presence of us as witnesses:

(1)
(Name) (Address of witness)

(2)
(Name) (Address of witness)

Remarks: water from spring is to be used in house and water from stream
formed by spring is to be used to irrigate $\frac{1}{2}$ acre domestic garden.
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Refer to page

Application No. 20466

Permit No. 15978

**PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON**

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 15th day of September 1944, at 1:20 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

December 11, 1944

Recorded in book No. 39 of

Permits on page 15978

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 2 Page 29

Fees Paid \$10.00

STATE OF OREGON }
County of Marion, } ss

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Stream and Unnamed Spring tributary of Wiley Creek

The use to which this water is to be applied is domestic, including the irrigation of 1/2 acre domestic garden.

If for irrigation, this appropriation shall be limited to ----- of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 15, 1944

Actual construction work shall begin on or before December 11, 1945 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1946

Complete application of the water to the proposed use shall be made on or before October 1, 1947

WITNESS my hand this 11th day of December, 1944

CHAS. E. STRICKLIN
STATE ENGINEER