* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Pudding R. 2. The amount of water which the applicant intends to apply to beneficial use is O.7/4. Cubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is irrigation (Brigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 1300 ft. S and 350 ft. E from the NV corner of Sec. 16, T. 6 S., R. 1 W., NM (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NV NV of Give smallest legal subdivision of Sec. 16 , Tp. 6 S (N. or S.) 7. The Marion for the county of Marion (Geory), W. M., in the county of Marion (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) being shown throughout on the accompanying map. DESCRIPTION OF WORKS		A D Dude	·	e de la companya de	
State of UPEGON				(Name of applicant)	· · · · · · · · · · · · · · · · · · ·
State of UPEGON	of	Mt. Angel	Rt. 1 (Post office)	, County of	,
1. The source of the proposed appropriation is Pudding R. (Name of stream) , a tributary of	State o	f Oregon	, do h	ereby make application for	a permit to appropriate the
1. The source of the proposed appropriation is Pudding R. (Name of stream) , a tributary of Molella River 2. The amount of water which the applicant intends to apply to beneficial use is 0.7%, cubic feet per second. (It water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is	followi	ng described public	waters of the State of (Oregon, SUBJECT TO EXI	STING RIGHTS:
, a tributary of Molalla River. 2. The amount of water which the applicant intends to apply to beneficial use is	1	f the applicant is a	corporation, give date	and place of incorporation	
	1	. The source of th	e proposed appropriatio	n is Pudding R.	
2. The amount of water which the applicant intends to apply to beneficial use is 0.74. (It water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied isirightion. (It water is to be applied isirightion. (It regation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 1300. ftS. and350. ftE. from the _NW			a tai	·	
**3. The use to which the water is to be applied is				-	
**3. The use to which the water is to be applied is	cubic f	eet per second			
4. The point of diversion is located 1300 ft. S. and 350 ft. E from the NW corner of Sec. 16, T. 6 S., R. 1 W., WM (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW NW of Sec. 16 T. T. 6 S. (Give smallest legal subdivision) R. 1 W (M. M., in the county of Marion (Sec. 16 T.) T. 6 S. (Main ditch, canal or pipe line) of Sec. 16 (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. T. T. T. (M. or S.) R. (M. or W.) (M. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— no dain required 6. (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction (Locae rock, concecte, mason; rock and brush, timber crib, etc., wastewny over or around dam) (b) Description of headgate (Timber, concecte, etc., number and size of openings) (c) If water is to be pumped give general description not. detarmined (Size and type of pump) 24 8 g. p. M. Sprinklers (Give and type of engine or motor to be used, total head water is to be Bitted, etc.)					
4. The point of diversion is located 1300 ft. S and 350 ft. E from the NW corner of Sec. 16, T. 6 S., R. 1 W., WM (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW NW of Sec. 16 years	**:	3. The use to which	the water is to be appli	ed is irrigation (Irrigation, power, mining, n	nanufacturing, domestic supplies, etc.)
Corner of Sec. 16, T. 6 S., R. 1 W., W. (Section or subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW of Sec. 16, Tp. 6.S. (N. or S.) R. 1 W., W. M., in the county of Marion (E. or W.) 5. The (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. Tp. (N. or S.) R					
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW NW of Sec. 16 , Tp. 6.S. (Give smallest legal subdivision) R. 1 W , W. M., in the county of Marion (E. or W.) 5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. , Tp. (N. or S.) R	corner	I. The point of dive	ersion is located 1300	ft. S and 350 f	tE from theNVI
(if there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW NW (Give smallest legal subdivision) of Sec. 16 , Tp. 6 S (N. or S.) R. 1 W (E. or W.) 5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. , Tp. (N. or S.) R. (E. or W.) DESCRIPTION OF WORKS Diversion Works— no dam required 6. (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction (Loose rock, concrete, mason; rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description not determined (Size and type of pump) 24. 8 g.p.m. sprinklers (Size and type of engine or motor to be used, total head water is to be lifted, etc.)		• • • • • • • • • • • • • • • • • • •	((Section or subdivision)	•••••
being within the NW NW (Give smallest legal subdivision) of Sec. 16 , Tp. 6 S (N. or S.) R. 1 W , W. M., in the county of Marion (E. or W.) 5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. , Tp. (N. or S.) R			(If preferable, give distan	ice and bearing to section corner)	
R					
R	being 1	within theNW NW	(Give smallest legal subdivision)	of Sec 16	, Tp. 6 S (N. or S.)
5. The					
in length, terminating in the		(E. or W.)		to ha	
DESCRIPTION OF WORKS Diversion Works— no dam required 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, mason; rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description not determined (Size and type of pump) 24. 8. g.p.M. sprinklers (Size and type of engine or motor to be used, total head water is to be lifted, etc.)					
DESCRIPTION OF WORKS Diversion Works— no dam required 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, mason; rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description not determined (Size and type of pump) 24. 8. g.p.M. sprinklers (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	in leng	th, terminating in th	1e(Smallest legal subdi	of Sec	, Tp,
Diversion Works— no dam required 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, mason; rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description not. determined (Size and type of pump) 24. 8. g.p.m. sprinklers (Size and type of engine or motor to be used, total head water is to be lifted, etc.)					
no dam required 6. (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction (Loose rock, concrete, mason; rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description not_ determined (Size and type of pump) 24. 8 g.p.m. sprinklers (Size and type of engine or motor to be used, total head water is to be lifted, etc.)			DESCRIPT	ION OF WORKS	
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description not determined (Size and type of pump) 24. 8 g.p.m. sprinklers (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	Divers	ion Works—	,		
feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general descriptionnotdetermined (Size and type of pump) 24. 8 g.p.m. sprinklers (Size and type of engine or motor to be used, total head water is to be lifted, etc.)		n	-		
(b) Description of headgate					
(b) Description of headgate		feet; mater	ial to be used and charac	cter of construction	(Loose rock, concrete, masonry
(b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general descriptionnot_determined (Size and type of pump) 24. 8 g.p.m. sprinklers (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	rock and l	orush, timber crib, etc., waste	way over or around dam)		
(c) If water is to be pumped give general descriptionnot_determined					
(c) If water is to be pumped give general descriptionnot_determined				• • •	
24 8 g.p.m. sprinklers (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(•
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)		8 g.p.m. spri	nklers		
		G	Size and type of engine or motor to l	be used, total head water is to be lifted,	etc.)
• A different form of application is provided where storage works are contemplated.	• A	different form of application	n is provided where storage works	are contemplated.	

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-

-	Pipe Line—			
7. (a) Giv	e dimensions a	t each point of o	canal where materially chang	ed in size, stating miles from
neadgate. At hed	ıdgate: width o	on top (at water	line)	feet; width on bottom
housand feet.	feet; depth of	water	feet; grade	feet fall per one
•		miles from h	eadgate: width on top (at wat	er line)
			feet; depth of u	
		feet fall per one		, , , , , , , , , , , , , , , , , , , ,
			•	
_		-	; size at intake,	-
		_	of use in.; dij	
ntake and place	of use,	ft. I:	s grade uniform?	Estimated capacity,
	sec. ft.			
8. Locatio	n of area to be	e irrigated, or pl	ace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
Beginning at Bouth, Range 7' E. 40.22 content of beginning at the center East 1.80 chains; thence for the chains; thence for bar; the county Road; an iron bar; the county Road; and iron bar	the quarter 1. West of the hains to the of Fudding ins; thence e South 770 West 7.70 chains; thence North a leaving saince North 40 thence North thence South nning, and hof the Wills accepted to the will accept to the will accepted to the will accept the will accept to the will accept to the will accept the will accept to the will accept the wil	section cornie Willamette center of Section Cornie Willamette center of Section 12° Head North 31° West 6.80° Chains; thence North 12° 15' East 4' 60° 3' West 89° 18! East 4' 60° 3' West 189° 18! East 189° 18° 18° 18° 18° 18° 18° 18° 18° 18° 18	er on the North side of Meridian in Marion Courection 16: thence North edown the center of saist 1.00 chains; thence Sains; thence North 60° Ve North 51° 30' East 3.00 chains; t 8.70 chains; thence North 54° 51' East 3.08 chains to an iron be along the center of sait along the North line of in Sections 16 and 17 an in Marion County, Oremarks"	aty, Oregon; thence South 89° 10' West 30.00 chairs id stream North 10° couth 87° West 2.30 West 7.60 chains; thence 50 chains; thence South thence North 38° East orth 19° 15' West 94 ast 26.13 chains to an ar in the center of the id road 2.25 chains to of Section 16 to the in Township 6 South, egon
Power or Mining	•			
9. (a) To	tal amount of	power to be dev	eloped	theoretical horsepower.
(b) Qı	uantity of wate	er to be used for	power	sec. ft.
(c) To	tal fall to be u	tilized	(Head)	
(d) Th	e nature of th	e works by med	ins of which the power is to b	oe developed
(e) Su	ch works to be	located in	(Legal subdivision)	of Sec,
		, W. 1		
			ream?(Yes or No.)	
			(xes or No)	
	•••••	, Sec	, Tp	, R, W. M.
		,	(No N or S)	(No. E. or W.)

STATE ENGINEER

Municipal or Domestic Supply—		
10. (a) To supply the city of		
	ng a present population of	
and an estimated population of	in 19	
(b) If for domestic use state nu	umber of families to be su	pplied
(Answ	er questions 11, 12, 13, and 14 in all cases	s).
11. Estimated cost of proposed wo	rks, \$ Not determined	
12. Construction work will begin or	n or before One year a	fter approval
		s. after approval
14. The water will be completely of	applied to the proposed use	e on or before 3 yrs. after approva
		· · · · · · · · · · · · · · · · · · ·
		Ouda (Signature of applicant)
Signed in the presence of us as with		
(1)(Name)		(Address of witness)
(2) (Name)	,	(Address of witness)
Township Range Section	Forty Acre Tract	No. of acres
6 S 1W 16	NW NW	8
	SW NW	20
	SE NW	25
	SE NE	6
		59
STATE OF OREGON, ss		
County of Marion,		
This is to certify that I have exami	ned the foregoing applicat	tion, together with the accompanying
maps and data, and return the same for		
`		
		atumed to the State Franciscon with
-		eturned to the State Engineer, with
corrections on or before		
WITNESS my hand this	day of	, 194

Application	No. 20469
Permit No.	15981

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No District No		
	This instrument was first received in the office of the State Engineer at Salem, Oregon		
	on thelóth day ofSeptember	······,	
	194.4., at10:35 o'clock A.M.		
	Returned to applicant:		
	Corrected application received:		
	Approved:		
	December 11, 1944		
	Recorded in book No39	of	
	Permits on page15981		
	CHAS, E, STRICKLIN STATE ENG	INEER	
	Drainage Basin No2 Page 34	 4	
	Fees Paid <u>\$13.85</u>		
CM AME OF ORECOM	DEDMIN		
STATE OF OREGON	PERMIT ss		
County of Marion, This is to certify the	I nat I have examined the foregoing applicati	ion and do haraba grant the same	
SUBJECT TO EXISTING	G RIGHTS and the following limitations an	id conditions:	
	ranted is limited to the amount of water wh		
	0.74 cubic feet per second measured		
stream, or its equivalent in	n case of rotation with other water users, from	n Pudding River	
	nis water is to be applied is Irrigation		
	s appropriation shall be limited to		
second or its equiva	lent for each acre irrigated and sh	nall-be-further-limited-to-a	
	exceed 2 acro feet per acre for ea		
	n of each year,		
and shall be subject to su	ch reasonable rotation system as may be ord	lered by the proper state officer.	
The priority date of	f this permit is September 16, 194	4	
Actual construction	a work shall begin on or before Decembe	r 11, 1945 and shall	
thereafter be prosecuted	with reasonable diligence and be completed	on or before	
October 1, 1	946		
Complete application	on of the water to the proposed use shall be	made on or before	
October 1, 19	947		
WITNESS my hand	this 11th day of December	, 1944	
	CHAS. E.	STRICKLIN	
		STATE ENGINEER	