## \* APPLICATION FOR A PERMIT CERTIFICATE NO.17122 - Delapp

## To Appropriate the Public Waters of the State of Oregon

I. 0. B. Allm and E. T. Hamer
(Name of applicant)
of, County of,
State of Oregon, do hereby make application for a permit to appropriate th
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is McNary Creek (Name of stream)
trib. of Rickreall , a tributary of Willamette R.
2. The amount of water which the applicant intends to apply to beneficial use is0.33
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
• •
**3. The use to which the water is to be applied is
4. The point of diversion is located 1200 ft. S and 200 ft. E from the NW corner of Sec. 25, T. 7 S., R. 4 W., W. M. (Section or subdivision)
(Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NW NW of Sec. 25, Tp. 7, S (Give smallest legal subdivision)
R. 4 W , W. M., in the county of Polk
5. The Pipe to be 2000 ft. (Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the of Sec, Tp(N. or S.)
R, W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
. The contract of the contract $\mathbf{H}$ is the contract of the contract $\mathbf{H}$ in the contract $\mathbf{H}$
6. (a) Height of dam3.0 feet, length on top4.0 feet, length at botto
feet; material to be used and character of constructionConcrete
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
(c) If water is to be pumped give general description Gravity  (Size and type of pump)
(Size and type of engine or metor to be used, total head water is to be lifted, etc.)

				feet fall per o
ousand feet.	jeet; aeptn oj	water	jeet; grade	feet fall p <b>er</b> o
(b) At		miles from h	eadgate: width on top (at w	ater line)
••••••	feet; width	on bottom	feet; depth of	water fe
rade		feet fall per one	thousand feet.	termined
(c) Lengtl	n of pipe,	ft.		in.; size at
om intake	in	ı.; size at place (	of use in.; d	lifference in elevation betwe
itake and place	of use,	ft. I	s grade uniform?	Estimated capaci
	sec. ft.			
8. Locatio	n of area to be	e irrigated, or pl	ace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
7 S		26	SW NE	domestic
				domestic
				10 & domestic
				TO & GOMES OIL
See Remarks .	for more con	plete descri	ption of property on wh	nich water is to be use
				nson Cherry Orchard
ection 20, r	ownship 7 Sc	uth, Range 4	West.	
	••••••••••••			.*
	· · · · · · · · · · · · · · · · · · ·	<u> </u>	e required, attach separate sheet)	
(a) Chara	cter of soil			
	•			
(b) Kind	•			
	-			
ower or Mining	tal amount of	power to be aev	eloped	theoretical horsepou
ower or Mining 9. (a) To		_		
Power or Mining 9. (a) To (b) Qu	uantity of wate	er to be used for	power	-
9. (a) To (b) Qu (c) To	uantity of wate	er to be used for	powerfeet.	sec. ft.
9. (a) To (b) Qu (c) To	uantity of wate	er to be used for	powerfeet.	sec. ft.
9. (a) To (b) Qu (c) To (d) Th	uantity of wate tal fall to be u se nature of th	er to be used for tilizede works by med	r powerfeet.  (Head)  uns of which the power is to	be developed
9. (a) To (b) Qu (c) To (d) Th	tal fall to be u te nature of th	er to be used for tilized e works by med	r power	be developed
ower or Mining 9. (a) To (b) Qu (c) To (d) Th  (e) Su	tal fall to be u te nature of th  ch works to be	er to be used for tilized e works by med e located in W.	(Head)  ins of which the power is to  (Legal subdivision)  M.	be developed
9. (a) To (b) Qu (c) To (d) Th  (e) Su	tal fall to be u te nature of th  ch works to be	er to be used for tilized e works by med e located in W.	r power	be developed
9. (a) To (b) Qu (c) To (d) Th  (e) Su (f) Is	tal fall to be u te nature of th ch works to be mater to be re	er to be used for tilized  te works by med to located in  turned to any st	(Head)  ins of which the power is to  (Legal subdivision)  M.  tream?	sec. ft.
(e) Su  (n) If	tal fall to be u te nature of th ch works to be, R	er to be used for tilized  te works by med to located in  turned to any so m and locate po	(Head)  ins of which the power is to  (Legal subdivision)  M.  tream?	be developedof Secof Sec.
(c) To (d) Th  (e) Su  (g) If	tal fall to be u  te nature of th  ch works to be , R  water to be re  so, name strea	er to be used for tilized  te works by med to located in  turned to any so m and locate po	(Head)  Ins of which the power is to  (Legal subdivision)  M.  tream?  (Yes or No)  int of return  (No. N. or S.)	be developedof Secof Sec

unicipal or Domestic Supply—	
	resent population of
nd an estimated population of	in 19
(b) If for domestic use state number of	of families to be supplied20
(Answer question	ns 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	Not determined
12. Construction work will begin on or be	fore Has been commenced
13. Construction work will be completed	on or before Two years after approval
14. The water will be completely applied	to the proposed use on or before Three years after app
	(Sgd) 0. B. Allm (Signature of applicant)
	(Sgd) E. T. Hamer
Signed in the presence of us as witnesses:	
1)(Name)	(Address of witness)
(Name)	
Remarks: Beginning at a 2 inch gas of the ground at a point 50.01 chains wp. 7 S., R. 4 West Will. Mer., in Pollong the south line of the Salem-Dalles. 57 chains to the center of the LaCre	lyanized iron pipe 12 inches below the surface south of the northeast corner of Section 26, 1k County, Oregon, thence north 880 42! West as road 19.982 chains; thence south 15! West cole River; thence south 640 East 2.19 chains
Remarks: Beginning at a 2 inch gas of the ground at a point 50.01 chains wp. 7 S., R. 4 West Will. Mer., in Pollong the south line of the Salem-Dalla 5.57 chains to the center of the LaGrance south 74° East 1.74 chains; the center 68° 45° east 2.52 chains; thence lest 2 chains; thence north 44° west 3 chence north 48° 45° east 1.60 chains; thence north 86° 30° east 2.27 chains; thence east 1.81 chains; thence south 71° 35° and 1.81 chains; thence south 85° East 1.90 crth 17.206 chains to the place of be 1so Lots 22 and 23 and McNary Park of Eave and except railroad right of way	lvanized iron pipe 12 inches below the surface south of the northeast corner of Section 26, 1k County, Oregon, thence north 88° 42! West as road 19.982 chains; thence south 15' West eole River; thence south 64° East 2.19 chains not south 87° 45' east 1.58 chains; thence north 32° east 2.50 chains; thence north 70° 0.00 chains; thence north 3° west 1.50 chains; thence north 72° east 1.50 chains; thence north 86° east 2.09 chains; thence south 85° east 1.59 chains; thence south 73° 30' East 6 chains to the east line of Sec. 26; thence signning.  McNary Orchards, Polk County, Oregon
Remarks: Beginning at a 2 inch gas of the ground at a point 50.01 chains wp. 7 S., R. 4 West Will. Mer., in Pollong the south line of the Salem-Dalla 25.57 chains to the center of the LaGranece south 74° East 1.74 chains; the center 68° 45° east 2.52 chains; thence west 2 chains; thence north 44° west 3 chence north 48° 45° east 1.60 chains; thence north 86° 30° east 2.27 chains; thence east 1.81 chains; thence south 71° 35° at 1.81 chains; thence south 85° East 1.9 corth 17.206 chains to the place of be 1so Lots 22 and 23 and McNary Park of save and except railroad right of way	lvanized iron pipe 12 inches below the surface south of the northeast corner of Section 26, 1k County, Oregon, thence north 88° 42! West as road 19.982 chains; thence south 15' West eole River; thence south 64° East 2.19 chains not south 87° 45' east 1.58 chains; thence north 32° east 2.50 chains; thence north 70° 0.00 chains; thence north 3° west 1.50 chains; thence north 72° east 1.50 chains; thence north 86° east 2.09 chains; thence south 85° east 1.59 chains; thence south 73° 30' East 6 chains to the east line of Sec. 26; thence signning.  McNary Orchards, Polk County, Oregon
Remarks: Beginning at a 2 inch gas of the ground at a point 50.01 chains wp. 7 S., R. 4 West Will. Mer., in Pollong the south line of the Salem-Dalla 5.57 chains to the center of the LaCrebence south 74° East 1.74 chains; the center 68° 45° east 2.52 chains; thence lest 2 chains; thence north 44° west 3 chence north 48° 45° east 1.60 chains; thence north 86° 30° east 2.27 chains; thence east 1.81 chains; thence south 71° 35° and 1.81 chains; thence south 85° East 1.9 corth 17.206 chains to the place of be 1 so Lots 22 and 23 and McNary Park of Eave and except railroad right of way are county of Marion,	lvanized iron pipe 12 inches below the surface south of the northeast corner of Section 26, 1k County, Oregon, thence north 88° 42! West as road 19.982 chains; thence south 15' West eole River; thence south 64° East 2.19 chains not south 87° 45' east 1.58 chains; thence north 32° east 2.50 chains; thence north 70° 0.00 chains; thence north 3° west 1.50 chains; thence north 72° east 1.50 chains; thence north 86° east 2.09 chains; thence south 85° east 1.59 chains; thence south 73° 30' East 6 chains to the east line of Sec. 26; thence signning.  McNary Orchards, Polk County, Oregon
Remarks: Beginning at a 2 inch gas of the ground at a point 50.01 chains wp. 7 S., R. 4 West Will. Mer., in Pollong the south line of the Salem-Dalla 5.57 chains to the center of the LaCrebence south 74° East 1.74 chains; the center 68° 45° east 2.52 chains; thence lest 2 chains; thence north 44° west 3 chence north 48° 45° east 1.60 chains; torth 86° 30° east 2.27 chains; thence east 1.81 chains; thence south 71° 35° and 1.81 chains; thence south 85° East 1.9 corth 17.206 chains to the place of be 1so Lots 22 and 23 and McNary Park of Eave and except railroad right of way are and except railroad right of way are this is to certify that I have examined the This is to certify that I have examined the	lvanized iron pipe 12 inches below the surface south of the northeast corner of Section 26, 1k County, Oregon, thence north 88° 42' West as road 19.982 chains; thence south 15' West cole River; thence south 64° East 2.19 chains not south 87° 45' east 1.58 chains; thence north 32° east 2.50 chains; thence north 70° 0.00 chains; thence north 3° west 1.50 chains; thence north 86° east 2.09 chains; thence south 85° east 1.59 chains; thence south 73° 30' East 6 chains to the east line of Sec. 26; thence sinning.  McNary Orchards, Polk County, Oregon and roadways.
Remarks: Beginning at a 2 inch gas of the ground at a point 50.01 chains wp. 7 S., R. 4 West Will. Mer., in Pollong the south line of the Salem-Dalle 5.57 chains to the center of the Hacro chence south 74° East 1.74 chains; the corth 68° 45° east 2.52 chains; thence lest 2 chains; thence north 44° west 3 chence north 48° 45° east 1.60 chains; corth 86° 30° east 2.27 chains; thence cast 1.81 chains; thence south 71° 35° corth 17.206 chains to the place of be close Lots 22 and 23 and McNary Park of cave and except railroad right of way  TATE OF OREGON, County of Marion,  This is to certify that I have examined the chaps and data, and return the same for	lvanized iron pipe 12 inches below the surface south of the northeast corner of Section 26, 1k County, Oregon, thence north 88° 42! West as road 19.982 chains; thence south 15' West cole River; thence south 64° East 2.19 chains not south 87° 45' east 1.58 chains; thence north 32° east 2.50 chains; thence north 70° 0.00 chains; thence north 3° west 1.50 chains; thence north 86° east 2.09 chains; thence south 85° east 1.59 chains; thence south 85° east 1.59 chains; thence south 73° 30' East 1.50 chains to the east line of Sec. 26; thence sinning.  McNary Orchards, Polk County, Oregon and roadways.
Remarks: Beginning at a 2 inch gas of the ground at a point 50.01 chains way. 7 S., R. 4 West Will. Mer., in Pollong the south line of the Salem-Dall S.57 chains to the center of the LaGrabence south 74° East 1.74 chains; the lorth 68° 45' east 2.52 chains; thence lest 2 chains; thence north 44° west 3 chence north 48° 45' east 1.60 chains; thence north 86° 30' east 2.27 chains; thence last 1.81 chains; thence south 71° 35' .41 chains; thence south 85° East 1.9 north 17.206 chains to the place of be liso Lots 22 and 23 and McNary Park of lave and except railroad right of way are and except railroad right of way this is to certify that I have examined the maps and data, and return the same for	lvanized iron pipe 12 inches below the surface south of the northeast corner of Section 26, 1k County, Oregon, thence north 88° 42! West as road 19.982 chains; thence south 15' West cole River; thence south 64° East 2.19 chains not south 87° 45' east 1.58 chains; thence north 32° east 2.50 chains; thence north 70° 0.00 chains; thence north 3° west 1.50 chains; thence north 72° east 1.50 chains; thence north 86° east 2.09 chains; thence south 85° east 1.59 chains; thence south 73° 30' East 6 chains to the east line of Sec. 26; thence ginning.  McNary Orchards, Polk County, Oregon and roadways.
Remarks: Beginning at a 2 inch gas of the ground at a point 50.01 chains wp. 7 S., R. 4 West Will. Mer., in Pollong the south line of the Salem-Dall 25.57 chains to the center of the LaCre chence south 74° East 1.74 chains; the corth 68° 45' east 2.52 chains; thence lest 2 chains; thence north 44° west 3 chence north 48° 45' east 1.60 chains; corth 86° 30' east 2.27 chains; thence least 1.81 chains; thence south 71° 35' 36.41 chains; thence south 85° East 1.9 corth 17.206 chains to the place of be class Lots 22 and 23 and McNary Park of cave and except railroad right of way  TATE OF OREGON, County of Marion,  This is to certify that I have examined the chaps and data, and return the same for	lvanized iron pipe 12 inches below the surface south of the northeast corner of Section 26, 1k County, Oregon, thence north 88° 42! West as road 19.982 chains; thence south 15' West cole River; thence south 64° East 2.19 chains not south 87° 45' east 1.58 chains; thence north 70° 6.00 chains; thence north 3° west 1.50 chains; thence north 72° east 1.50 chains; thence north 86° east 2.09 chains; thence south 85° east 1.59 chains; thence south 85° east 1.59 chains; thence south 73° 30' East 6 chains to the east line of Sec. 26; thence ginning.  McNary Orchards, Polk County, Oregon and roadways.
Remarks: Beginning at a 2 inch gas of the ground at a point 50.01 chains wp. 7 S., R. 4 West Will. Mer., in Pollong the south line of the Salem-Dall 15.57 chains to the center of the LaGrance south 74° East 1.74 chains; the worth 65° 45' east 2.52 chains; thence lest 2 chains; thence north 44° west 3 thence north 48° 45' east 1.60 chains; torth 86° 30' east 2.27 chains; thence east 1.81 chains; thence south 71° 35' and chains; thence south 71° 35' and chains; thence south 85° East 1.9 thence and except railroad right of way are and except railroad right of way are and data, and return the same for maps and data.	lvanized iron pipe 12 inches below the surface south of the northeast corner of Section 26, 1k County, Oregon, thence north 88° 42! West as road 19.982 chains; thence south 15' West cole River; thence south 64° East 2.19 chains not south 87° 45' east 1.58 chains; thence north 70° 1.00 chains; thence north 70° 4.00 chains; thence north 72° east 1.50 chains; thence north 86° east 2.09 chains; thence south 85° east 1.59 chains; thence south 73° 30' East 1.59 chains to the east line of Sec. 26; thence sinning.  McNary Orchards, Polk County, Oregon and roadways.
Remarks: Beginning at a 2 inch gas of the ground at a point 50.01 chains wp. 7 S., R. 4 West Will. Mer., in Pollong the south line of the Salem-Dall 15.57 chains to the center of the LaGrance south 74° East 1.74 chains; the worth 65° 45' east 2.52 chains; thence lest 2 chains; thence north 44° west 3 thence north 48° 45' east 1.60 chains; torth 86° 30' east 2.27 chains; thence east 1.81 chains; thence south 71° 35' and chains; thence south 71° 35' and chains; thence south 85° East 1.9 thence and except railroad right of way are and except railroad right of way are and data, and return the same for maps and data.	lvanized iron pipe 12 inches below the surface south of the northeast corner of Section 26, 1k County, Oregon, thence north 88° 42! West as road 19.982 chains; thence south 15' West cole River; thence south 64° East 2.19 chains not south 87° 45' east 1.58 chains; thence north 32° east 2.50 chains; thence north 70° 6.00 chains; thence north 3° west 1.50 chains; thence north 72° east 1.50 chains; thence south 85° east 2.09 chains; thence south 85° east 1.59 chains; thence south 73° 30' East 6 chains to the east line of Sec. 26; thence ginning.  McNary Orchards, Polk County, Oregon and roadways.

Application	No. 20513
Permit No.	16015

## PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. ..... District No. .....

•	This instrument was first received in the
	office of the State Engineer at Salem, Oregon
	on the5th day of October
	194.4., at11:35 o'clockA. M.
	Returned to applicant:
	Corrected application received:
•	Approved:
•	December 11, 1944
	Recorded in book No 39 of
	Permits on page 16015
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 2 Page 76 N
	Fees Paid \$14.50
STATE OF OREGON	PERMIT
County of Marion,	\$\$
This is to certify the	at I have examined the foregoing application and do hereby grant the same RIGHTS and the following limitations and conditions:
	inted is limited to the amount of water which can be applied to beneficial us
and shall not exceed	0.23 cubic feet per second measured at the point of diversion from th
	case of rotation with other water users, from McNary Creek
	is water is to be applied is domestic and irrigation, being 0.13 c.f.
	appropriation shall be limited to1/80th of one cubic foot pe
	ent for each acre irrigated and shall be further limited to a
diversion of not to	exceed 23 acre feet per acre for each acre irrigated during
the irrigation seaso	n of each year,
and shall be subject to suc	ch reasonable rotation system as may be ordered by the proper state officer.
- · · · · · · · · · · · · · · · · · · ·	this permit is October 5, 1944
Actual construction	work shall begin on or before December 11, 1945 and sha
thereafter be prosecuted ı	with reasonable diligence and be completed on or before
October	
Complete applicatio	1, 1946
October	1, 1946  n of the water to the proposed use shall be made on or before
WITNESS my hand	n of the water to the proposed use shall be made on or before
WITNESS my hand	n of the water to the proposed use shall be made on or before