

*** APPLICATION FOR A PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Dr. William L. Lidbeck (Name of applicant)
of 400 Guardian Bldg. Salem (Post office), County of _____,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is Pringle Creek (Name of stream)
_____, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.05
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 200 ft. N and 700 ft. E from the SW
200 ft. N and 850 ft. E from the SW
150 ft. N and 1050 ft. E from the SW
corner of section 2, T. 8 S., R. 3 W., W.M. (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SW SW of Sec. 2, Tp. 8 S
(Give smallest legal subdivision) (N. or S.)
R. 3 W, W. M., in the county of Marion
(E. or W.)

5. The _____ to be _____
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the _____ of Sec. _____, Tp. _____,
(Smallest legal subdivision) (N. or S.)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 small diversion dams
4 feet, length on top 8 feet, length at bottom
_____ feet; material to be used and character of construction timber or rock
(Loose rock, concrete, masonry)

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description _____
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

Will use sprinklers - details not determined

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ Not estimated

12. Construction work will begin on or before One year after approval

13. Construction work will be completed on or before Two years after approval

14. The water will be completely applied to the proposed use on or before 3 yrs. after approval

(Sgd) William L. Lidbeck, M. D.

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)

(2) (Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 20568
Permit No. 16055

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon
on the 10th day of November
1944, at 10:45 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

December 11, 1944

Recorded in book No. 39 of

Permits on page 16055

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 76 N.

Fees Paid \$9.50

STATE OF OREGON

PERMIT

County of Marion, } ss

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Pringle Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during
the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 10, 1944

Actual construction work shall begin on or before December 11, 1945 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1946 Extended to Oct 1, 1948

Complete application of the water to the proposed use shall be made on or before

October 1, 1947 Extended to Oct 1, 1948

WITNESS my hand this 11th day of December, 1944.

CHAS. E. STRICKLIN

STATE ENGINEER