ASSESSED See Mer Rec Vol 3 Page 46

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

. I,	L. G. Robins	on	[ame of applicant)	
of	Tillamook, Q	•	,	Tillamook ,
,				a permit to appropriate the
following (described public wa	iters of the State of Or	egon, SUBJECT TO EXI	STING RIGHTS:
If th	ne applicant is a co	rporation, give date an	d place of incorporation	
				······································
1. T	The source of the p	roposed appropriation	is unnamed creek (Na	me of stream)
				•
2. T	The amount of wate	r which the applicant	intends to apply to bene	ficial use is6
cubic feet 1	per second	(If water is to be used	from more than one source, give qua	ntity from each)
**3. 7	The use to which the			
0. 1		water to to oc approx	(Irrigation, power, mining, r	nanufacturing, domestic supplies, etc.)
4. T	The point of diversion SE_{\pm}^{1} of SW_{\pm}^{1} of	on is located 600	ft. N. and 15 j R. 9 W. WM	ftN from the NE
			and bearing to section corner)	
being with	•		nust be described. Use separate sheet of Sec21	, Tp. 1 S (N. or S.)
R. 9 W		e county of Tillamo		,
•			to be2]	160 ft
				(Miles or feet), Tp. 1 S
(E. o	, W. 171., title or W.)	e proposed tocation bein	ng shown throughout on t	не ассотрануну нар.
		DESCRIPTION	ON OF WORKS	
· .	*** 1			
Diversion			". " " " " " " " " " " " " " " " " " "	
				feet, length at bottom
	feet; material	to be used and characte	er of construction	(Loose rock, concrete, masonry
rock and brush	, timber crib, etc., wasteway	over or around dam)		
(b)	Description of head	dgate		size of openings)
			(Timber, concrete, etc., number and	size of openings)
(c)	If water is to be p	umped give general de	scription 2" centrift	igal pump ize and type of pump)
			used, total head water is to be lifted,	
*				
		·		

A different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Fither of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

				feet; width on botto
ousand feet.	. jeet; aeptn oj	water	jeet; grade	feet fall per o
(b) At	••••••••••••••••••••••••••••••••••••••	miles from h	eadgate: width on top (at w	pater line)
	feet; width	on bottom	feet; depth o	f water fe
rade	ƒ	eet fall per one	thousand feet.	
(c) Lengt	h of pipe, <u>216</u>	0 ft.	; size at intake, 6"	in.; size at2160
om intake	6" in	.; size at place o	f use3" in.;	d iffe rence in elevation betwe
itake and place	of use,20	ft. Is	grade uniform?	Estimated capaci
•6	sec. ft.	i		
8. Location	on of area to be	irrigated, or pl	ace of use24 acres	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1.8	9 W	21	SE of SW	24
ronants on	which water	a to be seed	is more overliable.	and had hele - De-t -
 Daugherty 	Donation Lar	d Claim No.	Al Section 21 Twp. 1 S	scribed below: Part of Rg. 9 W., W. M.
eginning at	.apoint298	8chainsEas	t and 20.98 chains Sou	th of the NW corner of
he NE $\frac{1}{4}$ of the local chains:	ie SEž of Sec	tion 20, run	ning thence South 14.7	5 chains; thence East
nains along	said road; t	hence West 3	1.09 chains to place o	
est-21-feet.	· · · · · · · · · · · · · · · · · · ·		,	
			-	
	•••••	\		
•	•••••			
	•••••			
			·	
			required, attach separate sheet)	
(a) Chare	act er of soil	loam		
(b) Kind	of crops raised	pasture		
ower or Minin	-			
	- "	power to be dev	eloped	theoretical horsepor
			power	_
		-		-
			feet (Head)	
(d) T	h e nat ure of th	e works by mea	ns of which the power is t	o be developed
				of Sec
p(No. N. or S	, R(No	o. E. or W.)	M.	
(f) Is	water to be re	turned to any st	ream?(Yes or No)	
()/ -0			int of return	
				b txr
(g) If	······	, Sec	(No. N. or S.) (No. E. or W.)
(g) If			() (No. E. or W.)

11.80

The state of the second

Municipal or Domestic Supply—	·					
(Name of)	esent population of					
and an estimated population of						
	of families to be supplied					
11. Estimated cost of proposed works, \$2000.00						
	fore April 1, 1945					
<u>-</u>	on or before June, 1945					
14. The water will be completely applied	to the proposed use on or before July, 1945					
	······································					
	(Sgd) L. G. Robinson (Signature of applicant)					
·						
Signed in the presence of us as witnesses:						
(Name)	(Address of witness)					
(2)(Name)	(Address of witness)					
Remarks:						
	,					
	····					
	,					
STATE OF ORECON 1						
STATE OF OREGON, County of Marion,	!					
•	e foregoing application, together with the accompanying					
	e foregoing apprication, together with the accompanying					
In order to rotain its priority this am	lication must be returned to the State Engineer, with					
corrections on or before	•					
·	ıy of, 194,					
111111235 THY HUNG HUS	ıy oj, 194					
	And have been supported to					

hi a list ingiv

Application No. 20421
Permit No. 16056

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

	This instrument was first received in the office of the State Engineer at Salem, Oregon
	on the26th day of August
	194.4., at8:30 o'clockA M.
	Returned to applicant:
	Corrected application received:
	Corrected application received.
	Approved:
	December 11, 1944
	Recorded in book No39 of
	Permits on page 16056
	CHAS. E. STRICKLIN
	STATE ENGINEER
	Drainage Basin No
•	Fees Paid \$9.50
STATE OF OREGON)	PERMIT
1	88
	at I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING	RIGHTS and the following limitations and conditions:
The right herein gro	inted is limited to the amount of water which can be applied to beneficial use
and shall not exceed	0.20 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in	case of rotation with other water users, from Unnamed Creek
The use to which th	is water is to be applied isIrrigation
If for irrigation, this	appropriation shall be limited to1/80th of one cubic foot per
second or its equival	ent for each acre irrigated and shall be further limited to a
diversion of not to	exceed $2\frac{1}{3}$ acre feet per acre for each acre irrigated during
the irrigation seaso	n of each year,
and shall be subject to suc	ch reasonable rotation system as may be ordered by the proper state officer.
The priority date of	this permit is August 26, 1944
Actual construction	work shall begin on or before December 11, 1945 and shall
thereafter be prosecuted u	vith reasonable diligence and be completed on or before
October 1, 1	946
Complete applicatio	n of the water to the proposed use shall be made on or before
October 1, 1	947
WITNESS mu hand	thisllth day ofDecember, 194.4
	CHAS. E. STRICKLIN
	STATE ENGINEER ent are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.