

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Lee Byers (Name of applicant) of Rt. 3, Box 938 Salem, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed spring, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.12 x 0.07 cubic feet per second.

**3. The use to which the water is to be applied is domestic & irrigation

4. The point of diversion is located 50 ft. N and 350 ft. E from the SW corner of Sec. 5, T. 8 S., R. 3 W. W. M.

being within the SW SW of Sec. 5, Tp. 8 S, R. 3 W, W. M., in the county of Marion

5. The Pipe line to be 3000 ft. in length, terminating in the of Sec. , Tp. , R. , W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 9.9 feet, length on top 40 feet, length at bottom feet; material to be used and character of construction Timber & Earth

(b) Description of headgate

(c) If water is to be pumped give general description Gravity flow

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 3000 ft.; size at intake, 2 in.; size at ft. from intake in.; size at place of use 2 in.; difference in elevation between intake and place of use, about 90 ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
8 S	3 W	5	SW $\frac{1}{2}$ SW $\frac{1}{2}$ Lot 17	5 ac. and dom.
			SW $\frac{1}{2}$ SW $\frac{1}{2}$ Lot 20	
			NW $\frac{1}{2}$ SW $\frac{1}{2}$ Lot 6	dom.
			NW $\frac{1}{2}$ SW $\frac{1}{2}$ Lot 12	
			NE $\frac{1}{2}$ SW $\frac{1}{2}$ Lot 7	dom.
			NE $\frac{1}{2}$ SW $\frac{1}{2}$ Lot 11	
Lots are in Homestead Acres.				

(If more space required, attach separate sheet)

(a) Character of soil
 (b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized (Head) feet.
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in (Legal subdivision) of Sec.
 Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(f) Is water to be returned to any stream? (Yes or No)
 (g) If so, name stream and locate point of return
 Sec., Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(h) The use to which power is to be applied is
 (i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 12

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1500.00

12. Construction work will begin on or before Has begun

13. Construction work will be completed on or before Two year after approval

14. The water will be completely applied to the proposed use on or before 3 yrs - " "

(Sgd) Lee Byers

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)

(2) (Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon
on the 14th day of August,
1944, at 8:43 o'clock A. M.

Returned to applicant:
.....

Corrected application received:
.....

Approved:
February 1, 1945

Recorded in book No. 39 of

Permits on page 16064

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 2 Page 76 m.

Fees Paid \$14.50

STATE OF OREGON }
County of Marion, } ss

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.19 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Unnamed Spring

The use to which this water is to be applied is domestic and irrigation, being 0.12 c.f.s.
for domestic use and 0.07 c.f.s. for irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during
the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 14, 1944 for 0.12 c.f.s., December 12, 1944 for
0.07 c.f.s.
Actual construction work shall begin on or before February 1, 1946 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1947 changed to Oct. 1, 1948

Complete application of the water to the proposed use shall be made on or before
October 1, 1948

WITNESS my hand this 1st day of February, 1945

CHAS. E. STRICKLIN
STATE ENGINEER