

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, W. H. Woodruff (Name of applicant) of Union (Post office), County of Union State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Catherine Creek (Name of stream), a tributary of Grand Ronde River

2. The amount of water which the applicant intends to apply to beneficial use is 18.0 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

Diversion will be between a point #1 - 1350' N 1320 W. SE cor. Sec. 14 and a point #2 - 1000' N - SE cor. Sec. 13

4. The point of diversion is located ft. (N. or S.) and ft. (E. or W.) from the corner of There will be no exact point of diversion as a portable sprinkling system is to be used, moving it along both sides of the stream. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the (Give smallest legal subdivision) of Sec. of Tp. (N. or S.) R. (E. or W.), W. M., in the county of

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. of Tp. (N. or S.) R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 6" centrif. pump, with sprinkling system, power to be furnished by Deisel Tractor. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 S	39 E	13	S $\frac{1}{2}$	320
		24	N $\frac{1}{2}$	320
		14	E $\frac{1}{2}$ SE $\frac{1}{4}$	80
				720

(If more space required, attach separate sheet)

(a) Character of soil Black Loam

(b) Kind of crops raised Grain, Peas, Hay

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$7500 for sprinkler

12. Construction work will begin on or before all work done and

13. Construction work will be completed on or before water has been applied

14. The water will be completely applied to the proposed use on or before to land.

(Sgd) W. H. Woodruff

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)

(2) (Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for corrections

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 5, 1945.

WITNESS my hand this 5th day of December, 1944.

CHAS. E. STRICKLIN
STATE ENGINEER

by

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 27th day of November, 1944, at 8:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved: February 1, 1945

Recorded in book No. 39 of Permits on page 16084

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 8 Page 5 Fees Paid \$51.00

STATE OF OREGON } ss County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 18.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Catherine Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated throughout the irrigation season,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 27, 1944

Actual construction work shall begin on or before February 1, 1946 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1947

Complete application of the water to the proposed use shall be made on or before

October 1, 1948

WITNESS my hand this 1st day of February, 1945

CHAS. E. STRICKLIN STATE ENGINEER