* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

		e of engine or motor to be used, total head		
(c) If water is to be pumpe	d give general description	(Sine and two	of Dutasp)
	b) Description of headgate	(Timber, concre	ste, etc., number and size of oper	nings)
rock and be	rush, timber crib, etc., wasteway over or	around dam)		
	feet; material to be	used and character of constr	ruction	(Losse rock, cancrete, masonry,
6	•	feet, length on		
Diversi	on Works—	,		
	100	DESCRIPTION OF WO	RKS	
R		posed location being shown th		
		(Smallest legal subdivision)		
		litch, canal or pipe line)		Eller ov fact)
		ojlest legal subdivision) nty of Marion		(N. or S.)
		point of diversion, each must be described		
		preferable, give distance and bearing to se		• •
		(N. or s.) of the NET of Sec. 34, (Section or subdivis		
4.	. The point of diversion is	located 700 ft. S	and500 ft E.	from the
, , **3.	. The use to which the wat	er is to be applied isIrri	igation 1/80 -	0.07 ng, domestic supplies, etc.)
cubic fe	et per second	(If water is to be used from more than	one source, give quantity from e	ach)
2.	. The amount of water wh	ich the applicant intends to	apply to beneficial us	e is
•		, a tributary of	Willamette River	
1.	. The source of the propos	ed appropriation is Silve	er Creek a trib, o	f Pudding River
If	f the applicant is a corpora	tion, give date and place of	incorporation	
followin	ng described public waters	of the State of Oregon, SUB.	JECT TO EXISTING	RIGHTS:
State of	Oregon	, do hereby make o	application for a perm	it to appropriate the
	(Post offi	Silverton, Oreg,		·

^{*} A different form of application is provided where storage works are contemplated

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-

housand feet.	jees, depos oj		feet; grade	• • •
(b) At	·	miles from h	eadgate: width on top (at u	vater line)
	feet; width	on bottom	feet; depth o	f water feet;
rade		feet fall per one	thousand feet.	
				in.; size at ft.
				difference in elevation between
			•	Estimated capacity,
_			s grade unijorm:	Estimatea capacity,
8. Locati	on of area to be	e irrigated, or pl	lace of use	Number Arres
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 S		34	SW4 NE4	1,0
	•••••••••		seł neł	4.0
		s to be used	is a part of that mor	re explicitly described
s follows:		TRACT # :		the City of Silverton, Man
ounty, Orego	on a distance	of 246 feet 1	more or less from James	s Street; thence in a N.E.
				of 109 feet more or less to
				less to corner of land of
rown estate	-thence-by-1	and of J. M.	Brown estate in a N.	E. direction, a distance of
pproximatel:	275 feet mo	re or less to	o land of Harry Walker	; thence S. 86° 30' W.
	f Harry Walke	r a distance	of 110 feet more or 1	less to a point; thence by
ame. S. 730	Harry Walke	r a distance e of approxi	of 110 feet more or 1 mately 170 feet more of	less to a point; thence by
ame, S. 73°	W. a distant	e of approxi	mately 170 feet more o	or less to corner of Harry
ame, S. 73° alker and G.	W. a distant	e of approximation of the contract of the cont	mately 170 feet more ond of G. S. Ackley. in	or less to corner of Harry n a S. direction of 231 fee
ame, S. 73°	W. a distant	thence by land beginning.	mately 170 feet more ond of G. S. Ackley. in	ess to a point; thence by or less to corner of Harry a S. direction of 231 fee
same, S. 73° (alker and G	W. a distant S. Ackley; to place of	thence by land beginning. TRACT #2	mately 170 feet more of d of G. S. Ackley, in	or less to corner of Harry n a S. direction of 231 fee
ame, S. 73° alker and G. wore or less	W. a distant S. Ackley; to place of a point on t	thence by lar beginning. TRACT #2	mately 170 feet more of nd of G. S. Ackley, in f McClaine Street in t	or less to corner of Harry n a S. direction of 231 fee the City of Silverton, Mar-
ame, S. 73° alker and G. ore or less eginning at ounty. Orego	W. a distant S. Ackley; to place of a point on to a distance	thence by lar beginning. TRACT #2 the N. line or	mately 170 feet more of of G. S. Ackley, in find the McClaine Street in the from the most S. E.	or less to corner of Harry n a S. direction of 231 fee the City of Silverton, Mar- corner of tract #1; thence
ame, S. 73° alker and Gore or less eginning at ounty, Oregolong N. line	W. a distant S. Ackley; to place of a point on to a distance of McClaine	thence by lar beginning. TRACT #2 the N. line of of 99.67 fee Street a di	mately 170 feet more of nd of G. S. Ackley, in f McClaine Street in t et from the most S. E. stance of 120 feet more	or less to corner of Harry n a S. direction of 231 feet the City of Silverton, Mar- corner of tract #1; then re or less to corner of H.
ame, S. 73° (alker and Goore or less deginning at county, Oregolong N. line trandt; then	W. a distant S. Ackley; to place of a point on to n a distance of McClaine e in a N. di	thence by larbeginning. TRACT #2 the N. line of 99.67 fee Street a diagram by Larcetion by Larce	mately 170 feet more of doff G. S. Ackley, in f McClaine Street in tet from the most S. E. stance of 120 feet more ands of H. A. Brandt a	the City of Silverton, Marice or less to corner of Harry are or less to corner of Harry approximately 320 feet to
ame, S. 73° alker and Gore or less eginning at ounty, Oregolong N. line randt; then	W. a distant S. Ackley; to place of a point on to n a distance of McClaine e in a N. di	thence by lar beginning. TRACT #2 the N. line of of 99.67 fee Street a di rection by lar by land of Har	mately 170 feet more of doff G. S. Ackley, in f McClaine Street in tet from the most S. E. stance of 120 feet more ands of H. A. Brandt a	the City of Silverton, Maria corner of tract #1; thence or less to corner of H. West 77.54 feet to corner
ame, S. 73° alker and G. ore or less eginning at ounty, Orego long N. line randt; then f Harry Wall	W. a distance S. Ackley; to place of a point on the point on a distance of McClaine te in a N. distance te; thence be	thence by larbeginning. TRACT #2 the N. line of 99.67 fee Street a direction by larbeginning the street and the	mately 170 feet more of of G. S. Ackley, in find of McClaine Street in the stance of 120 feet more ands of H. A. Brandt and of H. A. Brandt and will work walker S. 860 301 of required, attach separate sheet)	the City of Silverton, Maricorner of tract #1; thence or less to corner of H. West 77.54 feet to corner (Continued under Remark
ame, S. 73° alker and G ore or less eginning at ounty, Orego long N. line randt; thene f Harry Wall	W. a distance S. Ackley; to place of a point on to on a distance of McClaine ce in a N. di cer; thence be cacter of soil	thence by larbeginning. TRACT #2 the N. line of 99.67 fee Street a direction by Larbeginning the control of Hamber space. Creek Botton of Botton Bo	mately 170 feet more of and of G. S. Ackley, in faction of the most S. E. stance of 120 feet more ands of H. A. Brandt any Walker S. 860 301 e required, attach separate sheet)	the City of Silverton, Marine corner of tract #1; then corner of tract #1; then corner of H. West 77.54 feet to corner (Continued under Remark
ame, S. 73° alker and G ore or less eginning at ounty, Orego long N. line randt; thene f Harry Wall (a) Char (b) Kind	W. a distance S. Ackley; to place of a point on the point on a distance of McClaine ee in a N. distance the contract of soil	thence by larbeginning. TRACT #2 the N. line of 99.67 fee Street a direction by Larbeginning the control of Hamber space. Creek Botton of Botton Bo	mately 170 feet more of and of G. S. Ackley, in faction of the most S. E. stance of 120 feet more ands of H. A. Brandt any Walker S. 860 301 e required, attach separate sheet)	the City of Silverton, Maria corner of tract #1; then corner of tract #1; then corner of H. Approximately 320 feet to West 77.54 feet to corner (Continued under Remark
ame, S. 73° alker and G ore or less eginning at ounty, Orego long N. line randt; thene f Harry Wall (a) Char (b) Kind	W. a distance S. Ackley; to place of a point on to a distance of McClaine te in a N. di ter; thence to acter of soil lof crops raised ag Purposes—	thence by larbeginning. TRACT #2 the N. line of 99.67 fee Street a direction by larbeginning the control of Hamber space. Creek Box	mately 170 feet more of d of G. S. Ackley, in f McClaine Street in tet from the most S. E. stance of 120 feet more ands of H. A. Brandt a mry Walker S. 869 301 e required, attach separate sheet)	the City of Silverton, Marketor of tract #1; thence or less to corner of H. approximately 320 feet to West 77.54 feet to corner (Continued under Remark
ame, S. 73° alker and G alker and G ore or less eginning at ounty, Orego long N. line randt; thene f Harry Wall (a) Char (b) Kind Power or Minir 9. (a) T	W. a distance S. Ackley; to place of a point on to a distance of McClaine ce in a N. di cer; thence be acter of soil l of crops raised ag Purposes— otal amount of	thence by lar thence by lar beginning. TRACT #2 the N. line or of 99.67 fee Street a di rection by Lar (H more space Creek Box	mately 170 feet more of dof G. S. Ackley, in a dof G. S. Ackley, in factorial factorial form the most S. E. stance of 120 feet more ands of H. A. Brandt a mry Walker S. 860 301 e required, attach separate sheet)	the City of Silverton, Market or less to corner of tract #1; then or less to corner of H. Approximately 320 feet to Ewest 77.54 feet to corner (Continued under Remark theoretical horsepower.
ame, S. 73° alker and G alker and G ore or less eginning at ounty, Orego long N. line randt; thene f Harry Wall (a) Char (b) Kind Power or Minir 9. (a) T (b) G	W. a distance S. Ackley; to place of a point on to a distance of McClaine te in a N. di ter; thence be acter of soil l of crops raised ag Purposes— otal amount of quantity of water	thence by larbeginning. TRACT #2 the N. line of 99.67 fee Street a direction by larbed of Hamore space Creek Boy General power to be dever to be used for	mately 170 feet more of dof G. S. Ackley, in a dof G. S. Ackley, in factorial factorial form the most S. E. stance of 120 feet more ands of H. A. Brandt a mry Walker S. 860 301 erequired, attach separate sheet) totom farm crops reloped	the City of Silverton, Market corner of tract #1; then corner of tract #1; then corner of H. approximately 320 feet to West 77.54 feet to corner (Continued under Remark theoretical horsepower.
ame, S. 73° alker and G ore or less eginning at ounty, Orego long N. line randt; thene f Harry Wall (a) Char (b) Kind Power or Minir 9. (a) T (b) G	W. a distance S. Ackley; to place of a point on to a distance of McClaine te in a N. di ter; thence be acter of soil l of crops raised ag Purposes— otal amount of quantity of water	thence by larbeginning. TRACT #2 the N. line of 99.67 fee Street a direction by larbed of Hamore space Creek Boy General power to be dever to be used for	mately 170 feet more of dof G. S. Ackley, in a dof G. S. Ackley, in factorial factorial form the most S. E. stance of 120 feet more ands of H. A. Brandt a mry Walker S. 860 301 e required, attach separate sheet)	the City of Silverton, Marine corner of tract #1; then corner of tract #1; then corner of H. approximately 320 feet to West 77.54 feet to corner (Continued under Remark theoretical horsepower.
ame, S. 73° alker and G ore or less eginning at ounty, Orego long N. line randt; thene (a) Char (b) Kind Cower or Minir 9. (a) T (b) G (c) T	W. a distance S. Ackley; to place of a point on the point on a distance of McClaine e in a N. distance the contractor of soil	thence by larbeginning. TRACT #2 the N. line or of 99.67 fee Street a direction by Larbert and of Hambert Border Border Border to be used for stilized	mately 170 feet more of the dof G. S. Ackley, in a stance of the most S. E. stance of 120 feet more ands of H. A. Brandt a stry Walker S. 869 301 erequired, attach separate sheet) the stom the crops the seloped the seloped feet feet feet feet feet feet feet fe	the City of Silverton, Market corner of tract #1; then corner of tract #1; then corner of Hamproximately 320 feet to West 77.54 feet to corner (Continued under Remark theoretical horsepower. theoretical horsepower. sec. ft.
ame, S. 73° alker and G alker and G ore or less eginning at ounty, Orego long N. line randt; thene f Harry Wall (a) Char (b) Kind Power or Minin 9. (a) T (b) G (c) T (d) T	W. a distance. S. Ackley; to place of a point on the point on the point on the point on the point on a distance of McClaine of mcClaine of acter of soil	thence by larbeginning. TRACT #2 the N. line or of 99.67 fee Street a direction by larbeginning of Hamiltonian Creek Borderal for to be used for tilized for the works by medical fee works by medical fee works by medical fee.	mately 170 feet more of ad of G. S. Ackley, in ad of G. S. Ackley, in a feet from the most S. E. stance of 120 feet more ands of H. A. Brandt a gry Walker S. 86° 301 erequired, attach separate sheet) attom ferm crops reloped reloped reloped fee (Head) ans of which the power is the stance of which the power is the stance of the sta	the City of Silverton, Market City of Silverton, Market Corner of tract #1; then the creating of the corner of Hamproximately 320 feet to the West 77.54 feet to corner (Continued under Remark theoretical horsepower. theoretical horsepower. sec. ft. t. to be developed
ame, S. 73° alker and G alker and G ore or less eginning at ounty, Orego long N. line randt; thene f Harry Wall (a) Char (b) Kinc Power or Minim 9. (a) T (b) G (c) T (d) T	W. a distance. S. Ackley; to place of a point on the point on the point on the point on the point on a distance of McClaine of mcClaine of acter of soil	thence by larbeginning. TRACT #2 the N. line or of 99.67 fee Street a direction by larbeginning of Hamiltonian Creek Borderal for to be used for tilized for the works by medical fee works by medical fee works by medical fee.	mately 170 feet more of ad of G. S. Ackley, in ad of G. S. Ackley, in a feet from the most S. E. stance of 120 feet more ands of H. A. Brandt a gry Walker S. 86° 301 erequired, attach separate sheet) attom ferm crops reloped reloped reloped fee (Head) ans of which the power is the stance of which the power is the stance of the sta	the City of Silverton, Market City of Silverton, Market Corner of tract #1; then the creating of the corner of Hamproximately 320 feet to the West 77.54 feet to corner (Continued under Remark theoretical horsepower. theoretical horsepower. sec. ft. t. to be developed
ame, S. 73° alker and G alker and G ore or less eginning at ounty, Orego long N. line randt; thene f Harry Wall (a) Char (b) Kind (b) Kind (c) T (d) T (e) S	W. a distance. S. Ackley; to place of a point on the point on a distance of McClaine te in a N. distance to in a N. distance of the control o	thence by land beginning. TRACT #2 the N. line of 99.67 feet street a distriction by land of Hamiltonian General Creek Box General power to be dever to be used for the works by medicated in	mately 170 feet more of of G. S. Ackley, in ad of G. S. Ackley, in formal of G. S. Ackley, in formal of G. S. Ackley, in the stance of 120 feet more ands of H. A. Brandt a mry Walker S. 860 301 erequired, attach separate sheet) thom farm crops reloped reloped reloped reloped fee (Head) ans of which the power is to the company of the company o	the City of Silverton, Market City of Silverton, Market City of Silverton, Market Corner of tract #1; then or less to corner of H. approximately 320 feet to West 77.54 feet to corner (Continued under Remark theoretical horsepower. theoretical horsepower. sec. ft. t. to be developed
ame, S. 73° alker and G alker and G ore or less eginning at ounty, Orego long N. line randt; then (a) Char (b) Kind Power or Minir 9. (a) T (b) G (c) T (d) T (e) S Tp.	W. a distance. S. Ackley; to place of a point on the point on a distance of McClaine te in a N. distance to in a N. distance of the control o	thence by land beginning. TRACT #2 the N. line of 99.67 feet street a distriction by land of Hamiltonian General Creek Box General power to be dever to be used for the works by medicated in	mately 170 feet more of of G. S. Ackley, in ad of G. S. Ackley, in formal of G. S. Ackley, in formal of G. S. Ackley, in the stance of 120 feet more ands of H. A. Brandt a mry Walker S. 860 301 erequired, attach separate sheet) thom farm crops reloped reloped reloped reloped fee (Head) ans of which the power is to the company of the company o	the City of Silverton, Maria corner of tract #1; then corner of tract #1; then corner of Hamproximately 320 feet to West 77.54 feet to corner (Continued under Remark sec. ft. to be developed
ame, S. 73° alker and Garanter	W. a distance. S. Ackley; to place of a point on the point on a distance of McClaine te in a N. distance of the point of t	thence by land beginning. TRACT #2 the N. line of 99.67 fee Street a discrection by land of Hamiltonian General Creek Box General power to be dever to be used for tilized the works by medicated in	mately 170 feet more of the of G. S. Ackley, in the desired of G. S. Ackley, in the following of the stance of 120 feet more ands of H. A. Brandt and we required, attach separate sheet) thoughton feet more of the stance of 120 feet more ands of H. A. Brandt and the separate sheet) thoughton feet more of the stance of 120 feet more and so feet more sheet of the stance of 120 feet more and s	the City of Silverton, Maria corner of tract #1; then corner of tract #1; then corner of Hamproximately 320 feet to Mest 77.54 feet to corner (Continued under Remark sec. ft. to be developed
ame, S. 73° alker and G acre or less eginning at county, Orego long N. line brandt; thence f Harry Wall (a) Char (b) Kind Power or Minir 9. (a) T (b) G (c) T (d) T (e) S Tp. (No. N. or (f) Is (g) I	W. a distance. S. Ackley; to place of a point on the point on a distance of McClaine te in a N. distance to in a N. distance of McClaine te in a N. distance of the control	thence by land beginning. TRACT #2 the N. line of 99.67 fee street a discrection by land of Hamiltonian General Creek Boy General power to be dever to be used for tilized me works by medical electronian with the control of the	mately 170 feet more of of G. S. Ackley, in ad of G. S. Ackley, in formal of G. S. Ackley, in formal of G. S. Ackley, in stance of 120 feet more ands of H. A. Brandt a gry Walker S. 860 301 erequired, attach separate sheet) to tom farm crops reloped reloped reloped reloped fee (Head) ans of which the power is to the company of	the City of Silverton, Maria corner of tract #1; then corner of tract #1; then corner of Hamproximately 320 feet to West 77.54 feet to corner (Continued under Remark sec. ft. to be developed
ame, S. 73° alker and G acre or less eginning at county, Orego long N. line brandt; thence f Harry Wall (a) Char (b) Kind Power or Minir 9. (a) T (b) G (c) T (d) T (e) S Tp. (No. N. or (f) Is (g) I	W. a distance. S. Ackley; to place of a point on the point on a distance of McClaine te in a N. distance to in a N. distance of McClaine te in a N. distance of the control	thence by land beginning. TRACT #2 the N. line of 99.67 fee street a discrection by land of Hamiltonian General Creek Boy General power to be dever to be used for tilized me works by medical electronian with the control of the	mately 170 feet more of of G. S. Ackley, in ad of G. S. Ackley, in formal of G. S. Ackley, in formal of G. S. Ackley, in stance of 120 feet more ands of H. A. Brandt a gry Walker S. 860 301 erequired, attach separate sheet) to tom farm crops reloped reloped reloped reloped fee (Head) ans of which the power is to the company of	the City of Silverton, Market City of Silverton, Market City of Silverton, Market Corner of tract #1; then or less to corner of H. approximately 320 feet to West 77.54 feet to corner (Continued under Remark theoretical horsepower. theoretical horsepower. sec. ft. t. to be developed
ame, S. 73° (alker and Galker (a) Chara (b) Kind (b) Kind (c) Talker (d) Talker (e) Salar (f) Is (g) I	W. a distance S. Ackley; to place of a point on the point on a distance of McClaine e in a N. distance to in a N. distance to for a soil dof crops raised ag Purposes— total amount of quantity of wate total fall to be u the nature of the uch works to be see water to be re f so, name streat	thence by land beginning. TRACT #2 the N. line of 99.67 feet street a distriction by land of Hamiltonian Creek Bottonian Cree	mately 170 feet more of of G. S. Ackley, in ad of G. S. Ackley, in the most S. E. Stance of 120 feet more ands of H. A. Brandt a mry Walker S. 86° 301 erequired, attach separate sheet) tom ferm crops reloped reloped reloped (Head) ans of which the power is to the company of the compan	the City of Silverton, Maria corner of tract #1; then the createst to corner of Hamproximately 320 feet to West 77.54 feet to corner (Continued under Remark sec. ft. to be developed
ame, S. 73° alker and G alker and G ore or less eginning at ounty, Orego long N. line randt; thene f Harry Wall (a) Char (b) Kind (b) Kind (c) T (d) T (d) T (e) S Tp. (No. N. or (f) Is (g) I (h) T	W. a distance. S. Ackley; to place of a point on the point on the point on the point of the poin	thence by land beginning. TRACT #2 the N. line of 99.67 fee street a distriction by land of Hamiltonian General Creek Boy General power to be dever to be used for tilized the works by medicated in	mately 170 feet more of of G. S. Ackley, in ad of G. S. Ackley, in formal of G. S. Ackley, in the stance of 120 feet more ands of H. A. Brandt a stry Walker S. 860 301 erequired, attach separate sheet) to tom farm crops reloped reloped reloped (Head) ans of which the power is to the stance of which the power is to the stance of which the power is to the stance of the stan	the City of Silverton, Mar. corner of tract #1; thence or less to corner of H. approximately 320 feet to West 77.54 feet to corner (Continued under Remark theoretical horsepower. sec. ft. t. to be developed

M

16086 Municipal or Domestic Supply-10. (a) To supply the city of and an estimated population of in 19...... in 19...... (b) If for domestic use state number of families to be supplied (Answer questions 11, 12, 13, and 14 in all cases) 11. Estimated cost of proposed works, \$..... 12. Construction work will begin on or before One year after approval 13. Construction work will be completed on or before Two years after approval 14. The water will be completely applied to the proposed use on or before 3 years after approval (Sgd) Edna E. Walker J.E.B. 12-1-44 Signed in the presence of us as witnesses: Remarks: J. M. Brown estate; thence in a S. direction by land of J. M. Brown estate approximately 300 feet to point of beginning. #**####**### Commencing at a point which is 3.50 chains South of the Southwest corner of the boundary of a tract of land deeded to Emma Buff on the 3rd day of April, 1897;

Denation Land Claim of James Brown and wife, in Township Six (6) South, Range One (1) West of the Willamette Meridian in Marion County, State of Oregon; thence North 73 degrees East 6.00 chains; thence North 86 degrees 30 East 6.45 chains to the West boundary of a tract of land deeded to Emma Buff on the 3rd day of April, 1897; thence following down the channel of Silver Creek along the Westerly ends of the above-named tract, and also the tracts deeded to Henry Allen on December 6th, 1901, to Minnie Sacry on August 27th, 1889, and to W. P. Potter on August 18, 1897 to the South boundary of the right-of-way of the Southern Pacific Railroad Company a distance of about 5.80 chains; themce Southwesterly along the Southerly side of said right-of-way 9.80 chains, more or less, to the West boundary of the Donation and Claim of Thomas L. Coon and wife; thence South 2.06 chains, more or less, to the place of beginning, being situated in the Thomas L. Coon and the James Brown Donation Land Claims, in Township 6 South, Range 1 West of the Willamette Peridian, in Marion County, Officeron,

County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194......

STATE ENGENEER

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

	This instrument was first received in the	
	office of the State Engineer at Salem, Oregon	•
	on the 1st day of December,	
	194.4., at1:25 o'clock P M.	en e
	Returned to applicant:	
	Corrected application received:	
	Approved:	
	February 1, 1945	
	Recorded in book No39 of	
	Permits on page 16086	
	CHAS. E. STRICKLIN STATE ENGINEER	
	Drainage Basin No. 2 Page 38 F	
	Fees Paid\$9.50	•
STATE OF OREGON)	PERMIT	
_	8	
	t I have examined the foregoing application and do	herebu grant the same.
SUBJECT TO EXISTING	RIGHTS and the following limitations and conditions	
The right herein gra	nted is limited to the amount of water which can be o	pplied to beneficial use
and shall not exceed 0.	07 cubic feet per second measured at the point	of diversion from the
stream, or its equivalent in	case of rotation with other water users, from Silver	Creek
	s water is to be applied is Irrigation	•
	appropriation shall be limited to1/80th	
	nt for each acre irrigated and shall be fur	
· · · · · -	xceed 2 acre feet per acre for each acre in	
And the second second	each year,	
•	h reasonable rotation sustem as may be ordered by the	proper state officer.
The priority date of t	h reasonable rotation system as may be ordered by the	
	this permit is December 1, 1944	
Actual construction	this permit is December 1, 1944 work shall begin on or before February 1, 1949	and shall
Actual construction thereafter be prosecuted w	this permit is December 1, 1944	and shall
Actual construction thereafter be prosecuted w	this permit isDecember 1, 1944 work shall begin on or beforeFebruary 1, 1949 ith reasonable diligence and be completed on or before	and shall
Actual construction thereafter be prosecuted w October 1 Complete application	this permit is December 1, 1944 work shall begin on or before February 1, 1949 ith reasonable diligence and be completed on or before , 1947	and shall
Actual construction thereafter be prosecuted w October 1 Complete application October 1	this permit is December 1, 1944 work shall begin on or before February 1, 1949 ith reasonable diligence and be completed on or before , 1947 to of the water to the proposed use shall be made on or	before
Actual construction thereafter be prosecuted w October 1 Complete application October 1	work shall begin on or before February 1, 1944 ith reasonable diligence and be completed on or before 1947 of the water to the proposed use shall be made on or	before