CERTIFICATE NO. 19966

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, We, Frank Holden & N. T.	Van Cleave	e of applicant)			
of Hereford (Post office)			y ofB	aker	,
State of Oregon		/ *.			
following described public waters of the S				_	:
If the applicant is a corporation, gi				**	
If the application is a corporation, gr		* *			
1. The source of the proposed app constructed under Permits No. R-47 and No. R-637	ropriation is	•	Water Co	mpany Re	servoir
2. The amount of water which the	applicant int	tends to apply t	o beneficial	use is	Not to exce
eubic-feet per second. 200 acre feet is					
**3. The use to which the water is to	be applied is	supplement	al irriga , mining, manufac	tion turing, domest	ic supplies, etc.)
	1350	N N	625 E		
approximatel 4. The points of diversion is located corner of	7 1988 #	S S	550 E	from	n the
4. The pointing aftersion is tocated	4675	(N. or S.)	525 W Œ	or W.)	<i>t tite</i>
corner of	OUUU Section	or subdivision)	500 E		
Sec. 29, T. 12 S., R. 38 E. W.M.		40 E. 2900 bearing to section corn		the SW	corner of
Sec. 5, T. 13 S., R. 38 E. W.M. (If there is more than one point of decing within the NWSW Sec. 29, SESE S. (Give smallest legal R. 38 E., W. M., in the county of and NESW and NWNW, 5. The See Hemarks (Main ditch, cana)	ec. 31, NWAN subdivision) Baker Sec. 5. T.	1. % of Sec 13 S. R. 38		, Tp	(N. or S.)
in length, terminating in the(Smaller					
R, W. M., the proposed lo					
DE	SCRIPTION	OF WORKS		: :	
Diversion Works—					
6. (a) Height of dam	feet, le	ngth on top		feet, len	gth at bottom
feet; material to be used as	nd character (of construction		(Loose rock	t, cencrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dar	a)				
(b) Description of headgate	(Ti	mber, concrete, etc., n	umber and size of	openings)	
(c) If water is to be pumped give	general descr	iption	(Size and	type of pump)	
(Size and type of engine	or motor to be used	l, total head water is to	be lifted, etc.)		
· .					

[•] A different form of application is provided where storage works are contemplated

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-clectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer. Salem, Oregon.

(c) Length of pipe, ft.; size at intake, in.; size at om intake in.; size at place of use in.; difference in elevation betw take and place of use, ft. Is grade uniform? Estimated capace sec. ft. 8. Location of area to be irrigated, or place of use	ousand feet.	. jees, depos oj	water	feet; grade	jeet juit per (
feet; width on bottom feet; feet fall per ona thousand feet. (c) Length of pipe, feet; all per ona thousand feet. (c) Length of pipe, fft; size at intake, in; size at on in; size at place of use in; difference in elevation betw take and place of use, ft. Is grade uniform? Estimated capace sec. ft. 8. Location of area to be irrigated, or place of use Township Rease Section Proto-sero Tract Township Rease Section Township Rease Section Township Rease Section Township Rease R	(b) At	· ·····	miles from he	eadgate: width on top (at i	vater line)
ade		45		t and the second	· ·
(c) Length of pipe, ft., size at intake, in.; size at committake in.; size at place of use in.; difference in elevation betw take and place of use, ft. Is grade uniform? Estimated capace see. ft. 8. Location of area to be irrigated, or place of use incommendation of area to be irrigated, or place of use incommendation of area to be irrigated, or place of use incommendation of area to be irrigated, or place of use incommendation of area to be irrigated, or place of use incommendation of area to be irrigated, or place of use incommendation of area to be irrigated, or place of use incommendation of area to be irrigated, or place of use incommendation of area to be irrigated, or place of use incommendation of area to be used in the propose of the place of the use of unitary uni			!	-	,
om intake in.; size at place of use in.; difference in elevation betw take and place of use, ft. Is grade uniform? Estimated capac sec. ft. 8. Location of area to be irrigated, or place of use Trons Track Township Pause Section Protect Track 38 E 29 NW SW 32 27 32 SW SW 27 27 32 SW SW 27 29 SE SE 32 31 SE SE 32 31 SE SE SE 31 SE SE 32 31 SE SE SE 31 SE SE SE 31 SE					
Sec. ft. 8. Location of area to be irrigated, or place of use	(c) Lengt	th of pipe,	ft.;	size at intake,	in.; size at
Township Range Bection Forty-acce Tract ' Probablizations of the Company of the C	om intake	in	.; size at place o	f use in.;	difference in elevation between
8. Location of area to be irrigated, or place of use Township Range Bestlen Forty-serv Tract Township Range Bestlen Forty-serv Tract Township Range Bestlen Forty-serv Tract Township Range Ra	take and place	e of use,	ft. Is	grade uniform?	Estimated capac
Township Range Section Forty-acce Tract 'No Be tricated To Be tricated 12. S 38 E 29 NN SN 32 30 NE SE SE 27 31 NE-NE SE 29 31 NE-NE SE 18 32 NN NN NN 30 SE NE 18 NE-SE 14 SE SE 8 32 NN NN NN 30 SW SW 27 LA SE SE SE 31 18 NE-SE 18 32 NN NN NN 30 SW NW 17 NN SW 7 SW SW 77 SW SW 77 SW SW 77 247 Carnors space required, stuch separate sheet) (a) Character of soil (b) Kind of crops raised (c) Town of the order of	•••••	sec. ft.	· · · · · · · · · · · · · · · · · · ·		
Township Range Becton Forty-acce Tract ' Probe triested 12. S 38 E 29 NN SN 32 30 NE SE 32 31 NE NE SE 29 31 NE NE SE 32 32 NW NW NW 30 SW NW 17 NW SW 7 SW SW 7 SW SW 7 247 Caracter of soil (a) Character of soil (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized for the works by means of which the power is to be developed for the works to be located in the control of the works by means of which the power is to be developed for the control of the works by means of which the power is to be developed for the control of the works by means of which the power is to be developed for the control of the works by means of which the power is to be developed for the control of the works by means of which the power is to be developed for the control of the works by means of which the power is to be developed for the control of the works to be located in the control of the works to the control of the	8. Locati	on of area to be	irrigated or pla	ice of use	
12 S 38 E 29 NW SW 27					Number Acres
SW SW 27 30 32 31 31 31 32 31 32 31 32 33 34 35 35 35 35 35 35					
(a) Character of soil (b) Kind of crops raised Cover or Mining Purposes— 9. (a) Total amount of power to be developed (b) Quantity of water to be used for power (c) Total fall to be utilized (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (b) Such works to be located in (c) Such works to be returned to any stream? (g) If so, name stream and locate point of return (h) The use to which power is to be applied is (80. N. or S.) (80. N. or S.) (9) If so, name stream and locate point of return (80. N. or S.)	12 S	38 E	29	NW SW	
SE SE 31 NE-NE 18 SE NE 18 SE SE 8 SE SE 14 SE SE 8 SE SE 8 SE NW NW NW 30 SW NW 17 SW SW 7 SW SW 7 247 Consequence required, attach separate sheet) (a) Character of soil (b) Kind of crops raised (c) Kind of control of contro			30		
SE NE 12 NE SE 2 8 NW NW 17 NW SW 77 SW SW 77 2447 Cat more space required, attach separate abset) (a) Character of soil (b) Kind of crops raised (c) Kind of crops raised (c) Character of soil (c) Total amount of power to be developed (c) Character of soil (c) Total fall to be utilized (c) Character of the works by means of which the power is to be developed (c) Character of the works by means of which the power is to be developed (c) Character of the works to be located in (c) Character of the works to be located in (c) Character of the works to be located in (c) Character of the works of t				SE SE	31
The SE SE SE SE SE SE SE SE	Į.	ı	- 1		
(a) Character of soil (b) Kind of crops raised Ower or Mining Purposes— 9. (a) Total amount of power to be developed (b) Quantity of water to be used for power (c) Total fall to be utilized (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (b) Such works to be returned to any stream? (c) Is water to be returned to any stream? (g) If so, name stream and locate point of return Sec, Tp				NE SE	14
(a) Character of soil		· · · · · · · · · · · · · · · · · · ·	i	מוף כוף	· 🔥
(If more space required, attach separate sheet) (a) Character of soil (b) Kind of crops raised (b) Kind of crops raised (c) Total amount of power to be developed theoretical horseport (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed for the works by means of which the power is to be developed for the works by means of which the power is to be developed for the works to be located in the works by means of which the power is to be developed for the works to be located in the works by means of which the power is to be developed for the works with the works works to be located in the works with the power is to be developed for the works with the works with the power is to be applied is the works with the w		I	Į.		
(a) Character of soil (b) Kind of crops raised ower or Mining Purposes— 9. (a) Total amount of power to be developed		,		NW SW	
(a) Character of soil (b) Kind of crops raised (c) Total amount of power to be developed				SW SW	2/7
(a) Character of soil					
(a) Character of soil	Ì				
(a) Character of soil		***************************************			:
(a) Character of soil (b) Kind of crops raised (c) Total amount of power to be developed (d) Quantity of water to be used for power (e) Total fall to be utilized (filtered) (g) If so, name stream and locate point of return (h) The use to which power is to be applied is (g) Character of soil (h) Kind of crops raised (h) Theoretical horsepower (h) Geet. (h) Geet. (h) The use to which power to be developed (h) The use to which power is to be developed (h) The use to which power is to be applied is					
(a) Character of soil					
(a) Character of soil					
(b) Kind of crops raised					
(b) Kind of crops raised	(a) Char	acter of soil		•	
9. (a) Total amount of power to be developed					
9. (a) Total amount of power to be developed	(b) Kind	of crops raised.			
(b) Quantity of water to be used for powersec. ft. (c) Total fall to be utilized		-			
(c) Total fall to be utilized	9. (a) To	otal amount of p	ower to be deve	loped	theoretical horsepo
(d) The nature of the works by means of which the power is to be developed	(b) Q	uantity of water	r to be used for	power	sec. ft.
(d) The nature of the works by means of which the power is to be developed	(c) To	otal fall to be ut	ilized	fee	t
(e) Such works to be located in					
(f) Is water to be returned to any stream? (g) If so, name stream and locate point of return Sec, Tp, R, W. M, W. M, W, W	(a) T	ne nature of the	e works by mea	ns of which the power is t	to de developed
(p, R, W. M					
(f) Is water to be returned to any stream?					of Sec
(f) Is water to be returned to any stream?	p(No. N. or S	, R(No	, W. A	1 .	
(g) If so, name stream and locate point of return, Sec, Tp, R, W. (No. N. or S.) (No. E. or W.)	(f) Is	water to be ret	urned to any st	ream?	
(h) The use to which power is to be applied is, Tp, R, W				(Yes or No)	
(h) The use to which power is to be applied is	(9/1)	•	-	•	•
			, Sec	, Tp(No. N. or S	, R, W (No. E. or W.)
				applied is	
		he use to which	power is to be	applied is	

Municipal or Domestic Supply—	
10. (a) To supply the city of	
	ent population of
and an estimated population of	
(b) If for domestic use state number of	families to be supplied
(Answer questions I	11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	
12. Construction work will begin on or before	re
13. Construction work will be completed on	ı or before
14. The water will be completely applied to	o the proposed use on or before December 31st.
1945	
	(Sgd) Frank Holden
	(Signature of applicant)
	N. T. Van Cleave
Signed in the presence of us as witnesses:	
(1)(Name)	
(2)(Name)	(Address of witness)
Water is to be transported down the lands to be served through existing ditacentary captioned on the adjudication maps as Water is to be served through existing ditacentary captioned on the adjudication maps as Water is to be transported down the	e channel of Camp Creek and diverted to the ches now serving such lands including those are and Watkins Bros. Ditch, Ware Ditches, ch and possibly Camp Creek Water Company Ditch.
STATE OF OREGON, ss County of Marion, This is to certify that I have examined the f	oregoing application, together with the accompanying
maps and data, and return the same forrevision	n
In order to retain its priority, this applic	cation must be returned to the State Engineer, with
corrections on or beforeFebruary_7	, 194. 5
WITNESS my hand this 8th day	ofJanuary, 194.5
·	CHAS. E. STRICKLIN

South of military legal

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon	
	on the 16th day of December,	
	194. 4, at8:30 o'clock A. M.	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
	April 16, 1945	
	Recorded in book No39 of	
	Permits on page16125	
	CHAS. E. STRICKLIN STATE ENGINEER	
	Drainage Basin No. 9 Page 7. Fees Paid \$27.35	
STATE OF OREGON	PERMIT	
County of Marion,	88	
and shall not exceed	anted is limited to the amount of water which can be applied O acre feet in any one irnicating season point of or acre fully for the property of the property of the composition of the	optably population
	i under Permits No. Re47 and No. R-637.	
	is water is to be applied isSupplemental Irrigation	-
¥/\$P\$ \Y\#\###	\$# \$\$\$\$\$\$\$ \$\$\\\$ \\$ \$\\\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$	
August 7, 1937, by an contract was assigned of which contract and The amount of	ation is subject to and limited by the terms of and between Camp Creek Water Company and Carrie The to Frank Holden and N. T. Van Cleave November 30 assignment are on file in the office of the State water allowed herein, together with the amount sing for the same lands shall not exceed the limit of reasonable rotation system as may be ordered by the proper	msen, which 7, 1944, copies 8e Engineer. 9ecured under
The priority date of	this permit is December 16, 1944	
Actual construction	work shall begin on or before April 16, 1946	and shall
thereafter be prosecuted u	with reasonable diligence and be completed on or before	
October 1, 1947	1	
	n of the water to the proposed use shall be made on or before	
	this 16th day of April , 194 5	i
as i	Chas. E. Stricklin	