

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Umatilla County Court, of Pendleton, County of Umatilla, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Waste Water from J. Irons property, Pleasantview Ditch & well, a tributary of Walla Walla River

2. The amount of water which the applicant intends to apply to beneficial use is 0.15 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 650 ft. S and 480 ft. W from the S.E. corner of NE 1/4 SW 1/4 Sec. 34 T. 6 N. R. 35 E. W. M.

being within the SE 1/4 SW 1/4 of Sec. 34, Tp. 6 N. R. 35 E., W. M., in the county of Umatilla

5. The Ditch and pipe to be 60 feet in length, terminating in the SE 1/4 SW 1/4 of Sec. 34, Tp. 6 N. R. 35 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam No dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate No headgate, waste water only using present ditches on property as under existing water right.

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission.

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) one & $\frac{1}{2}$ feet; width on bottom one feet; depth of water $\frac{1}{2}$ feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 30 ft.; size at intake, 12 in.; size at 12 ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 N	35	34	SE $\frac{1}{4}$ SW $\frac{1}{4}$	3.0
	North portion of Tax 14-C and Tax 14-B			

(If more space required, attach separate sheet)

(a) Character of soil Rocky

(b) Kind of crops raised Garden, orchard, berries, alfalfa

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. ,
(Legal subdivision)

Tp. , R. , W. M. .
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

 , Sec. , Tp. , R. , W. M. .
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before ... Works now completed.....

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before ... Water has been used for past 2 years, with consent of J. Irons.

(Sgd) Carl W. Chambers
(Signature of applicant) Co. Judge

Wm. R. Meiners

Henry C. Biamont

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)

(2) (Name) (Address of witness)

Remarks: This application will not interfere with the permit as issued to Maud Price McKenzie, Permit No. 11251, as this waste water which is being filed upon, cannot be used by the above mentioned party, as it is on lower ground and cannot be drained into their waste water ditch.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. _____ District No. _____

This instrument was first received in the
office of the State Engineer at Salem, Oregon
on the 8th day of January
1945, at 8:30 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

April 16, 1945

Recorded in book No. 39 of

Permits on page 16140

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 7 Page 24 A

Fees Paid \$9.50

STATE OF OREGON

County of Marion,

} ss

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.12 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Waste Water

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 0.0375 of one cubic foot per
second or its equivalent for each acre irrigated, and shall also be limited to the water
available at the proposed point of diversion, and shall not carry with it the right
to compel the continuance of the waste water,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 8, 1945

Actual construction work shall begin on or before April 16, 1946 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1947

Complete application of the water to the proposed use shall be made on or before

October 1, 1948

WITNESS my hand this 16th day of April, 1945.

CHAS. E. STRICKLIN

STATE ENGINEER