

* APPLICATION FOR A PERMIT CERTIFICATE NO. 17048

To appropriate the Public Waters of the State of Oregon

I, Robert M. Knox (Name of applicant)
of Gold Beach (Post office), County of Curry,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Indian Creek (Name of stream)
a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is $\frac{1}{8}$
cubic feet per second. one source
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 200 ft. N and 400 ft. E from the S.W.
corner of Sec. 29, T. 36 S., R. 14 W.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Sec. 29, Tp. 36 S,
(Give smallest legal subdivision) (N. or S.)
R. 14 W, W. M., in the county of Curry
(E. or W.)

5. The Pipe Line (Main ditch, canal or pipe line) to be 1800 ft. (Miles or feet)
in length, terminating in the SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Sec. 30, Tp. 36 S,
(Smallest legal subdivision) (N. or S.)
R. 14 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam two feet, length on top 30 feet, length at bottom
30 feet; material to be used and character of construction wood-temporary and to be
(Loose rock, concrete, masonry, kept in place only during irrigation season. Wasteway over dam, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate none
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description not applicable
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1000.00.....

12. Construction work will begin on or before January 1, 1945.....

13. Construction work will be completed on or before Dec. 30, 1945.....

14. The water will be completely applied to the proposed use on or before June 1, 1945.....

(Sgd) Robert M. Knox R.M.K.....

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)

(2) (Name) (Address of witness)

Remarks: Using concrete irrigation pipe buried two feet under ground.....

Four hydrants indicated on map will irrigate 15 acres pasture and crop land.....

Does not interfere with Wedderburn water system as intake is 3/4 mile down stream from only other intake now on the stream.....

Portable 8 inch "slip-joint" pipe, removable in winter, with only enough dam to fill the pipe in the riffle, will be used to pick the water up in the stream and deliver it to the intake end of the concrete pipe. Map attached.....

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

Permit No. 10112

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. _____ District No. _____

This instrument was first received in the
office of the State Engineer at Salem, Oregon
on the 8th day of January,
1945, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:
April 16, 1945

Recorded in book No. 39 of
Permits on page 16142

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 15 Page 78 C
Fees Paid \$9.50

STATE OF OREGON }
County of Marion, } ss

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.19 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Indian Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during
the irrigation season from April 2, to October 31, of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 8, 1945

Actual construction work shall begin on or before April 16, 1946 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1947

Complete application of the water to the proposed use shall be made on or before
October 1, 1948

WITNESS my hand this 16th day of April, 194 5.

CHAS. E. STRICKLIN
STATE ENGINEER