

* APPLICATION FOR A PERMIT WATER NO. 17050

To Appropriate the Public Waters of the State of Oregon

I, Elmer Bice (Name of applicant) of Rickreall Rt. 1, Box 36 (Post office), County of Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Rickreall (Name of stream), a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.38 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 100 ft. N. and 1600 ft. E. from the SW corner of Sec. 28, T. 7 S., R. 4 W., W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE SW of Sec. 28, Tp. 7 S., R. 4 W., W. M., in the county of Polk

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.), R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

15 H.P. elec motor (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

Will use 30 sprinklers 300 gpm capacity

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
7 S	4 W	28	SE SW	5
		33	NE NW	25
				30

Property on which water is to be used is a part of that more explicitly described by applicant as follows: Beginning at a point in the Salem-Dallas road, which is West 19.88 chains and North 1.15 chains from the Northeast corner of the Elisha McDaniels Donation Land Claim; thence running North 80° 24' West 13.31 chains; thence running South 1° East 6.00 chains; thence South 16° 15' East 3.41 chains thence North 86° East 2.40 chains; thence North 62° East 3.60 chains; thence North 47° 30' East 4.00 chains; thence North 86° East 1.96 chains, thence South 1° East 6.06 chains; thence South 4° West 3.03 chains; thence South 38° East 2.06 chains; thence North 86° East 3.03 chains; thence North 78° 15' East 1.37 chains; thence North 7° West 4.17 chains; thence North 72° East 1.96 chains; thence South 51° 45' East 4.51 chains; thence South 54° 30' East 1.00 chains thence North 30° 30' East 2.50 chains; thence North 28° West 1.96 chains; thence North 44° West 4.10 chains; thence North 9° West 1.26 chains; thence North 66° West 1.90 chains; thence North 50° West 4.00 chains; thence South 80° 30' West 1.80 chains to the place of beginning, situate in Polk County, State of Oregon, and containing 17.18 acres of land, more or less; and also that portion of Sections 28, 33 Township 7 South, Range 4 West of the Willamette Meridian and being portions of the Elisha McDaniel and wife Donation Land

(If more space required, attach separate sheet)

(Continued under Remarks)

(a) Character of soil Amity and Willamette

(b) Kind of crops raised General farm crops

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$1800.00.....
- 12. Construction work will begin on or before One year after approval.....
- 13. Construction work will be completed on or before Two years " ".....
- 14. The water will be completely applied to the proposed use on or before 3 ".....

(Sgd) Elmer Bice
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1)
(Name) (Address of witness)
- (2)
(Name) (Address of witness)

Remarks: Claim #38 and the Marcellus M. Dodson and wife Donation Land Claim Notification #3631, more particularly described as follows: Commencing at the quarter section corner between Sections 32 and 33 in the above Township and Range; thence North 15.10 chains; thence East 20.04 chains and the point of beginning, which said point of beginning is in the North line of the Right-of-way of the S. F. C. & W. R. R. Co. as now located; thence along said North line North 81° 57' East 12.69 chains; thence North 34.18 chains; thence North 79° 45' West 4.17 chains; thence North 85° 15' West 4.52 chains; thence South 8.50 chains; thence South 9° East 2 chains; thence South 15° 45' West 3.75 chains; thence West 3.22 chains; thence South to the place of beginning and containing 45.62 acres, more or less.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 20664

Permit No. 16165

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 31st day of January, 1945, at 3:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

April 16, 1945

Recorded in book No. 39 of Permits on page 16165

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 76 N.

Fees Paid \$9.50

STATE OF OREGON } ss County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.38 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Rickreall Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/4 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 31, 1945

Actual construction work shall begin on or before April 16, 1946 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1947

Complete application of the water to the proposed use shall be made on or before

October 1, 1948

WITNESS my hand this 16th day of April, 1945.

CHAS. E. STRICKLIN STATE ENGINEER