

\* APPLICATION FOR A PERMIT *3* *Page 177*

# To appropriate the Public Waters of the State of Oregon

I, W. B. Napton (Name of applicant)

of Rt. 1, Homedale, Idaho County of Malheur

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Snake River (Name of stream)

, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 2 1/2 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is irrigation and domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1368 ft. N of Secs. Cor. I-6-7-12 and 540 ft. E from the M. C. corner of between Lot #10 1-12-46 - Lot #6 6-22-47 E. W. Mer. (Section or subdivision)

On the South bank of Snake river near the center of (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot #6 of Sec. 6, Tp. 22 South (Give smallest legal subdivision) (N. or S.)

R. 47 East, W. M., in the county of Malheur (E. or W.)

5. The pipe line to be 160 feet (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the near center of Lot #6 of Sec. 6, Tp. 22 S (Smallest legal subdivision) (N. or S.)

R. 47 East, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

## DESCRIPTION OF WORKS

### Diversion Works--

6. (a) Height of dam ..... feet, length on top ..... feet, length at bottom

..... feet; material to be used and character of construction (Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Water to be pumped from Snake river (Size and type of pump)

and delivered through a 12 inch Steel pipe, 160 feet upon the land to be irrigated. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

using a 10 H. P. motor and a 6 inch Centrifugal Pump, 38 feet head water is to be lifted.

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of) and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2500.00

12. Construction work will begin on or before 1 year from date of permit.

13. Construction work will be completed on or before 2 years from date of permit.

14. The water will be completely applied to the proposed use on or before 3 years from date of permit.

(Sgd) W. B. Napton  
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) .....  
(Name) (Address of witness)

(2) .....  
(Name) (Address of witness)

Remarks: Under normal labor conditions I would expect to make beneficial use of the water in one year.

STATE OF OREGON, }  
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 8, 194 5.

WITNESS my hand this 9th day of March, 194 5.

CHAS. E. STRICKLIN  
STATE ENGINEER

by Ed K. Humphrey, Assistant

Application No. 20718

Permit No. 16213

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 6th day of March, 1945, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

April 16, 1945

Recorded in book No. 40 of

Permits on page 16213

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 11 Page 1

Fees Paid \$22.60

STATE OF OREGON

PERMIT

County of Marion,

ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.11 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Snake River

The use to which this water is to be applied is domestic and irrigation and supplemental irrigation, being 0.01 c.f.s. for domestic and 2.10 c.f.s. for irrigation and supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated during the irrigation season of each year, and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 6, 1945

Actual construction work shall begin on or before April 16, 1946 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1947

Complete application of the water to the proposed use shall be made on or before

October 1, 1948

WITNESS my hand this 16th day of April, 1945.

CHAS. E. STRICKLIN

STATE ENGINEER