

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 24184

To appropriate the Public Waters of the State of Oregon

I, R. C. Loudenbeck (Name of applicant) of Alsea (Post office), County of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is 2 unnamed streams (Name of stream), a tributary of Alsea River.

2. The amount of water which the applicant intends to apply to beneficial use is 0.16 cubic feet per second, being 0.09 c.f.s. from West stream & 0.07 c.f.s. from east stream (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic including irrigation of domestic lawns or gardens not exceeding 1/2 acre in area. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 700 ft. S and 375 ft. E from the NW corner of Sec. 36, T. 13 S., R. 10 W., W. M. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NENW & NWNW (Give smallest legal subdivision) of Sec. 36, Tp. 13 S (N. or S.), R. 10 W (E. or W.), W. M., in the county of Lincoln

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.), Tp. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works— Small rock diversion dams

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Gravity flow (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
13 S	10 W	36	Lot 5	
			Lot 6	
			NENW	

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 16

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ Not estimated

12. Construction work will begin on or before Has been commenced

13. Construction work will be completed on or before Two years after approval

14. The water will be completely applied to the proposed use on or before 3 " " "

(Sgd) R. C. Loudenbeck
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)

(2) (Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 20707

Permit No. 16225

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 23rd day of February, 1945, at 1:37 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

June 15, 1945

Recorded in book No. 40 of

Permits on page 16225

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 18 Page 12

Fees Paid \$10.00

STATE OF OREGON } ss County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.16 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Two Unnamed Streams, being 0.09 c.f.s. from West Stream and 0.07 c.f.s. from East Stream.

The use to which this water is to be applied is domestic, including irrigation of domestic lawns or gardens not exceeding 1/2 acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 23, 1945

Actual construction work shall begin on or before June 15, 1946 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1947

Complete application of the water to the proposed use shall be made on or before

October 1, 1948

WITNESS my hand this 15th day of June, 1945

CHAS. E. STRICKLIN STATE ENGINEER