## \* APPLICATION FOR A PERMIT

## To Appropriate the Public Waters of the State of Oregon

I, Francis Sandstrom (Name of applicant)	
of	
State ofOregon, do hereby make application for a permit to appropriat	
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place of incorporation	
If the applicant is a corporation, give dave that place of incorporation	
1. The source of the proposed appropriation is a spring (Name of stream)	
, a tributary of	<del>-</del>
2. The amount of water which the applicant intends to apply to beneficial use is02	• • • • • • • • • • • • • • • • • • • •
cubic feet per second.  (If water is to be used from more than one source, give quantity from each)	•••••
**3. The use to which the water is to be applied is livestock and domestic supply	tc.)
4. The point of diversion is located 90 ft. N and 136 ft. W from the S	
corner of Lot Thirty-four (34), Spring Hill Farm according to the duly recorded (Section or subdivision)	•••••
map and plat thereof.  (If preferable, give distance and bearing to section corner)	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the $SE_{4}^{1}$ of the $SE_{4}^{1}$ of smallest legal subdivision)  (R. or S.)	
R. 3 W , W. M., in the county of Washington	•
5. The pipe line to be 800 feet (Miles or feet)	
in length, terminating in the $SE_4^1$ of the $SE_4^1$ of Sec. 19 , $Tp$ . 1 S (Smallest legal subdivision) (N. or S.)	
(Smallest legal subdivision)  (N. or S.)  R, W. M., the proposed location being shown throughout on the accompanying map.  (E. or W.)	ı
DESCRIPTION OF WORKS	
Diversion Works—	
6. (a) Height of dam feet, length on top feet, length at bo	otton
feet; material to be used and character of construction	nasonr
rock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate(Timber, concrete, etc., number and size of openings)	
(c) If water is to be pumped give general description (Size and type of pump)	
(Size and type of pump)  (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	
* A different form of application is provided where storage works are contemplated.	

Canal System or	r Pipe <b>Line</b>			the decision of
7. (a) Gi	ve dimensions a	t each point of	canal where materially changed in	ı size, stating miles from
headgate. At he	eadgate: width o	n top (at wate	r line)	feet; width on bottom
41 1 f - a +	feet; depth of	water	feet; grade	feet fall per one
thousand feet.  (b) At		miles from	headgate: width on top (at water li	ne)
			feet; depth of water	
				, ,
	•	<u>.</u>	t.; size at intake, in.;	size at 30 ft
		•	of useyes in.; differe	_
			Is grade uniform?	
			18 grade unijorm:	Estimatea capacity,
		<u>, , , , , , , , , , , , , , , , , , , </u>		
	1		place of use	Number Acres
Township	Range	Section	Forty-acre Tract	To Be Irrigated
1.8	3. W	19	Being near the NW corner	
***			of the SE1 of the SE1 of	
			Section 19 near the north	
*		\	line of Lot 34, SPRING	
	,,		HILL FARM: also being	
		1	near the NW corner of the	
	••••	· · · · · · · · · · · · · · · · · · ·	$SE_{4}^{1}$ of $SE_{4}^{1}$ of Section 19.	
		1		
		\\\\		
	*	`		
				•
			ce required, attach separate sheet)	
(a) Char	racter of soil		,	
(b) Kind	d of crops raised	•		•••••
Power or Minir				
9. (a) T	otal amount of p	power to be de	veloped	theoretical horsepower.
(b) Q	Quantity of wate	r to be used fo	or powers	sec. ft.
(c) T	otal fall to be ut	ilized	(Head)	•
			eans of which the power is to be de	veloped
(e) S	uch works to be	located in	(Legal subdivision)	of Sec
	, R			
,			stream?(Yes or No)	
			oint of return	
		_	, Tp, F	
			e applied is	
	······································			<u> </u>
(i) T	he nature of the	mines to be se	erved	

Permit No.

Municipal or Domestic Supply—	
10. (a) To supply the city of	
(Name of)	population of
and an estimated population of	the state of the s
	nilies to be supplied 1 home and livestock
(Answer Questions 11, 12,	13, and 14 in all cases)
11. Estimated cost of proposed works, \$.100.0	
12. Construction work will begin on or before.	March 10, 1945
13. Construction work will be completed on or	before 2 years
14. The water will be completely applied to the	ne proposed use on or before
	(Sgd) Francis Sandstrom
	(Signature of applicant)
•	A Alberta Comment
•	· · · · · · · · · · · · · · · · · · ·
Signed in the presence of us as witnesses:	• . •
(1) D. D. Bump (Name)	Forest Grove, Oregon (Address of witness)
(2) Helen Hostynek ,	Forest Grove, Oregon
(Name)  Remarks:	(Address of witness)
Tienarios,	
<u> </u>	
	no in the second of the second
	and the second of the second o
	· · · · · · · · · · · · · · · · · · ·
STATE OF OREGON,   SS	
County of Marion,	
· · · · · · · · · · · · · · · · · · ·	egoing application, together with the accompanying
maps and data, and return the same forcompleti	
	on must be returned to the State Engineer, with
corrections on or before April 19	
WITNESS my hand this 19th day of	March , 194.5 .
	CHAS. E. STRICKLIN
	By
	Ed K. Humphrey, Assistant

Application	No. 20742
Permit No.	16234

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No. District No.	
	This instrument was first received in the office of the State Engineer at Salem, Oregon	
	on the 16th day of March,	
	194.5, at8:30 o'clockA. M.	
	Returned to applicant:	
		,
	Corrected application received:	
	4 7	
	Approved: June 15, 1945	
	Recorded in book No. 40 of	
	Permits on page 16234	
	CHAS. E. STRICKLIN	
	STATE ENGINEER	
	Drainage Basin No. 2 Page 62 L	
	Fees Paid \$10.00	
STATE OF OREGON	) PERMIT	
County of Marion,	88	
	) that I have examined the foregoing application and	I de hougher sugget the same
The right herein o	presented is limited to the amount of eveter which ear	he applied to homeficial use
and shall not exceed	granted is limited to the amount of water which can 0.02 cubic feet per second measured at the	point of diversion from the
and shall not exceed		point of diversion from the
and shall not exceed stream, or its equivalent	0.02 cubic feet per second measured at the in case of rotation with other water users, from	point of diversion from the Spring
and shall not exceedstream, or its equivalent  The use to which t	0.02 cubic feet per second measured at the in case of rotation with other water users, from Athis water is to be applied is Stock and domesti	point of diversion from the Spring  c, being 0.01 c.f.s.
and shall not exceedstream, or its equivalent  The use to which to for stock and 0.01	0.02 cubic feet per second measured at the in case of rotation with other water users, from	point of diversion from the Spring  c, being 0.01 c.f.s.
and shall not exceed	0.02 cubic feet per second measured at the in case of rotation with other water users, from Athis water is to be applied is Stock and domesti	point of diversion from the Spring  c, being 0.01 c.f.s.  of one cubic foot per
and shall not exceed	cubic feet per second measured at the in case of rotation with other water users, from this water is to be applied is Stock and domestic.  Stock and domestic.	point of diversion from the Spring  c, being 0.01 c.f.s.  of one cubic foot per
and shall not exceed	0.02 cubic feet per second measured at the in case of rotation with other water users, from this water is to be applied is Stock and domestic.  Stock and domestic.	point of diversion from the Spring  c, being 0.01 c.f.s.  of one cubic foot per
and shall not exceed  stream, or its equivalent  The use to which to for stock and 0.01  If for irrigation, the second	0.02 cubic feet per second measured at the in case of rotation with other water users, from this water is to be applied is Stock and domestic.  Stock and domestic.	point of diversion from the Spring  c, being 0.01 c.f.s.  of one cubic foot per
and shall not exceed  stream, or its equivalent  The use to which to for stock and 0.01  If for irrigation, the second	o.02 cubic feet per second measured at the in case of rotation with other water users, from this water is to be applied is Stock and domestic.  This appropriation shall be limited to	point of diversion from the Spring  c, being 0.01 c.f.s.  of one cubic foot per  y the proper state officer.
and shall not exceed	cubic feet per second measured at the in case of rotation with other water users, from this water is to be applied is Stock and domestic.  c.f.s. for domestic.  ais appropriation shall be limited to	point of diversion from the Spring  c, being 0.01 c.f.s.  of one cubic foot per  y the proper state officer.
and shall not exceed  stream, or its equivalent  The use to which to for stock and 0.01  If for irrigation, the second	o.02 cubic feet per second measured at the in case of rotation with other water users, from this water is to be applied is Stock and domestic.  This appropriation shall be limited to	point of diversion from the Spring  c, being 0.01 c.f.s.  of one cubic foot per  y the proper state officer.
and shall not exceed	cubic feet per second measured at the in case of rotation with other water users, from this water is to be applied is Stock and domestic.  c.f.s. for domestic.  ais appropriation shall be limited to	point of diversion from the Spring  c, being 0.01 c.f.s.  of one cubic foot per  y the proper state officer.
and shall not exceed	cubic feet per second measured at the in case of rotation with other water users, from this water is to be applied is Stock and domestic.  c.f.s. for domestic.  as appropriation shall be limited to	point of diversion from the Spring  c, being 0.01 c.f.s.  of one cubic foot per  y the proper state officer.  1946 and shall before
and shall not exceed	cubic feet per second measured at the in case of rotation with other water users, from this water is to be applied is Stock and domestic.  c.f.s. for domestic.  as appropriation shall be limited to  with reasonable rotation system as may be ordered by this permit is March 16, 1945  with reasonable diligence and be completed on or least the water to the proposed use shall be made of 1, 1948  Extended to Oct. 1, 1949  1, 1948  Light the water to the proposed use shall be made of 1, 1948  Extended to Oct. 1, 1949	point of diversion from the Spring  c, being 0.01 c.f.s.  of one cubic foot per  y the proper state officer.  1946 and shall before
and shall not exceed	cubic feet per second measured at the in case of rotation with other water users, from	point of diversion from the Spring  c, being 0.01 c.f.s.  of one cubic foot per  y the proper state officer.  1946 and shall before  on or before  194.5