
CERTIFICATE M

* APPLICATION FOR A PERMIT



To Appropriate the Public Waters of the State of Oregon

	I, Pay Kerr of Kerr Hop Ranch (Name of applicant)
of	Salem, Rt. 2, Box 192 , County of Marion ,
	of <u>Oregon</u> , do hereby make application for a permit to appropriate the
followi	ing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
1	If the applicant is a corporation, give date and place of incorporation
······································	1. The source of the proposed appropriation is Clear Lake (Name of stream)
	, a tributary of Willamette River
2	2. The amount of water which the applicant intends to apply to beneficial use is 400 gal. per min
cubic f	eet per second. (If water is to be used from more than one source, give quantity from each)
	3. The use to which the water is to be applied is Irrigation. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4	4. The point of diversion is located 600 ft. n and 700 ft. E from the 5W (E. or W.)
corner	of Sec. 15, T. 6 S., R. 3, W.M. (Section or subdivision)
	(If preferable, give distance and bearing to section corner)
	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being 1	within the SN SN Give smallest legal subdivision) of Sec. 15, Tp. 65, (N. or S.)
	3 W , W. M., in the county of Marion
	5. Theto be(Miles or feet)
in leng	gth, terminating in the
R	, W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Divers	sion Works—
	6. (a) Height of dam feet, length on top feet, length at bottom
•	feet; material to be used and character of construction
rock and	brush, timber crib, etc., wasteway over or around dam)
	(b) Description of headgate
	(c) If water is to be pumped give general description 3 in. Fairbanks Morse (Size and type of pump) orse power Electric Motor
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

^{*} A different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon,

dgate. At he	adgate: width o	on top (at water	line)	feet; width on botton
rusand feet.			feet; grade	
			eadgate: width on top (at wa	
			feet; depth of a	water feet
ıde		feet fall per one	thousand feet.	
(c) Lengt	h of pipe,	ft.	; size at intake,	in.; size at ft
m intake	ir	n.; size at place o	of use in.; di	fference in elevation betweer
ake and place	of use,	ft. I	s grade uniform?	Estimated capacity
	sec. ft.			
8. Locatio	on of area to be	e irrigated, or pl	ace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 S	3 W	15	NESW	5
		100000000000000000000000000000000000000	NWSW	10
			SWSW	
			SESW	
			SESE	
			יייייי	40
plicant as nd Claim in unty, Orego aim; thence ence North	follows: Be a Township 6 on, said beging South 770 3 73° East 34	ginning at t South Range. Inning point OJ West 27.2 .40 chains; t	he South line of the Wilamett B.West of the Willamett being an angle corner in B. chains; thence Worth hence South O ^O 30' West	e Meridian in Marion n the South line of sai 4 ⁰ West 12.40 chains; 17.02 chains; thence
plicant as and Claim in unty, Orego aim; thence lence North orth 17 we and except and, a sin	follows: Be a Township 6 on, said beging South 770 73° East 34. West 4.81 of opt land convergie man, rec	eginning at t South Range Inning point 301West 27.2 .40 chains; to chains to the veyed to Jerm orded Decemb	he South line of the Wilamett B. West of the Willamett being an angle corner in B. chains; thence Horth hence South OO 30' West place of beginning. an Hop Ranch, Inc., a cer 23, 1943 in Earlon Co	lliam Darrow Donation e Meridian in Marion n the South line of sai 40 West 12.40 chains; 17.02 chains; thence orporation, from Herber ounty, Oregon Deed Reco
plicant as nd Claim in unty, Orego aim; thence ence North rth 890 17 ve and excerman, a sin	follows: Be a Township 6 on, said beging South 770 73° East 34. West 4.81 of opt land convergie man, rec	eginning at t South Range inning point 301 West 27.2 .40 chains; to chains to the veyed to Jerm corded Decemb	he South line of the Willamett B. West of the Willamett being an angle corner in B. Chains; thence Worth hence South O' 30' West place of beginning. an Hop Ranch, Inc., a c	lliam Darrow Donation e Meridian in Marion n the South line of sai 40 West 12.40 chains; 17.02 chains; thence orporation, from Herber ounty, Oregon Deed Reco
plicant as nd Claim in unty, Orego aim; thence ence North rth 890 17 ve and excerman, a sin	follows: Be a Township 6 on, said beging South 770 73° East 34. West 4.81 of opt land converge man, rec	eginning at t South Range inning point 301 West 27.2 .40 chains; to chains to the veyed to Jerm corded Decemb	he South line of the Willamett being an angle corner in Bechains; thence Worth hence South Oo 30' West place of beginning. an Hop Ranch, Inc., a cer 23, 1943 in Marion Correquired, attach separate sheet)	lliam Darrow Donation e Meridian in Marion n the South line of sai 40 West 12.40 chains; 17.02 chains; thence orporation, from Herber ounty, Oregon Deed Reco
plicant as and Claim in the control of the control	follows: Be a Township 6 on, said beging 73° East 34. West 4.81 of apt land converge man, reconstruction	eginning at t South Range inning point OJ West 27.2 .40 chains; t chains to the veyed to Jerm orded Decemb	he South line of the Willamett being an angle corner in Bechains; thence Worthhence South O' 30' West place of beginning. an Hop Ranch, Inc., a cer 23, 1943 in Marion Certain Marion M	lliam Darrow Donation e Meridian in Marion n the South line of sai 40 West 12.40 chains; 17.02 chains; thence orporation, from Herber ounty, Oregon Deed Reco
plicant as and Claim in cunty, Orego eaim; thence ence North orthogon 17 we and excerman, a sin (a) Chard (b) Kind	follows: Be a Township 6 n, said begins of crops raised a constitution of crops raised	eginning at t South Range inning point OJ West 27.2 .40 chains; t chains to the veyed to Jerm orded Decemb	he South line of the Willamett being an angle corner in Bechains; thence Worth hence South Oo 30' West place of beginning. an Hop Ranch, Inc., a cer 23, 1943 in Marion Correquired, attach separate sheet)	lliam Darrow Donation e Meridian in Marion n the South line of sai 40 West 12.40 chains; 17.02 chains; thence orporation, from Herber ounty, Oregon Deed Reco
colicant as and Claim in funty, Orego aim; thence where North orth 390 17 we and except and except and character (a) Character (b) Kind ower or Mining	follows: Be a Township 6 on, said begins of the Trops raised g Purposes—	eginning at t South Range inning point OJ West 27.2 .40 chains; t chains to the veyed to Jerm orded Decemb (H more space	he South line of the Willamett being an angle corner in Bechains; thence Worthhence South O' 30' West place of beginning. an Hop Ranch, Inc., a cer 23, 1943 in Marion Certain Marion M	lliam Darrow Donation e Meridian in Marion n the South line of sai 40 West 12.40 chains; 17.02 chains; thence orporation, from Herber ounty, Oregon Deed Reco
plicant as and Claim in funty, Orego aim; thence where North orth 390 17 we and except and except and character (b) Kind ower or Mining 9. (a) To	follows: Be a Township 6 n, said begins of the Trope 124 nd converge man, recorded acter of soil	eginning at t South Range inning point 301 West 27.2 .40 chains; t chains to the veyed to Jerm orded Decemb (H more space Sand Hops power to be dev	he South line of the Willamett being an angle corner in Bechains; thence Worth hence South O' 30' West place of beginning. an Hop Ranch, Inc., a cer 23, 1943 in Marion Certain Marion M	lliam Darrow Donation e Meridian in Marion n the South line of sai 40 West 12.40 chains; 17.02 chains; thence orporation, from Herber ounty, Oregon Deed Reco
(a) Chara (b) Kind (b) Qu (b) Qu	follows: Be a Township 6 on, said begins of the Trops and the said begins of the said begins of the said amount of the said begins of the said bea	eginning at t South Range South Range Inning point Of West 27.2 40 chains; to chains to the veyed to Jerm orded Decemb (H more space Sand Hops power to be dever to be used for	he South line of the Willamett being an angle corner in Behains; thence Worth hence South 0° 30' West place of beginning. an Hop Ranch, Inc., a cer 23, 1943 in Marion Correquired, attach separate sheet) y Silt sugar Beets, & Alfalf eloped power	lliam Darrow Donation e Meridian in Marion n the South line of sai 40 West 12.40 chains; 17.02 chains; thence orporation, from Herber ounty, Oregon Deed Reco
(a) Chara (b) Kind (c) To (c) To	follows: Be a Township 6 n, said begins of the Township 6 n, said begins of East 34. West 4.81 meter of soil of crops raised g Purposes—tal amount of water tal fall to be used tal fall to be used the tal fall to be used to the tal fall to tal fall tal fall to tal fall tal	sginning at t South Range Inning point Of West 27.2 .40 chains; to the veyed to Jerm orded Decemb (H more space Sand Hops power to be dev er to be used for tilized	he South line of the Wilamett being an angle corner in Behains; thence Worth hence South 0° 30' West place of beginning. an Hop Ranch, Inc., a cer 23, 1943 in Marion Corner and Marion Corner a	lliam Darrow Donation e. Meridian in Marion n the South line of sai 40 west 12.40 chains; 17.02 chains; thence orporation, from Herber ounty, Oregon Deed Reco
(a) Chara (b) Kind (c) To (c) To	follows: Be a Township 6 n, said begins of the Township 6 n, said begins of East 34. West 4.81 meter of soil of crops raised g Purposes—tal amount of water tal fall to be used tal fall to be used the tal fall to be used to the tal fall to tal fall tal fall to tal fall tal	sginning at t South Range Inning point Of West 27.2 .40 chains; to the veyed to Jerm orded Decemb (H more space Sand Hops power to be dev er to be used for tilized	he South line of the Willamett being an angle corner in Behains; thence Worth hence South 0° 30' West place of beginning. an Hop Ranch, Inc., a cer 23, 1943 in Marion Correquired, attach separate sheet) y Silt sugar Beets, & Alfalf eloped power	lliam Darrow Donation e. Meridian in Marion n the South line of sai 40 west 12.40 chains; 17.02 chains; thence orporation, from Herber ounty, Oregon Deed Reco
(a) Chara (b) Kind (c) To (d) Th	follows: Be a Township 6 on, said begins of South 770 of Tast 34. West 4.81 of the man, reconstructor of soil	ginning at t South Range. Inning point Of West 27.2 .40 chains; to the veyed to Jerm orded Decemb (H more space Sand Hops power to be dev er to be used for tilized te works by med	he South line of the Willamett. B. West of the Willamett. B. Chains; thence Worth hence South 0° 30' West place of beginning. an Hop Ranch, Inc., a comer 23, 1943 in Marion Comer 24, 1943 in	lliam Darrow Donation e. Meridian in Marion n the South line of sai 40 West 12.40 chains; 17.02 chains; thence orporation, from Herber ounty, Oregon Deed Reco theoretical horsepower sec. ft.
(a) Chara (b) Kind (c) To (d) Th (e) Su	follows: Be a Township 6 on, said begins, said begins of South 770 of Tast 34. The set 1 and converge man, reconstructor of soil	ginning at t South Range Inning point Of West 27.2 40 chains; to the veyed to Jerm orded Decemb (H more space Sand Hops power to be dev er to be used for tilized te works by med e located in	he South line of the Willamett. B. West of the Willamett. B. Chains; thence Worth hence South 0° 30' West place of beginning. an Hop Ranch, Inc., a comer 23, 1943 in Marion Comerce 23, 1943 in M	lliam Darrow Donation e. Meridian in Marion n the South line of sai 40 West 12.40 chains; 17.02 chains; thence orporation, from Herber ounty, Oregon Deed Reco theoretical horsepower sec. ft.
(a) Chara (b) Kind (c) To (d) Th (e) Su (No. N. or S.	follows: Be a Township 6 in, said begins, said begins of South 770 in the sector of Soil	ginning at t South Range inning point Of West 27.2 .40 chains; to chains to the veyed to Jerm orded Decemb (H more space Sand Hops power to be dev er to be used for tilized te works by med e located in O.E. or W.)	he South line of the Willamett. B. West of the Willamett. B. chains; thence Worth hence South 0° 30' West place of beginning. an Hop Ranch, Inc., a comer 23, 1943 in Marion Comercial Comercia	lliam Darrow Donation e. Meridian in Marion n the South line of sai 40 West 12.40 chains; 17.02 chains; thence orporation, from Herber ounty, Oregon Deed Reco theoretical horsepower sec. ft.
(a) Chara (b) Kind (c) To (d) Th (e) Su (no. N. or S. (f) Is	follows: Be a Township 6 n, said begins, said begins, said begins of the sector of soil	ginning at t South Range 101. West 27.2 140 chains; to the veyed to Jerm orded Decembrand Band Hops power to be dever to be used for tilized	he South line of the Willamett being an angle corner is selected and selected with hence South 0° 30' West place of beginning. an Hop Ranch, Inc., a corner 23, 1943 in Marion Corner 23, 1943 in Mario	lliam Darrow Donation e Meridian in Marion n the South line of sai 40 West 12.40 chains; 17.02 chains; thence orporation, from Herber ounty, Oregon Deed Reco theoretical horsepower sec. ft. be developed of Sec.
(a) Chara (b) Kind (c) To (d) Th (e) Su (no. N. or S. (f) Is (g) If	follows: Be a Township 6 on, said begins, said said and converge man, reducter of soil	ginning at t South Range Inning point Of West 27.2 40 chains; t chains to the Veyed to Jerm Orded Decemb (H more space Sand Hops power to be dev er to be used for tilized te works by med te located in turned to any st m and locate po	he South line of the Willamett. B. West of the Willamett. B. Chains; thence Horth. hence South 0° 30' West place of beginning. an Hop Ranch, Inc., a ce er 23, 1943 in Marion Ce required, attach separate sheet) y Silt sugar Beets, & Alfalf. eloped power (Head) the power is to (Legal subdivision) M. tream? 100 (Yes or No) int of return	lliam Darrow Donation e Meridian in Marion n the South line of sai 40 west 12.40 chains; 17.02 chains; thence orporation, from Herber ounty, Oregon Deed Reco theoretical horsepower sec. ft. be developed of Sec.
(a) Chara (b) Kind (c) To (d) Th (e) Su (no. N. or S. (f) Is (g) If	follows: Be a Township 6 on, said begins, said converted and converted soil	ginning at t South Range. Inning point Of West 27.2 40 chains; to the veyed to Jerm orded Decemb (H more space Sand Hops power to be dever to be used for tilized te works by med e located in	he South line of the Willamett being an angle corner is selected and selected with hence South 0° 30' West place of beginning. an Hop Ranch, Inc., a corner 23, 1943 in Marion Corner 23, 1943 in Mario	lliam Darrow Donation e Meridian in Marion n the South line of sai 40 west 12.40 chains; 17.02 chains; thence orporation, from Herber ounty, Oregon Deed Reco theoretical horsepower sec. ft. be developed of Sec. (No. E. or W.)

Municipal or Domestic Supply—	•
10. (a) To supply the city of	
	ent population of
and an estimated population of	in 19
(b) If for domestic use state number of	families to be supplied
(Answer questions	11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$.280	00.00
12. Construction work will begin on or befo	re
	ı or before
_	o the proposed use on or before June 15th 1945
	• • •
	(Sgd) Ray Kerr
	(Signature of applicant)
Signed in the presence of us as witnesses:	
(1)	(Address of witness)
(2)(Name)	(Address of witness)
Remarks:	
· · · · · · · · · · · · · · · · · · ·	••••
STATE OF OREGON,	
County of Marion, Ss	
This is to certify that I have examined the	foregoing application, together with the accompanying
maps and data, and return the same for	
	••••
	······································
In order to retain its priority, this applic	cation must be returned to the State Engineer, with
corrections on or before	
WITNESS my hand this day	
,	•
	STATE ENGINEER

Application No.	20805
Permit No	16281

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon
	on the 25th day of April,
	194.5., at 3:45 o'clock P M.
	Returned to applicant:
	Corrected application received:
	Approved:
	June 15, 1945
	Recorded in book No40 of
	Permits on page16281
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 2 Page 76 N
	Fees Paid \$11.00
STATE OF OREGON	PERMIT
County of Marion,	ss s
The right herein gra	RIGHTS and the following limitations and conditions: nted is limited to the amount of water which can be applied to beneficial use 50 cubic feet per second measured at the point of diversion from the case of rotation with other water users, from
	s water is to be applied is Irrigation
If for irrigation, this second or its equivale	appropriation shall be limited to 1/80th of one cubic foot per each acre irrigated and shall be further limited to a
	ceed 23 acre feet per acre for each acre irrigated during the
	each year,
	h reasonable rotation system as may be ordered by the proper state officer.
The priority date of	this permit is
Actual construction	work shall begin on or before June 15, 1946 and shall
thereafter be prosecuted w	oith reasonable diligence and be completed on or before
October 1,	1947
	of the water to the proposed use shall be made on or before
	1948
WITNESS my hand	this 1041 day of JIME 104 5
	this