## \* APPLICATION FOR PERMIT

CESTICATION 17107

## To Appropriate the Public Waters of the State of Oregon

I,Renne di	n. Olemmens		
of Star R	(Name t. Newberg	e of applicant)	•
-	(Mailing address) , do here		
			•
following described	public waters of the State of Ore	egon, SUBJECT TO EXI	ISTING RIGHTS:
If the applican	nt is a corporation, give date and p	olace of incorporation	
1. The source	of the proposed appropriation is	Willamette River	of stream)
	, a tribut		
2. The amoun	t of water which the applicant int	ends to apply to benefic	ial use is 0.25
	(If water is to be used		
**3. The use to	which the water is to be applied i	(Irrigation, power, mining, ma	1ga 110n nufacturing, domestic supplies, etc.)
	·····		
4. The point of	of diversion is located200 f	ft. $\frac{N}{N \cdot \text{or S.}}$ and $\frac{2100}{f}$	t. $\mathbb{F}_{\mathbf{c}}$ from the $\mathbb{F}_{\mathbf{c}}^{1}$
	T. 3 S., R. 2 W., W.M. (Sect		
	(Dect		
i'			
	(If preferable, give distance an	nd bearing to section corner)	
	there is more than one point of diversion, each mu		
being within the	SW NE (Give smallest legal subdivision)	of Sec29	, Tp3.S(N. or S.)
$R. \frac{2 \text{ W}}{\text{(E. or W.)}}, W. M$	M., in the county ofYamhill	***************************************	
5. The	(Main ditch, canal or pipe line)	to be	(Miles or feet)
in length, terminatin	g in the(Smallest legal subdivision	of Sec	•
<i>R</i>	(Smallest legal subdivision) W. M., the proposed location being	n shown throughout on t	he accompanuina map.
(E. or W.)	,, , <u>, , , , , , , , , , , , , , , , ,</u>	, one was one of a	was a sing map.
	DESCRIPTION	N OF WORKS	
Diversion Works—	No dam		
6. (a) Height	of dam feet, le	ength on top	feet, length at bottom
· · ·	t; material to be used and characte		
rock and brush, timber crib, e	tc., wasteway over or around dam)		
(b) Descriptio	n of headgate	Timber, concrete, etc., number and s	size of openings)
(c) If water is	s to be pumped give general descr	iption 2" cent. pump	ze and type of pump)
	OT (Size and type of engine or motor to be us		
	(Size and type of engine or motor to be us Sprinkler pipe		
remain a fina de uma a um a fina Para a live d'Argin d'Argin de Argina.			

 $<sup>{}^{\</sup>bullet}A$  different form of application is provided where storage works are contemplated.

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

neadgate. At hea	dgate: width or	ı top (at water	line)	feet; width on botton
	feet; depth of u	ater	feet; grade	feet fall per on
housand feet.				ter line)
				water feet
				water jeet
rade				
		•		in.; size at f
rom intake	in.	; size at place o	of use in.; o	lifference in elevation betwee
ntake and place	of use,	ft. I	s grade uniform?	Estimated capacity
	sec. ft.			
8. Location	n of area to be	irrigated, or pl	ace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
3.S	.2 W	29	NW <sup>1</sup> NE <sup>1</sup>	5
			1	12
	,		MICA MUL	3
				20
coperty on whi			is a part of that more	****
applicant-a	-follows:	eing the We	st-two-thirds-(2/3)-of f the Samuel D. Snowde	`lots-numbered-four(-4)-
n Township th:	ree (3) sout	r of Range t	wo (2) west of the Wil	lamette Meridian, as
latted and re-	corded in Bo	ok No. 1 at	page 19, of the Record	s of Town Plats for 3) acres, more or less
s platted in 1	Kamhill Coun	ty. Oregon.		
Parts of :	lots six, se	ven and eigh		ion of the Samuel D.
				two west of the Willame in Book No. 1, page 19
ecord_of_Town	lats for Ya	mill County	, Oregon, and more par	ticularly described as
			corner of said Lot si	ive-degrees)-west-5.05-
hains to angle	No. 14 of	County Road	Survey No. 344; thence	following said survey
orth 76 West	19.26 chains	to angle No (If more space:	required, attach senarate sheet)	West 1.50 chains to an
(a) Charac	eter of soil	loam	heavy	(continued under Remarks
		••••••		
Power or Mining 9 (a) Tot	-	ower to be deve	eloned	theoretical horsepowe
,				
	-		power	. sec. ji.
(c) Tot	al fall to be uti	lized	feet.	
(d) The	nature of the	works by mean	s of which the power is to b	e developed
	· ·			
(e) Suc	h works to be l	ocated in	(Legal Subdivision)	of Sec
Гр(No. N. or S.)				
			ream?(Yes or No.)	
			(200 02 110)	
		_		
		, 200	(No. N. or S.	(No. E. or W.)
				,

10. (a) To supply the city of	Municipal or Domestic	•••
(b) If for domestic use state number of families to be supplied  (b) If for domestic use state number of families to be supplied  (c) II. Estimated cost of proposed works, \$.800.00.  12. Construction work will begin on or before  (c) II. Estimated cost of proposed works, \$.800.00.  13. Construction work will be completed on or before  (c) II. Estimated cost of proposed works are the proposed use on or before and the proposed use of the proposed use		
(b) If for domestic use state number of families to be supplied  (Accordence of proposed works, \$.800.00		
11. Estimated cost of proposed works, \$.8.00.00.  12. Construction work will begin on or before		
11. Estimated cost of proposed works, \$.800.00  12. Construction work will begin on or before	(b) If for do	
12. Construction work will begin on or before One year after approval  13. Construction work will be completed on or before Two Yrs. "  14. The water will be completely applied to the proposed use on or before? "  (Sgi) Kenneth H. Clemmens  (Sgi) Kenneth H. Clemme		(Answer questions 11, 12, 13, and 14 in all cases)
13. Construction work will be completely applied to the proposed use on or before? " " " " " " " " " " " " " " " " " " "		
(Sga) Kenneth H. Clemmens  (Sga) Kenneth  (Sga) Kenneth  (Sga) Kenneth  (Sga) Kenneth  (Sga) Kenneth		
Remarks: No. 16; thence North 47 49! West 2.97 chains to angle No. 17; thence orth 89 30 West 6.22 chains to the Southwest corner of said Lot Six and terminus of id. road survey; thence North 2.29; chains to the Dauge of berinning, containing five ores nore or Loss.  Ireal 2. That part of Lots 7. and 3. and 9. ac. Wymouski Subdivision of the Samuel R. Southen Domaion Land Claim in Nowship 3 South, Nange 2 Nest of the Willemette oridin in Yespen, as Flatted and recorded in Book 1, Page 19; Record Town plats for Yambill County, Oregon, said part being particularly described as pillows: Commencing at angle 14; County Road Survey No. 24, Thence North 76 West So thin or Raid Niver to the Southwest corner of Lot 9; thence Easterly on the South Edward Inc. 10 to the intersection of Road Survey No. 34, 4 southeast corner said lot; thence Northerly along said road Survey to the class of beginning, saving excepting therefrom A. of an acre conveyed by deed duly recorded on Page 172 of No. 24 and Survey to the class of Pedming, saving excepting therefrom A. of an acre conveyed by deed duly recorded on Page 172 of No. 24 and Survey of No. 34 and Franciscs hereburged 13.01 serss of land, more or less.  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	13. Construction	work will be completed on or beforeTwo yrs " "
Remarks: No. 16; thence North 47° 49! West 3.97 chains to angle No. 17; thence forth 39° 30! Nest 6.22 chains to the Southwest corner of said Lot Six and terminus of the research of the rese	14. The water wi	ll be completely applied to the proposed use on or before 3" " "
rice more or less.  That part of Lots 7 and 8 and 9 of Tynooski Sukkivision of the Samuel D.  Tower more or less.  That part of Lots 7 and 8 and 9 of Tynooski Sukkivision of the Samuel D.  Tower Tambill Country, Oregon, as Flatted and recorded in book by Fage 19, Record  Town plats for Yambill Country, Oregon, said part being particularly described as  Flow plats for Yambill Country, Oregon, said part being particularly described as  Flow plats for Yambill Country, Oregon, said part being particularly described as  Flow plats of Yambill Country, Oregon, said part being particularly described as  Flow plats of Yambill Country, Oregon, said part being particularly described as  Flow plats of the South 35 West of the Bank of the Willamette River; thence follow!  Boak of Said River to the Southwest corner of Lot 9; thence Fasterly on the South  Boak of Said River to the Southwest corner of Lot 9; thence Fasterly on the South  Boak of Said River to 1 the Southwest corner of Lot 9; thence Fasterly on the South  Boak of Said River to the Southwest corner  Said lot; thence Mortherly along said road Survey Bo. 344 at southeast corner  Said lot; thence Mortherly along said road Survey to the place of beginning, saving  descripting therefrom 34 of an acre conveyed by deed duly recorded on Page 172 of  Now Wh of recorns of Deeds for Familial Country, Oregon, leaving in the promises hereb  mysyed 13.01 acres of land, more or less.  This is to certify that I have examined the foregoing application, together with the accompanying  maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  194.		(Sgd) Kenneth H. Clemmens (Signature of applicant)
Triving plats for Yamhill County, Oregon, as Platted and recorded in Book 1, Page 19, Record for Youn plats for Yamhill County, Oregon, said part being particularly described as pilows: Commencing at angle 12, County Road Survey No. 22, thence Morth 76 West 86 chains; thence South 35 West of the Bank of the Willamette River; thence follow in bank of said River to the Southwest corner of Lot 9; thence Easterly on the South bundary line of Lot 9 to the intersection of Road Survey Ro. 344 at southeast corner said lot; thence Mortherly along said road Survey to the place of beginning, seving excepting therefrom .84 of an agre conveyed by deed duly recorded on Page 172 of sok War of records of Deeds for Rambill Count, Oregon, leaving in the premises hereb mayored 13.01 acres of land, more or less.  STATE OF OREGON, County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	aid road survey; the	ence North 2.29 chains to the place of beginning, containing five
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194	Hows: Commencing 86 chains; thence 8 chains; thence 8 chains of said River and the said lot; thence 8 chains therefore 10 chains of records 6 chains the said lot; the sai	at angle 14, County Road Survey No. 344; thence North 760 West South 350 West of the Bank of the Willamette River; thence following to the Southwest corner of Lot 9; thence Easterly on the South 9 to the intersection of Road Survey No. 344 at southeast corner Northerly along said road Survey to the place of beginning, saving rom .84 of an acre conveyed by deed duly recorded on Page 472 of of Deeds for Yamhill Count;, Oregon, leaving in the premises hereby
STATE OF OREGON, County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for	mveyed 13.01 acres	or rand, more or less.
STATE OF OREGON, Ses  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for		
STATE OF OREGON, County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for		
STATE OF OREGON, County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for		•
STATE OF OREGON, County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194		
STATE OF OREGON, County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194		
STATE OF OREGON, Ses  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for	<del>-</del>	
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for		
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for		
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for		, , , , , , , , , , , , , , , , , , ,
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for		
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for	STATE OF OREGON,	\
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	County of Marion,	
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194	This is to certify	that I have examined the foregoing application, together with the accompanying
ions on or before, 194	naps and data, and retu	rn the same for
	In order to retain	its priority, this application must be returned to the State Engineer, with correc-
	ions on or before	, 194
	· · · · · · · · · · · · · · · · · · ·	
		STATE ENGINEER

Application No. 20869		
Permit No	16345	

## **PERMIT**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	OF OREGON
	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 23rd day of May
	194.5 at2:30o'clockP M.
	Returned to applicant:
	Corrected application received:
	Approved:
	September 1, 1945
	Recorded in book No. 40 of
	Permits on page16345
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 2 Page 64 B
	Fees Paid \$9.50
	DEDMIN
STATE OF OREGON,	PERMIT
SUBJECT TO EXISTING  The right herein grand shall not exceed	at I have examined the foregoing application and do hereby grant the same, RIGHTS and the following limitations and conditions: anted is limited to the amount of water which can be applied to beneficial use cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Willamette River
The use to which the	is water is to be applied is Supplemental Irrigation
diversion of not to irrigation season of herein, together will lands shall not exc	sappropriation shall be limited to 1/80th of one cubic foot per lent for each acre irrigated and shall be further limited to a exceed 2 acre feet per acre for each acre irrigated during the each year; provided further that the amount of water allowed that the amount secured under any other right existing for the same sed the limitation allowed herein,
and shall be subject to so  The priority date of  Actual construction thereafter be prosecuted  October 1	ch reasonable rotation system as may be ordered by the proper state officer.  this permit is
	1948
WITNESS my hand	this lst day of September ,1945
	CHAS. E. STRICKL <b>I</b> N