

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Frank Wilson, of Hebo, County of Tillamook, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is from an unnamed spring, a tributary of Three Rivers part of year

2. The amount of water which the applicant intends to apply to beneficial use is about all that will run through 1" pipe.

**3. The use to which the water is to be applied is domestic supply, for mink, chickens, cooling milk, cold storage and fire protection, and sprinkle garden, about

4. The point of diversion is located 650 ft. South and ft. east from the N.W. corner of Section 24.

being within the SW 1/4 NE 1/4 of Sec. 24, Tp. 4 S, R. 10 W., W. M., in the county of Tillamook

5. The pipe line to be about 600 ft. 273 ft. on/ in length, terminating in the of Sec. 24, Tp. 4 S, R. 10 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction small tank to be used at upper end of pipe and from there to concrete tank already built

(b) Description of headgate

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, about 600 ft. ft.; size at intake, 1" in.; size at 600 ft. from intake 1" in.; size at place of use one in.; difference in elevation between intake and place of use, approx. 55 ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 S	10 W	19	SE $\frac{1}{4}$ NE $\frac{1}{4}$	2

(If more space required, attach separate sheet)

- (a) Character of soil
- (b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.,
(Legal subdivision)
Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 1

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 300.00

12. Construction work will begin on or before As soon as can get material

13. Construction work will be completed on or before Sept. 1, 1945

14. The water will be completely applied to the proposed use on or before Sept. 15, 1945

FRANK WILSON

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) ,
(Name) (Address of witness)

(2) ,
(Name) (Address of witness)

Remarks: I have no water system except well which is not satisfactory, would like to run 1 inch pipe from spring to concrete tank that I have already built on my own farm as soon as war is over I want to put in cold storage for my mink I have 148 at present. Also am raising strawberry plants for market and wish to put water in barn for cows, and have water for house and garden

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 20905

Permit No. 16372

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon
on the 12th day of June
1945, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

September 1, 1945

Recorded in book No. 40 of

Permits on page 16372

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 1 Page 16 B

Fees Paid \$14.50

STATE OF OREGON

PERMIT

County of Marion,

ss

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Unnamed Spring

The use to which this water is to be applied is Irrigation, domestic, poultry, cooling milk,
cold storage, mink, fire protection, being 0.03 c.f.s. for irrigation, 0.01 c.f.s. for
domestic, 0.01 c.f.s. for poultry, 0.01 c.f.s. for cooling milk, 0.01 c.f.s. for cold
storage, 0.01 c.f.s. for mink, and 0.02 c.f.s. for fire protection.

If for irrigation, this appropriation shall be limited to 1/30th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the
irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 12, 1945

Actual construction work shall begin on or before September 1, 1946 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1947

Complete application of the water to the proposed use shall be made on or before
October 1, 1948

WITNESS my hand this 1st day of September, 1945

CHAS. E. STRICKLIN
STATE ENGINEER