

* APPLICATION FOR PERMIT

CERTIFICATE NO. 15667

To Appropriate the Public Waters of the State of Oregon

I, Squaw Mountain Timber Co.; A. A. Lausmann, Secy.
(Name of applicant)
of Medford, P.O. Box 1268,
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Hanson Creek
(Name of stream)
tributary of Bear Creek, a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is pond for floating logs.
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2330 ft. N. and 1064 ft. W. from the S.E.
(N. or S.) (E. or W.)
corner of Section 31
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 Sec. 31 of Sec. 31, Tp. 37 S.
(Give smallest legal subdivision) (N. or S.)

R. 1 W., W. M., in the county of Jackson
(E. or W.)

5. The pipe line to be 150 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE 1/4 Sec. 31 of Sec. 31, Tp. 37 S.
(Smallest legal subdivision) (N. or S.)

R. 1 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete, masonry,

Direct from stream.
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1" Centrifugal powered by
(Size and type of pump)
1/2 H.P. electric motor. Total lift 6 feet.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 150 ft.; size at intake, 1 in.; size at ft. from intake in.; size at place of use 1 in.; difference in elevation between intake and place of use, 6 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

| Township | Range | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|----------|-------|---------|------------------|------------------------------|
| 37 S. | 1 W. | 31 | NE SE 1/4 | Pond for floating logs |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Property description as copied from Warranty Deed recorded in Jackson County Deed Records, Volume 252, Page 254, conveying land from Frank J. Schuler et ux to A. A. Lausmann:

TRACT A:

Commencing at the N.E. corner of Donation Land Claim No. 45 in Township 37 South, Range 1 West, W.M., in Jackson County, Oregon; thence S. $0^{\circ} 16'$ E. 1201.1 feet along boundary of said Claim to a $3/4"$ x $32"$ iron pin on the southwesterly boundary of Railroad right-of-way for the true point of beginning; thence South $0^{\circ} 16'$ East 248.3 feet to iron pin; thence South $89^{\circ} 59'$ West 395.0 feet to a $1\frac{1}{2}"$ x $48"$ iron pin; thence North $19^{\circ} 11'$ West 758 feet to a $1"$ x $26"$ iron pipe; thence East 313.8 feet to a $5/8"$ x $32"$ iron pin on the southwesterly of Railroad right-of-way to the true point of beginning. EXCEPTING therefrom the following: commencing at the N.E. corner of Donation Land Claim No. 45, Township 37 South, Range 1 West of the Willamette Meridian, Jackson County, Oregon; thence South $0^{\circ} 16'$ East, along the east boundary of said Claim, 1449.5 feet for the true point of beginning (from which point the intersection of the east boundary of said Claim with the southwesterly boundary of the Railroad right-of-way bears North $0^{\circ} 16'$ West 248.3 feet); thence South $89^{\circ} 59'$ West 15.0 feet; thence North $0^{\circ} 16'$ West 140.62 feet to a $2"$ x $36"$ pipe monument; thence North $54^{\circ} 52'$ East 18.28 feet to the east boundary of said Claim; thence South $0^{\circ} 16'$ East 151.14 feet to the true point of beginning.

TRACT B:

Commencing at the southeast corner of Donation Land Claim No. 54 in Township 37 South, Range 1 West, Willamette Meridian in Jackson County, Oregon, marked by a $3"$ brass capped monument; thence North $0^{\circ} 16'$ West along the east boundary of said Claim 1446.8 feet to the southwesterly boundary of the Railroad right-of-way, marked by a $3/4"$ x $32"$ iron pin monument for the true point of beginning; thence South $35^{\circ} 08'$ east, along the boundary of the Railroad right-of-way, 79.72 feet to a $1\frac{1}{2}"$ x $44"$ iron pipe monument; thence South $54^{\circ} 52'$ West 55.5 feet to the east boundary of Donation Land Claim No. 45; thence North $0^{\circ} 16'$ West 97.16 feet to the true point of beginning.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$500.00.....

12. Construction work will begin on or before one year from date of priority.

13. Construction work will be completed on or before two years from date of priority.

14. The water will be completely applied to the proposed use on or before three years from date of priority.

Squaw Mountain Timber Co. (Signature of applicant)

By (Sgd) A. A. Lausmann Secretary

P. O. Box 1268 - Medford, Oregon

Remarks: Description as recorded in Jackson County Deed Records, Volume 233, Page 623, December, 1941:

Beginning at a point on the East line of D.L.C. No. 45 Twp. 37, S., R. 1 W., W.M. Jackson County, Oregon, which is North 0 deg 14' East 600 feet from the SE corner of said D.L.C. 45; and from said point of beginning run thence North 0 deg 14' East 598.6 feet to a point. Thence South 89 deg 59' West 403 feet to a point; thence South 9 deg 33' East 32.83 feet; Thence South 15 deg 20' East 28.48 feet; thence South 6 deg 32' East 65.99 feet; thence South 4 deg 28' East 66.98 feet; thence South 9 deg 18' West 28.27 feet; thence South 32 deg 46' East, 38.89 feet; thence South 16 deg 50' East, 62.81 feet; thence South 7 deg 43' West 28.78 feet; thence South 17 deg 52' West, 11.89 feet; thence South 19 deg 03' West 60.19 feet; thence South 23 deg 50' West 56.09 feet; thence South 24 deg 17' West 63.76 feet; thence South 13 deg 29' West 48.33 feet; thence South 7 deg 07' West, 31.16 feet; thence North 89 deg 59' East 437.5 feet to the place of beginning.

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 20934

Permit No. 16392

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of July, 1945 at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

September 1, 1945

Recorded in book No. 40 of

Permits on page 16392

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 23

Fees Paid \$10.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Hanson Creek

The use to which this water is to be applied is Log Pond

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 2, 1945

Actual construction work shall begin on or before September 1, 1946 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1947

Complete application of the water to the proposed use shall be made on or before

October 1, 1948

WITNESS my hand this 1st day of September, 1945

CHAS. E. STRICKLIN

STATE ENGINEER