

* APPLICATION FOR PERMIT

CERTIFICATE NO. 17108

To Appropriate the Public Waters of the State of Oregon

I, Edwin Weidman (Name of applicant) of Rt. 2 Molalla (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed spring (Name of stream) trib. of Woodcock Crk, a tributary of Molalla River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 + 0.01 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic and operation of ram (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 175 ft. S and 1050 ft. E from the NW corner of Sec. 24, T. 5 S., R. 2 E., W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 NE 1/4 of Sec. 24, Tp. 5 S, R. 2 E, W. M., in the county of Clackamas

5. The pipe to be 250 ft. in length, terminating in the of Sec. , Tp. , R. , W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works— Will Concrete

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description gravity flow (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 250 ft.; size at intake, 3/4 in.; size at ft. from intake in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 5 ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
5 S	2 E	24	NW 1/4 NE 1/4	

Property on which water is to be used is a part of that more explicitly described by applicant as follows: Beginning at a stone monument at the Southwest corner of Government Lot 1 in Section 24, Township 5 South, Range 2 East, of the Willamette Meridian; thence East 1031.35 feet along the South boundary of said Government Lot 1 to a point 87.30 feet West of the Southeast corner of said Government Lot 1; thence North 9° 34' East 768.7 feet on a line parallel to the East boundary of said Government Lot 1 to a point in the center line of County Road No. 1137 at Engineers Station 53+50.50; thence Westerly along the center line of said County Road No. 1137 a distance of 809.0 feet to Engineers Station 61+59.50 which point is the Southwest corner of that certain tract of land conveyed to Ambrose Strocker by deed recorded in Book 174 on Page 250 Record of Deeds for Clackamas County, Oregon; thence North 1478.5 feet to a point in the North boundary of the South one-half of the Southeast one-quarter of Section 13, Township 5 South, Range 2 East, of the Willamette Meridian; thence North 89° 26' West 1332.05 feet to the Northwest corner of Government Lot 4 in said Section 13; thence South 19° 31' East 2786.90 feet following the Westerly boundary of said Government Lot 4 and said Government Lot 1 to the place of beginning. Containing 70 acres more or less.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 1

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$..... Not estimated
- 12. Construction work will begin on or before Has been commenced
- 13. Construction work will be completed on or before Two yrs. after approval
- 14. The water will be completely applied to the proposed use on or before 3 " " "

(Sgd) Edwin Weidman
(Signature of applicant)

Remarks: Spring is on applicant's property.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 20938

Permit No. 16396

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3rd day of July 1945 at 1:30 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

September 1, 1945

Recorded in book No. 40 of

Permits on page 16396

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 32 C

Fees Paid \$10.25

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Spring

The use to which this water is to be applied is Domestic and Operation of Ram

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 3, 1945

Actual construction work shall begin on or before September 1, 1946 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1947

Complete application of the water to the proposed use shall be made on or before

October 1, 1948

WITNESS my hand this 1st day of September, 1945

CHAS. E. STRICKLIN

STATE ENGINEER