

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Mrs Grace Charlton

(Name of applicant)

of 1937 N.W. Johnson St., Portland, Ore., County of Multnomah, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is un-named spring, a tributary of Wilson River

(Name of stream)

2. The amount of water which the applicant intends to apply to beneficial use is .1 cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic supplies

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1650 ft. N. and 550 ft. E from the S 1/4 corner of Sec. 8, Township 1 South, Range 8 West, W.M.

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the N.W. 1/4 of S.E. 1/4 of Sec. 8, Tp. 1 South, R. 8 West, W.M., in the county of Tillamook

(Give smallest legal subdivision)

(N. or S.)

5. The pipe line to be 600 ft long

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the N.W. 1/4 of S.E. 1/4 of Sec. 8, Tp. 1 South, R. 8 West, W.M., the proposed location being shown throughout on the accompanying map.

(Smallest legal subdivision)

(N. or S.)

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 ft feet, length on top 5 ft feet, length at bottom

3 ft feet; material to be used and character of construction timber and earth

(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 1 1/2"

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description

(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 600 ft ft.; size at intake, 1½" in.; size at ft. from intake in.; size at place of use 1½" in.; difference in elevation between intake and place of use, 70 ft ft. Is grade uniform? Estimated capacity, 30 gals per minute.

8. Location of area to be irrigated, or place of use

| Township | Range | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|----------|-------|---------|------------------|------------------------------|
| 1 S | 8 W | 8 | NW¼SE¼ & SW¼ SE¼ | |

Beginning at a point on the East boundary of the State Highway 1171.2 ft North and 1135.2 ft East of the ¼ sec cor. between Secs 8 & 17 T1S.R8W.WM. and running thence East 144.8 ft more or less to the East line of the SW¼ of SE¼ of Sec. 8 and North 100.0 ft along said East line to Southeast corner of the tract to be described and the point of beginning; thence North along 1/16 sec line 273.8 ft; thence West 76.0 ft more or less to East boundary of State Highway; thence Southerly along East boundary of State Highway to a point due West of point of beginning; thence East to point of beginning. also Beginning at a point on North boundary of State Highway 751.1 ft North and 782.6 ft East of the ¼ sec. cor. between Secs 8 & 17, T1S.R8W.WM and running thence Northeasterly along said North boundary of State Highway 300.0 ft to the Southeast corner of the tract to be described and the point of beginning; thence Northeasterly along North boundary of State Highway 580.0 ft more or less to a point that is 1545.0 ft North and 1130.0 ft East of the ¼ sec. cor. between Secs 8 and 17, T1S.R8W.WM. thence West 400.0 ft; thence North 1090.0 ft more or less to the North line of NW¼ of SE¼ of Sec. 8, T1S.R8W.WM. thence West 880.0 ft more or less to the ¼ sec. line running North and South through the center of Sec. 8, T1S.R8W.WM. thence South to a point N 44°59'W from the point of beginning; thence S 44°59'E 1325.0 ft more or less to point of beginning

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied 2

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$250.00

12. Construction work will begin on or before December 1, 1945

13. Construction work will be completed on or before December 31, 1945

14. The water will be completely applied to the proposed use on or before December 31, 1945

(Sgd) (Grace M. Charlton)
(Signature of applicant)

(Sgd) Mrs. Grace Charlton

Signed in the presence of us as witnesses:

(1) _____, _____
(Name) (Address of witness)

(2) _____, _____
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 8, 1945.

WITNESS my hand this 9th day of March, 1945

CHAS. E. STRICKLIN
STATE ENGINEER

By
Ed K. Humphrey, Assistant
ci

Application No. 20716

Permit No. 16459

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 2nd day of March, 1945, at 8:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

December 20, 1945

Recorded in book No. 40 of Permits on page 16459

CHAS. E. S. TRICKLIN STATE ENGINEER

Drainage Basin No. 1 Page 22

Fees Paid \$10.00

STATE OF OREGON

County of Marion,

} ss

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Spring

The use to which this water is to be applied is Domestic Supplies

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 18, 1945

Actual construction work shall begin on or before December 20, 1946 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1947

Complete application of the water to the proposed use shall be made on or before

October 1, 1948

WITNESS my hand this 20th day of December, 1945

CHAS. E. S. TRICKLIN STATE ENGINEER