

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, George Mackay (Name of applicant) of Dayville (Post office), County of Grant, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Not a corporation

1. The source of the proposed appropriation is Flat Creek, Aldrich Creek and Murray Creek, a tributary of John Day River

2. The amount of water which the applicant intends to apply to beneficial use is 2.00 cubic feet per second or its equivalent in acre feet.

**3. The use to which the water is to be applied is irrigation and stock water

4. The point of diversion/is located 300 ft. S. and 300 ft. E. from the 1/4 Sec. corner of Sec. 26 and 35, Twp. 13 S., Rge. 27 E., W.M. Point of diversion from Aldrich creek within NW NE Sec 15 Murray Creek SE NE NE NE Sec 9 Twp 13 S. R 27 E WM

5. The main ditch to be 3 miles in length, terminating in the NE 1/4 of NE 1/4 of Sec. 9, Twp. 13, R. 27 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 1 feet, length on top 12 feet, length at bottom 10 feet; material to be used and character of construction rock, brush and dirt.

(b) Description of headgate Lumber headgate

(c) If water is to be pumped give general description No pumping.

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 2 feet; width on bottom 2 feet; depth of water 1 1/2 feet; grade 10 feet fall per one thousand feet.

(b) At 2 miles from headgate: width on top (at water line) 1 feet; width on bottom 1 feet; depth of water 1 feet; grade 8 feet fall per one thousand feet.

(c) Length of pipe, None ft.; size at intake, None in.; size at None ft. from intake None in.; size at place of use None in.; difference in elevation between intake and place of use, None ft. Is grade uniform? None Estimated capacity, None sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
13 S.	27 E.	4	SESE	24
13 S.	27 E.	4	SWSE	7
13 S.	27 E.	9	NENE	24
13 S.	27 E.	9	NWNE	8.1
13 S.	27 E.	10	NWNW	12
				36
				80

(If more space required, attach separate sheet)

(a) Character of soil Alluvial

(b) Kind of crops raised Alfalfa and grain

Power or Mining Purposes— NO MINING

9. (a) Total amount of power to be developed None theoretical horsepower.

(b) Quantity of water to be used for power None sec. ft.

(c) Total fall to be utilized None feet.
(Head)

(d) The nature of the works by means of which the power is to be developed None

(e) Such works to be located in None of Sec. None,
(Legal subdivision)

Tp. None, R. None, W. M. None
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? None
(Yes or No)

(g) If so, name stream and locate point of return None

None, Sec. None, Tp. None, R. None, W. M. None
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is None

(i) The nature of the mines to be served None

Municipal or Domestic Supply—

10. (a) To supply the city of None
County, having a present population of

(Name of)

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 100.00

12. Construction work will begin on or before July 1, 1945

13. Construction work will be completed on or before July 1, 1946

14. The water will be completely applied to the proposed use on or before July, 1947

(Sgd) George MacKay
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) _____, _____
(Name) (Address of witness)

(2) _____, _____
(Name) (Address of witness)

Remarks: ~~This application is for a supplemental water right and is not intended~~
~~waive, forfeit or abandon any previous water right.~~ Request is made to use acre
feet measurement because of flood waters in early part of season.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before _____, 194_____

WITNESS my hand this _____ day of _____, 194_____

STATE ENGINEER

Application No. 20810.....

Permit No. 16461.....

**PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON**

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 27th day of April, 1945, at 2:45 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

December 20, 1945.....

Recorded in book No. 40 of Permits on page 16461.....

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 6 Page 22 A.....

Fees Paid \$15.40.....

STATE OF OREGON }
County of Marion, } ss

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.90 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Flat Creek, Aldrich Creek and Murray Creek.

The use to which this water is to be applied is Irrigation and Stock use, being 0.90 c.f.s. for irrigation and 1.00 c.f.s. for stock, but no stock water is to be diverted in addition to irrigation water during the irrigation season.

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second for each acre irrigated prior to June 1st and thereafter 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be limited to a diversion of not to exceed 1 acre foot per acre for each acre irrigated during any month prior to June 1st and shall be further limited to a total diversion of not to exceed 4 acre feet per acre for each acre irrigated during the irrigation season from April 1st to September 30th of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 27, 1945.....

Actual construction work shall begin on or before December 20, 1946..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1947.....

Complete application of the water to the proposed use shall be made on or before.....

October 1, 1948.....

WITNESS my hand this 20th day of December, 1945.....

CHAS. E. STRICKLIN STATE ENGINEER