

*** APPLICATION FOR A PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Ezra B. Benedict, Robert E. Algarnot
(Name of Applicant)

of Neotsu, (Post office), County of Lincoln,
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Devils Creek or Steward Creek
(Name of stream) Thompson Creek
Being One stream & tributaries, a tributary of Devils Lake

2. The amount of water which the applicant intends to apply to beneficial use is 0.12
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation & Domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 900 ft. N and 700 ft. E from the SW
(N. or S.) (E. or W.)
corner of NW $\frac{1}{4}$ Sec. 16 Twp 7 S R. 10 W
(Section or subdivision)

NE $\frac{1}{4}$ corner of the SE $\frac{1}{4}$ of S 1 T 7 S R 11 W flume diversion The flume is take out
(If preferable, give distance and bearing to section corner)
right at The corner above mention

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 6, Tp. 7 S
(Give smallest legal subdivision) (N. or S.)
NE $\frac{1}{4}$ SE $\frac{1}{4}$
R. 10 W, W. M., in the county of Lincoln
(E. or W.)

5. The pipe line to be 2100 ft.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the Tract 50 of Sec. 1, Tp. 7 S
(Smallest legal subdivision) (N. or S.)

R. 11 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 6 feet, length on top 50 feet, length at bottom
6 feet; material to be used and character of construction
(Loose rock, concrete, masonry,
Timber Crib
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Settling tank + screened pipe
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)
(Size and type of engine or motor to be used, total head water to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 8 in flume feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2100 ft.; size at intake, 2 in.; size at 20 ft. from intake 1 1/2 in.; size at place of use in.; difference in elevation between intake and place of use, 50 ft. Is grade uniform? yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use Shelternook Acres

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
7 S	10 W	6	NW 1/4 of SW 1/4 S. 6	16 Acres
7 S	11 W	1	NE 1/4 of SE 1/4 Sec 1	1 1/4 Acres
				30

Property on which water is to be used is a part of that more explicitly described by applicant as follows: Beginning at the corner (Sec. 1/4 corner) on the east line of Sec. 1, T. 7 South Range 11 West, run thence east 132 feet, thence south 380 feet more or less to the center line of Shelternook Road, thence south 23 degrees 30 min. west 71 feet, thence south 85 degrees 15 min west 104.1 feet to the township line, continuing south 85 degrees 15 min. West 250.5 ft. to a stake, thence north 64 ft. thence north 84 degrees 05 min west 414 ft. thence north 503.6 ft to the center line of sec. 1 thence east 660 ft to the place of beginning.

Beginning at a point on the 1/4 sec line 660 ft west of the 1/4 sec corner on the east line of sec 1, T 7 South range 11 west W.M. Run thence south 503.6 ft to the center line of Shelternook road, thence continuing south 130 ft more or less to an old road, thence westerly along said old road to a point 100 ft west of the afore described line extended, thence north 105 ft. more or less to the center line of Shelternook road, thence south 59 degrees 15 min west 209.6 ft. thence north 624.3 ft. to the subdivision line, thence east 270.1 ft. to point of beginning.

(If more space required, attach separate sheet)

(a) Character of soil Loose porous Top soil clay sub.

(b) Kind of crops raised Gardening & berries.

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

, Sec. (No. N. or S.), Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 4

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1500.00

12. Construction work will begin on or before 1943

13. Construction work will be completed on or before 1946

14. The water will be completely applied to the proposed use on or before water in
use now but project incomplete

(Sgd) Ezra B. Benedict

(Signature of applicant)

(Sgd) Robert E. Wolgamott

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)

(2) (Name) (Address of witness)

Remarks: Sorry I balled this up so much. Hope it's correct now.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for Completion

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before June 16, 1945

WITNESS my hand this July 23, 1945
16th day of May, 1945
23rd June 1945

CHAS. E. STRICKLIN
STATE ENGINEER

By
Ed K. Humphrey, Assistant
ci

Application No. 20845

Permit No. 16462

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 11th day of May, 1945, at 8:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

December 20, 1945

Recorded in book No. 40 of

Permits on page 16462

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 18 Page 6 B

Fees Paid \$11.50

STATE OF OREGON

County of Marion,

ss

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.42 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Devils Creek

The use to which this water is to be applied is Irrigation and Domestic use, being 0.38 c.f.s. for irrigation and 0.04 c.f.s. for domestic.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 27, 1945

Actual construction work shall begin on or before December 20, 1946 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1947

Complete application of the water to the proposed use shall be made on or before

October 1, 1948

WITNESS my hand this 20th day of December, 1945.

CHAS. E. STRICKLIN STATE ENGINEER