

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Umpqua Plywood Corporation (Name of applicant)
of Roseburg (Post office), County of Douglas,
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Roseburg, Oregon
March 9, 1945

1. The source of the proposed appropriation is South Umpqua River (Name of stream)
a tributary of The Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 2
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is for Log Pond (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 3737 ft. N. and 2724 ft. E. from the Section corner of Sections 2, 3, 10 & 11 (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SW 1/4 NE 1/4 of Sec. 2, Tp. 28 S., R. 6 W., W. M., in the county of Douglas (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The Pipe Line (Main ditch, canal or pipe line) to be 846.2 ft. (Miles or feet)
in length, terminating in the SW 1/4 NE 1/4 of Sec. 2, Tp. 28 S., R. 6 W., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

~~Diversion Works~~

Dike for pond

6. (a) Height of dam 16 ft. (max) feet, length on top 1600 feet, length at bottom 1600 feet; material to be used and character of construction earth with 18 ft wd selected shale and clay core sprinkled and packed. (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate No headgate - water to be pumped directly out of river (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description centrifugal pump 4" Suc. 3" disch 40 ft head (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of water for Log Pond for Plywood Plant

County, having a present population of

(Name of)

and an estimated population of in 19

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1000.00

12. Construction work will begin on or before Started

13. Construction work will be completed on or before Oct. 1st 1945

14. The water will be completely applied to the proposed use on or before Nov. 1 1945

UMPQUA PLYWOOD CORPORATION
(Signature of applicant)

(Sgd) Loren Haugen
Pres.

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)

(2) (Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194

WITNESS my hand this day of, 194

STATE ENGINEER

Application No. 21012

Permit No. 16477

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 23rd day of July, 1945, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

December 20, 1945

Recorded in book No. 40 of

Permits on page 16477

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 16 Page 30 A.

Fees Paid \$11.00

STATE OF OREGON } ss County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River

The use to which this water is to be applied is Log Pond

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 23, 1945

Actual construction work shall begin on or before December 20, 1946 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1947

Complete application of the water to the proposed use shall be made on or before

October 1, 1948

WITNESS my hand this 20th day of December, 1945

CHAS. E. STRICKLIN

STATE ENGINEER