## CERTIFICATE NO. 17401

## \* APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

	and the second second	(Name of applicant)	
.    , of	Ashland, Box 12,	,	
State of	(Mailing address) Oregon	, do hereby make application for a permit to appropri	ate the
following d	described public waters	of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
If th	e applicant is a corporat	tion, give date and place of incorporation	· · · · · · · · · · · · · · · · · · ·
****************			
		ed appropriation is Nos. 1, 2 and 3 springs. (Name of stream)	
Anderson	Creek Watershed	, a tributary of Anderson Creek	
2. T s. #1 spr cubic feet p	the amount of water which for stock; 0.01 coper secondfor stock	ch the applicant intends to apply to beneficial use is0.0775 c.f.s. #2 spr. for stock; .0575 c.f.s. #3 spr. ock, irrigation and domestic. (If water is to be used from more than one source, give quantity from each)	
		er is to be applied is domestic, stock & irrigation, beil	ng etc.)
		0.03 c.f.s. for stock & 0.0375 c.f.s. for irrigation	
4. T	he point of diversion is	No. 1 745 No. 1 750 No. 1 750 ft. No. or S.) and 120 ft. E. from the	S <del>1</del>
corner of .	Section 28; also,	No. 3 is located 755 ft. N. and 408 ft. E. from (Section or subdivision)	
said 1/4 c	corner.	(Section or subdivision)	
·	(14	f preferable, give distance and bearing to section corner)	•
being with	(If there is more than one	e point of diversion, each must be described. Use separate sheet if necessary)	r S.)
	in the SELSW & SW	e point of diversion, each must be described. Use separate sheet if necessary)  SEL 0f Sec. 28 , Tp. 38 S.	r <b>S.)</b>
R. 1 W.	in the SEISWI & SWI (Give sm., W. M., in the count w.)	e point of diversion, each must be described. Use separate sheet if necessary)  SEL of Sec. 28 , Tp. 38 S.  allest legal subdivision)  ty of Jackson  to be 1/3 mile	r 8.)
R. 1 W. (E. or ) 5. T	in the SEISWI & SWI (Give sm., W. M., in the count w.)  he ditches	e point of diversion, each must be described. Use separate sheet if necessary)  SEL 28 , Tp. 38 S.  tallest legal subdivision) (N. or	
R 1 W (E. or v 5. T in length, t	(If there is more than one in the SELSWL & SWL (Give sm., W. M., in the count w.)  he ditches (Main die erminating in the SELSS	e point of diversion, each must be described. Use separate sheet if necessary)  3EL 3EL 3EL 3EL 3EL 3EL 3EL 3EL 3EL 3E	r.S.)
R 1 W (E. or v 5. T in length, t	(If there is more than one in the SEASWA & SWA (Give sm., W. M., in the count w.)  he ditches (Main diverminating in the SEASWA (W. M., the property)	e point of diversion, each must be described. Use separate sheet if necessary)  1 SF 1	s
R 1 W. (E. or v)  5. Tin length, t  R 1 W. (E. or v)	(If there is more than one in the SEISWI & SWI (Give sm., W. M., in the count w.)  he ditches (Main dierminating in the SEISWI (Main dierwinating in the property)	e point of diversion, each must be described. Use separate sheet if necessary)  SEL of Sec. 28 , Tp. 38 S.  Latlest legal subdivision)  ty of Jackson  to be 1/3 mile  SICCH, canal or pipe line)  SWL & SWLSEL of Sec. 28 , Tp. 38 S.  (Smallest legal subdivision)  posed location being shown throughout on the accompanying management of the second state of the second s	r <b>S.)</b>
R 1 W. (E. or v)  5. Tin length, t  R 1 W. (E. or v)	(If there is more than one in the SEISWI & SWI (Give sm., W. M., in the count w.)  he ditches (Main dierminating in the SEISWI (Main dierwinating in the property)	e point of diversion, each must be described. Use separate sheet if necessary)  1 SF 1	r <b>S.)</b>
R	(If there is more than one in the SEISWI & SWI (Give sm., W. M., in the count w.)  he ditches (Main dierminating in the SEISWI (Main dierminating in the property)  Works—  Height of dam	e point of diversion, each must be described. Use separate sheet if necessary)  SEL of Sec. 28 , Tp. 38 S.  Lallest legal subdivision)  ty of Jackson  to be 1/3 mile  SICCH, canal or pipe line)  SWL & SWLSEL Of Sec. 28 , Tp. 38 S.  (Smallest legal subdivision)  posed location being shown throughout on the accompanying management of the second state of the second s	p.
R 1 W.  5. T  in length, t  R 1 W.  Ox. ox  Diversion V  6. (c)	(If there is more than one in the SELSWL & SWL (Give sm., W. M., in the count w.)  he ditches (Main di erminating in the SELSWL (Main di erminating in the property)  Works—  A) Height of dam	e point of diversion, each must be described. Use separate sheet if necessary)  3EL 3EL 3EL 3EL 3EL 3EL 3EL 3EL 3EL 3E	p.
R. 1 W.  5. T  in length, t  R. 1 W.  (2. o)  Diversion V  6. (c)  Spri	(If there is more than one in the SEASWA & SWA (Give sm., W. M., in the count w.)  he ditches (Main die erminating in the SEAS (Main die erminating in the property)  Works—  a) Height of dam	e point of diversion, each must be described. Use separate sheet if necessary)    SF4	p.
R. 1 W.  5. T  in length, t  R. 1 W.  (2. o)  Diversion V  6. (c)  Spri	(If there is more than one in the SEASWA & SWA (Give sm., W. M., in the count w.)  he ditches (Main die erminating in the SEAS (Main die erminating in the property)  Works—  a) Height of dam	e point of diversion, each must be described. Use separate sheet if necessary)    SF4	p.
R. 1 W.  5. T  in length, t  R. 1 W.  (2. o)  Diversion V  6. (c)  Spri	(If there is more than one in the SEASWA & SWA (Give sm., W. M., in the count w.)  he ditches (Main die erminating in the SEAS (Main die erminating in the property)  Works—  a) Height of dam	e point of diversion, each must be described. Use separate sheet if necessary)  3EL 3EL 3EL 3EL 3EL 3EL 3EL 3EL 3EL 3E	p.
R	(If there is more than one in the SEASWA & SWA (Give sm., W. M., in the count w.)  he ditches (Main ditches erminating in the SEASWA (Main ditches erminating in the property)  Works—  a) Height of dam	e point of diversion, each must be described. Use separate sheet if necessary)  SE4  of Sec. 28  Tp. 38 S.  allest legal subdivision)  ty of Jackson  to be 1/3 mile  tech, canal or pipe line)  (Miles or feet)  SW4 & SW4SE4  of Sec. 28  Tp. 38 S.  (Smallest legal subdivision)  posed location being shown throughout on the accompanying more  DESCRIPTION OF WORKS  feet, length on top feet, length at the used and character of construction (Leose rock, concrete with cement 4 x 5 x 4 ft. deep  resound dam)  direct from source  (Timber, concrete, etc., number and size of spenings)	bottom
R	(If there is more than one in the SELSWL & SWL (Give sm., W. M., in the count w.)  he ditches (Main ditches erminating in the SELS (Main ditches erminating in the property)  Norks—  a) Height of dam	e point of diversion, each must be described. Use separate sheet if necessary)    SEL	bottom

Canal System or 1  7. (a) Giv	_	each point of ca	nal where materially ch	anged in size, stating miles fron
headg <b>a</b> te. At hea	feet; width on botton			
·····	feet fall per on			
thousand feet.		miles from head	aatermidth on ton (at m	nator line)
		941 70 219		oater line)feet
				of water feet
rade	feet fai	ll per one thousar	nd feet.	
(c) Length	of pipe,400	) ft.; siz	ze at intake,	in.; size at f
rom intake	in.,	; size at place of t	use $1\frac{1}{2}$ in.;	difference in elevation betwee
ntake and place	of use, 200	) ft. Is g	rade uniform? Yes	Estimated capacity
	100	to the control of	and the second of	
	•	To provide the second	en of the formation of the contract	occurrence of the second
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
38 S.	1 W.	28	rl srl swl	Stock
	- TT 6	1	1	
		28	SW <sub>4</sub> SE <sub>4</sub>	3 acres irrigation and domestic & stock.
	***************************************			
	en final delining went		end the common and party preferences	
 g. i m. \$\$42 i con \$ 50.00 t	tame in Carles Actions of the	A Secretaria Company	a ferrage employees and a	
			g Armania de Caractería de Car	
		That we have		
	_ 6, W/ 64 C		·	
•••••				
~	1,98405.00 1,50000		ired, attach separate sheet)	
(a) Charac	eter of soil		and the state of the state of the	<u> </u>
	-			
•		gar	den, Iruit and hay	
ower or Mining			en gran with the control of	
9. (a) Tot	al amount of po	wer to be develo	ped Logistic of the control of the pro-	theoretical horsepowe
•		• •	ower	sec. ft.
(c) Total	al fall to be util	lized	(Head)	
				be developed
rengina kira. B			S. Ver	
/-\ M.v.	N. 1	<u> </u>	wy fer our some y	of Sec.
			(Legal Subdivision)	of Sec
p(No. N. or S.)	, R(No. I	E. or W.)		
(f) Is u	pater to be retu	rned to any stree	(Yes or No)	
(g) If s	so, name stream	and locate point	of return	
	د معالم <u>من الكارم ا</u>	Sec	To	, R, W. M, W. M
" /1 \" m			(No. N. or	(No. E. or W.)
(n) The	e use to w <b>nich j</b>	vower is to <b>oe ap</b>	puec is	<u></u>
,			· · · · · · · · · · · · · · · · · · ·	
(i) The 1	nature of the m	ines to b <mark>e serv</mark> ed		

ng Milan i din Jawah Barah sa ka

This is to certify that I have examined the foregoing application, together with the accompanying In order to retain its priority, this application must be returned to the State Engineer, with correc-WITNESS my hand this ...... day of ......, 194.....,

Application No.	21045
Permit No	16490

## **PERMIT**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

\*- **x**\*

	Division No District No.	3.50 - 1.
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 3rd day of August,	
	194.5 at 1:00 o'clock P. M.	
	Returned to applicant:	
. The Later	Corrected application received:	
		•
	Approved: December 20, 1945	
	Recorded in book No. 40 of	
and the second of the second	Permits on page16490	
	CHAS. E. STRICKLIN	Land Control of the Hall C
e .	Drainage Basin No. 15 Page 23	
	Fees Paid\$14.50	
	PERMIT	
STATE OF OREGON,	FERMIT	
SUBJECT TO EXISTING RI	I have examined the foregoing application an GHTS and the following limitations and condited is limited to the amount of water which car	tions:
\$ 5 m	8 cubic feet per second measured at th	
	ease of rotation with other water users, from	· ·
from West Spring for st for stock, domestic and The use to which this	ock, 0.01 c.f.s. from Middle Spring f irrigation, from East Spring water is to be applied is	or stock, and 0.058 c.f.s.
heing 0.01 c.f.s. for I	omestic, 0.03 c.f.s. for Stock and 0.	038 c.f.s. for irrigation.
If for irrigation, this ap	propriation shall be limited to 1/80th	of one cubic foot per
second or its equivalen	t for each acre irrigated and shall b	e further limited to a
	eed $4\frac{1}{3}$ acre feet per acre for each ac	
irrigation season from	April 2, to October 31, of each year,	
		······································
and shall be subject to such	reasonable rotation system as may be ordered	by the proper state officer.
The priority date of thi	s permit is	
Actual construction we	ork shall begin on or beforeDecember 2	0. 1946 and shall
thereafter be prosecuted with	n reasonable diligence and be completed on or b	efore
	of the water to the proposed use shall be made	on or hefore
October	of the water to the proposed use shall be made of Extended to Oct. 1, 1949	
	is20th day of December	1
्रे इक्टर्सर्ट होते ।	CHAS. E. STRICK	•
Fermits for power development are	subject to the payment of annual fees as provided in sections	STATE ENGINEER