

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, J. M. Frazer (Name of applicant) of Brookings (Post office), County of Curry, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Stream (Name of stream), a tributary of Pacific Ocean

2. The amount of water which the applicant intends to apply to beneficial use is 1/20 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 370 ft. North and 75 ft. West from the SW corner of Lot 8 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described: Use separate sheet if necessary)

being within the SW 1/4, NE 1/4 of Sec. 6, Tp. 41 S, R. 13 W, W. M., in the county of Curry (Give smallest legal subdivision) (N. or S.)

5. The pipe line to be 500 feet in length, terminating in the Lot 8 of Sec. 6, Tp. 41 S, R. 13 W, W. M., the proposed location being shown throughout on the accompanying map. (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Will pump out of sump in creek, not using a dam, using a centrifugal pump and gasoline engine, pumping 75 feet high (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 500 ft.; size at intake, 2" in.; size at ft. from intake in.; size at place of use 2" in.; difference in elevation between intake and place of use, 75 ft. Is grade uniform? yes Estimated capacity, 0.05 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
41 S	13 W	6	SW $\frac{1}{4}$ NE $\frac{1}{4}$	2.0
41 S	13 W	6	Lot 8	2.0

Property on which water is to be used is a part of that more explicitly described by applicant as follows: That certain tract of land, consisting of 2.6 acres, more or less, lying in the Southwest 1/4 of the Northeast 1/4 of Section 6, Township 41 South, Range 13 West of the Willamette Meridian, in Curry County, Oregon described as follows: Beginning at an iron pipe driven at the Southeast corner of the Southwest 1/4 of the Northeast 1/4 of said Section 6. Thence Due North 470.0 feet, more or less, to the centerline of a creek. Thence Southwest, following the centerline of said creek to the South boundary of the Southwest 1/4 of the Northeast 1/4 of said Section 6. (The course of the centerline of said creek is approximately as follows: South 47° 54' West 516.2 feet, Thence due South 124.0 feet to the South boundary of the Southwest 1/4 of the Northeast 1/4 of said Section 6.) Thence due East 383.0 feet to the place of beginning. Excepting an easement to construct and maintain a dam across the creek at the Southwest corner of the above described tract and to use the pond created by said dam for sawmill pond purposes. Also an easement for right of way purposes over a strip of land 40 in width lying adjoining to and North of the South boundary of the Southwest 1/4 of the Northeast 1/4 of said Section 6 from the Southwest corner of the above described tract West 541.7 feet, more or less, to the Southwest corner of that tract sold to J. R. Southwick and J. Parley Willard, and extending across the above mentioned dam (If Built) with the right to use said dam for road purposes.

(If more space required, attach separate sheet)

(Continued under Remarks)

(a) Character of soil Hill loam

(b) Kind of crops raised Cultivated crops

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied
(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$900.00
- 12. Construction work will begin on or before Sept 15, 1945
- 13. Construction work will be completed on or before September 15, 1946
- 14. The water will be completely applied to the proposed use on or before July 1, 1946

(Sgd) J. M. Frazer
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) (Name) (Address of witness)
- (2) (Name) (Address of witness)

Remarks: Plan on pumping and irrigating with overhead sprinklers and movable pipe.

(Continued from Item 8) That certain Tract of land, consisting of 2.0 acres, lying in lot 8, Section 6, Township 41 South, Range 13 West of the Willamette Meridian, in Curry County, Oregon described as follows: Beginning at an iron pipe marking the Southwest corner of said Lot 8. Thence Due North 470.0 feet to an iron pipe. Thence due East 185.4 feet Thence Due South 470.0 feet to the South boundary of said Lot 8. Thence due West 185.4 feet to the place of beginning.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

Application No. 21066

Permit No. 16509

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 9th day of August, 1945, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

December 20, 1945

Recorded in book No. 40 of

Permits on page 16509

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 2 B

Fees Paid \$9.50

STATE OF OREGON

County of Marion,

PERMIT

ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Stream

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 9, 1945

Actual construction work shall begin on or before December 20, 1946 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1947

Complete application of the water to the proposed use shall be made on or before

October 1, 1948

WITNESS my hand this 20th day of December, 1945.

CHAS. E. STRICKLIN STATE ENGINEER