

* APPLICATION FOR PERMIT

CERTIFICATE NO. 17053

To Appropriate the Public Waters of the State of Oregon

I, Ernest Zagelow and Eola Zagelow (Name of applicant) of Gaston, Oregon (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed spring (Name of stream), a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 0.06 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic, livestock and irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 128 ft. N and 631 ft. W from the SE corner of Section 19, T. 1 S. R. 4 W. (Section or subdivision) Has 40 foot right of way along the Spring Hill Property on Section line.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE of the SE of Sec. 19, Tp. 1 S, R. 4 W, W. M., in the county of Washington

5. The pipeline to be 2000 in length, terminating in the SW of the SW of SE of Sec. 19, Tp. 1 S, R. 4 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 8 feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2000 ft.; size at intake, 1½ in.; size at 80 ft. from intake 1 in.; size at place of use 1 in.; difference in elevation between intake and place of use, 200 ft. Is grade uniform? no Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 S	4 W	19	Lots 29 and 30 W½ of the E½ and E½ of the W½ of Tract 31, Spring Hill Farm, Wm.	4 acres
		which is on		
1 S	4 W	19	SW¼ SE¼ (Sgd) Ernest Zagelow Eola Zagelow	

(If more space required, attach separate sheet)

(a) Character of soil Clay loam

(b) Kind of crops raised family garden, corn for livestock, beets and potatoes

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

(Name of) County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 1 family, livestock and garden

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 600.00

12. Construction work will begin on or before already started

13. Construction work will be completed on or before August, 1946

14. The water will be completely applied to the proposed use on or before August, 1946

(Sgd) Ernest Zagelow
(Signature of applicant)

Eola Zagelow

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 28, 1945
October 5, 1945

WITNESS my hand this 28th day of August, 1945
5th September, 1945

CHAS. E. STRICKLIN
STATE ENGINEER

By
Ed K. Humphrey, Assistant md

Application No. 21108

Permit No. 16541

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of August 1945, at 8:30 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

December 20, 1945

Recorded in book No. 40 of

Permits on page 16541

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 62 L

Fees Paid \$14.50

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Spring

The use to which this water is to be applied is Domestic, stock and irrigation, being 0.01 c.f.s. for domestic and stock and 0.05 c.f.s. for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 25, 1945

Actual construction work shall begin on or before December 20, 1946 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1947

Complete application of the water to the proposed use shall be made on or before October 1, 1948

WITNESS my hand this 20th day of December, 1945

CHAS. E. STRICKLIN

STATE ENGINEER