## \* APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

Thomas P Hall	
I, Thomas R. Hall	
of Shady Cove (Mailing address)	
	, do hereby make application for a permit to appropriate the
following described public waters of the	State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, gi	ive date and place of incorporation
1. The source of the proposed appr	ropriation is Rogue River
	ropriation is Rogue River (Name of Stream) , a tributary of
•	applicant intends to apply to beneficial use isQ.15
cubic feet per second	f water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to	o be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is locate	ed1062 ft. N <sub>2</sub> and50 ft
corner ofSection.lQ	······································
corner ofSection 10	(Section or subdivision)
corner ofSection 10	(Section or subdivision)
corner ofSection 10	
(If preferal	ble, give distance and bearing to section corner)  diversion, each must be described. Use separate sheet if necessary)
(If preferal (If there is more than one point of heing within the $SE_4^{\perp}SW_4^{\perp}$	of Sec. 10 To 34 S.
(If preferal (If there is more than one point of being within the $SE_4^1SW_4^1$ (Give smallest leg	ble, give distance and bearing to section corner)  f diversion, each must be described. Use separate sheet if necessary)  of Sec. 10 , Tp. 34 S.  (N. or S.)
(If preferal (If there is more than one point of being within the $SE_{4}^{1}SW_{4}^{1}$ (Give smallest leg $R.$ 1 $W.$ $W.$ $M.$ , in the county of	ble, give distance and bearing to section corner)  f diversion, each must be described. Use separate sheet if necessary)  of Sec. 10 , Tp. 34 S.  (N. or S.)
(If preferal  (If there is more than one point of being within the SE\frac{1}{4}SW\frac{1}{4} (Give smallest leg R.  \text{\tex	ble, give distance and bearing to section corner)  f diversion, each must be described. Use separate sheet if necessary)  of Sec. 10 , Tp. 34 S.  (N. or S.)  Lackson  to be 300 feet
(If there is more than one point of being within the $\frac{SE_{4}^{1}SW_{4}^{1}}{Give smallest leg}$ R1 W, W. M., in the county of	to be 300 feet  I of Sec. 10 (Miles or feet)  to be 10 (Miles or feet)  of Sec. 10 (Miles or feet)  of Sec. 10 (N. or S.)
(If there is more than one point of being within the $\frac{SE_{4}^{1}SW_{4}^{1}}{Give smallest leg}$ R1 W, W. M., in the county of	ble, give distance and bearing to section corner)  f diversion, each must be described. Use separate sheet if necessary)  of Sec. 10 , Tp. 34 S.  (N. or S.)  Lackson  to be 300 feet
(If preferal  (If there is more than one point of SE\frac{1}{4}SW\frac{1}{4}\)  (Give smallest leg R.  \text{	ble, give distance and bearing to section corner)  If diversion, each must be described. Use separate sheet if necessary)  of Sec. 10 , Tp. 34 S.  (N. or S.)  Lackson  to be 300 feet  of Sec. 10 , Tp. 34 S.  (Miles or feet)  of Sec. 10 , Tp. 34 S.  (No. or S.)  location being shown throughout on the accompanying map.
(If preferal  (If there is more than one point of SE\frac{1}{4}SW\frac{1}{4}\)  (Give smallest leg R. \tag{\text{Give smallest leg}}\)  (E. or W.)  5. The \text{pipe line} \text{(Main ditch, cans}\)  in length, terminating in the \text{SE\frac{1}{4}SW\frac{1}{4}}\)  (Smal)  R. W. W. M., the proposed in the main cans of the main can be set of the main can be s	to be 300 feet  I diversion, each must be described. Use separate sheet if necessary)  I diversion, each must be described. Use separate sheet if necessary)  of Sec. 10 , Tp. 34 S.  (N. or S.)  Lackson  to be 300 feet  (Miles or feet)  of Sec. 10 , Tp. 34 S.  Usest legal subdivision)  (N. or S.)  Location being shown throughout on the accompanying map.
(If preferal  (If there is more than one point of SE\frac{1}{4}SW\frac{1}{4}\)  being within the SE\frac{1}{4}SW\frac{1}{4}\)  (Give smallest leg (Give smallest leg R	ble, give distance and bearing to section corner)  # diversion, each must be described. Use separate sheet if necessary)  of Sec. 10 , Tp. 34 S.  ral subdivision) (N. or S.)  Lackson to be 300 feet  (Miles or feet)  of Sec. 10 , Tp. 34 S.  lest legal subdivision) (N. or S.)  location being shown throughout on the accompanying map.
(If preferal  (If there is more than one point of SE\frac{1}{4}SW\frac{1}{4}}{4}  (Give smallest leg R. \tag{\text{ (Give smallest leg R. \tag{\text{ (Give smallest leg R. \tag{\text{ (Bi or W.)}}}}\)  5. The \text{ pipe line \text{ (Main ditch, cans in length, terminating in the \text{ SE\frac{1}{4}SW\frac{1}{4}}}{\text{ (Smal R. \text{ (E. or W.)} \text{ W. M., the proposed in the more point of the length of dam \text{ (E. or W.)} \text{ (B. or W.)}  (B. or	t diversion, each must be described. Use separate sheet if necessary)  of Sec. 10 , Tp. 34 S.  al subdivision) (N. or S.)  Lackson to be 300 feet  al or pipe line) (Miles or feet)  location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  feet, length on top feet, length at bottom
(If preferal  (If there is more than one point of SE\frac{1}{4}SW\frac{1}{4}}{4}  (Give smallest leg R. \tag{\text{ (Give smallest leg R. \tag{\text{ (Give smallest leg R. \text{ (Main ditch, cans in length, terminating in the \text{ (Main ditch, cans in length, terminating in the \text{ (Smal R. \text{ (E. or W.) W. } W. M., the proposed in \text{ (E. or W.) W. } W. M., the proposed in \text{ (Diversion Works—6. (a) Height of dam \text{ (a) Height of dam } \text{ (A) Height of dam }  (B) To	ble, give distance and bearing to section corner)  If diversion, each must be described. Use separate sheet if necessary)  of Sec. 10 , Tp. 34 S.  (N. or S.)  Lackson  to be 300 feet  (Miles or feet)  of Sec. 10 , Tp. 34 S.  (N. or S.)  Lest legal subdivision)  (N. or S.)  location being shown throughout on the accompanying map.
(If preferal  (If there is more than one point of SE\frac{1}{4}SW\frac{1}{4}}{4}  (Give smallest leg R.  1 W, W. M., in the county of	ble, give distance and bearing to section corner)  If diversion, each must be described. Use separate sheet if necessary)  of Sec. 10 , Tp. 34 S.  Ial subdivision)  to be 300 feet.  In or pipe line)  of Sec. 10 , Tp. 34 S.  United the section of Sec. 10 , Tp. 34 S.  United the section of Sec. 10 , Tp. 34 S.  United the section of Sec. 10 , Tp. 34 S.  United the section of Sec. 10 , Tp. 34 S.  United the section of Sec. 10 , Tp. 34 S.  In the section of Sec. 10 , Tp. 34 S.  In the section of Sec. 10 , Tp. 36 S.  In the s
(If preferal  (If there is more than one point of SE\frac{1}{4}SW\frac{1}{4}}{4}  (Give smallest leg R	t diversion, each must be described. Use separate sheet if necessary)  of Sec. 10 , Tp. 34 S.  ral subdivision) (N. or S.)  Lackson to be 300 feet  of Sec. 10 , Tp. 34 S.  lest legal subdivision) (N. or S.)  location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  feet, length on top feet, length at bottom and character of construction (Ligose rock, concrete, masonry dam)
(If preferal  (If there is more than one point of SE\frac{1}{4}SW\frac{1}{4}}  (Give smallest leg R	ble, give distance and bearing to section corner)  If diversion, each must be described. Use separate sheet if necessary)  of Sec. 10 , Tp. 34 S.  (N. or S.)  Lackson  to be 300 feet.  (Miles or feet)  of Sec. 10 , Tp. 34 S.  Usest legal subdivision)  location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  feet, length on top feet, length at bottom  and character of construction (Loose rock, concrete, masonry)
(If there is more than one point of being within the SE\frac{1}{4}SW\frac{1}{4}\$ (Give smallest leg R	diversion, each must be described. Use separate sheet if necessary)  of Sec. 10 , Tp. 34 S.  al subdivision) (N. or S.)  Lackson to be 300 feet (Miles or feet)  of Sec. 10 , Tp. 34 S.  lest legal subdivision) (N. or S.)  location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Land character of construction (Leose rock, concrete, masonry dam)  (Timber, concrete, etc., number and size of openings)
(If preferal  (If there is more than one point of SE\frac{1}{4}SW\frac{1}{4}}{4} \]  (Give smallest leg R	t diversion, each must be described. Use separate sheet if necessary)  of Sec. 10 , Tp. 34 S.  ral subdivision) (N. or S.)  Lackson to be 300 feet  (Milles or feet)  of Sec. 10 , Tp. 34 S.  (Milles or feet)  location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  feet, length on top feet, length at bottom  l and character of construction (Ligose rock, concrete, masonry, dam)

<sup>\*</sup>A different form of application is provided where storage works are contemplated

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

•	aguito, actualit on	top (at aato, t	<i></i>	feet; width on bot
ousand feet.	feet; depth of $oldsymbol{w}$	ater	feet; grade	feet fall per
•		miles from hea	dgate: width on top (at wat	er line)
			feet; depth of	
		l per one thous		·
		-	ize at intake,3½	
		- 1	use $3\frac{1}{2}$ in.; di	
ake and place o	f use,40	ft. Is	grade uniform? Yes	Estimated capac
	sec. ft.			, , , , , , , , , , , , , , , , , , ,
8. Location	of area to be i	rrigated, or plac	ce of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
34 S.	l W.	10	SE4SW4	12 acres
<	<del>.</del>			
***************************************				
y de garden			<u> </u>	
				The second secon
				-
	······		<u> </u>	
	************			
***************************************				-
	e de la companya de La companya de la companya de l		rak jetste i televisione i se	31
(表) (*)	<u> </u>	(If more space re-	quired, attach separate sheet)	
(a) Charac	ter of soilSa	ndy loam		
(b) Kind o	f crops raised	Clover and ga	arden	
wer or Mining l	Purposes—	19.50		
	· <del>-</del>	wer to be devel	oped	theoretical horsepo
(b) Qua	ntity of water	to be used for p	oower	sec. ft.
			feet.	•
				Jamalama J
(a) Ine	nature of the v	vorks by means	of which the power is to be	developed
(e) Suc	h works to be lo	cated in	(Legal Subdivision)	of Sec
(No N or S)	, R	, W. M	•	en e
			eam?	
. 1			(Yes or No)  it of return	
(y) 1) S			, Tp(No. N. or S.)	•
et a s		V'00	'l'm	<i>₩</i> 700

STATE ENGINEER

Application No21133	
---------------------	--

Permit No. .....16562.....

## **PERMIT**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No	•••
	This instrument was first received in t office of the State Engineer at Salem, Orego	
	on the 1th day of September	
*	194.5., at8.30o'clock	
•	Returned to applicant:	ter in the second
	Corrected application received:	 
•	Approved:	
And the second s	December 20, 1945	****
	Recorded in book No40.	of
	Permits on page 16562	
	CHAS. E. STRICKLIN STATE ENGINEER	<u></u>
	Drainage Basin No15 Page60	· · · · · · · · · · · · · · · · · · ·
	Fees Paid\$9.50	
and the second second	Dans em	
STATE OF OREGON,	PERMIT	
County of Marion, ss		
SUBJECT TO EXISTING R	I have examined the foregoing application IGHTS and the following limitations and con	ditions:
	ted is limited to the amount of water which	•
and shall not exceed	.15 aubic feet per second measured at	the point of diversion from the
stream, or its equivalent in	case of rotation with other water users, from	Rogue River
The use to which this	water is to be applied is Irrigation	
second or its equivale	ppropriation shall be limited to 1/80th  nt for each acre irrigated and shall eed 42 acre feet per acre for each a	be further limited to a crecirrigated during the
	· · · · · · · · · · · · · · · · · · ·	
1	reasonable rotation system as may be ordered	
The priority date of th	is permit is September 4, 1945	**************************************
Actual construction w	ork shall begin on or before December	20, 1946 and shall
	th reasonable diligence and be completed on on the standard to Oct. 1,1950	r before
	of the water to the proposed use shall be made	le on or before
	1948 Extended to Oct. 1, 1950	
	his 20th day of December	
The state of the s	CHAS. E. STE	•
Descrité des novem détalonment e	ce subject to the payment of annual fees as provided in sec	STATE ENGINEER