

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Raymond H. Levans (Name of applicant) of Lowden, (Washington) (Address), County of Umatilla, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is seepage and waste from Swartz Spring Branch, a tributary of Pine Creek

2. The amount of water which the applicant intends to apply to beneficial use is 1.71 cubic feet per second.

**3. The use to which the water is to be applied is Supplementary Irrigation

4. The point of diversion is located 1855 ft. South and 564 ft. west from the NE corner of Sec. 17, 6 N. R. 34 E. W.M. in Oregon

being within the NE SE of Sec. 17, Tp. 6 N. R. 34 E., W. M., in the county of Umatilla

5. The New canal to be 2,000 feet in length, terminating in the Young-Loney Ditch of Sec. 17, Tp. 6 N. R. 34 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam Flash boards in 24" Conc. Culvert feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate None

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 N	34 E.W.M.	17	NE 1/4 SE 1/4	3.9
			NW 1/4 SE 1/4	16.18
			SW 1/4 SE 1/4	15.73
			SE 1/4 SE 1/4	2.60
			NW 1/4 SW 1/4	12.37
			SE 1/4 NW 1/4	15.62
				<u>68.40</u>
			Total Ac	68.40

(If more space required, attach separate sheet)

(a) Character of soil Volcanic Ash

(b) Kind of crops raised Alfalfa & pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 400.00

12. Construction work will begin on or before Nov. 1, 1945

13. Construction work will be completed on or before Mar. 1, 1946

14. The water will be completely applied to the proposed use on or before July 1946

(Sgd) Raymond Nevans

(Signature of applicant)

Mail address Lowden Wash.
Resident of Oregon on farm

Signed in the presence of us as witnesses:

(1) W. C. Mason, Freewater, Ore. R.R. #1

(Name)

(Address of witness)

(2) Harold Davis, 718 N. Main Walla Walla Wash.

(Name)

(Address of witness)

Remarks: The land to be irrigated under this permit is covered by Per. #15257...
Pine Creek Water, however the supply of water under Per. #15257 usually runs out
in June - while supply from Swartz Spring Branch Seepage and return water runs thru
out the season.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 21170

Permit No. 16589

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 14th day of September, 1945, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

December 20, 1945

Recorded in book No. 40 of

Permits on page 16589

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 7 Page 12

Fees Paid \$15.26

STATE OF OREGON

PERMIT

County of Marion,

ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.86 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Sorpage and Waste from Swartz Spring Branch

The use to which this water is to be applied is Supplemental Irrigation

If for irrigation, this appropriation shall be limited to 1/30th of one cubic foot per second or its equivalent for each acre irrigated and shall be limited to a diversion of not to exceed 1 acre foot per acre for each acre irrigated during any 30-day period and shall be further limited to a diversion of not to exceed 2 acre feet per acre for each acre irrigated during the irrigation season from April 1, to October 1, and shall also be limited to the water available at the proposed point of diversion, and shall not carry with it the right to compel the continuance of the waste water; provided further that the amount of water allowed herein, to be used with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 14, 1945

Actual construction work shall begin on or before December 20, 1946 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1947

Complete application of the water to the proposed use shall be made on or before

October 1, 1948

WITNESS my hand this 20th day of December, 1945

CHAS. E. STRICKLIN

STATE ENGINEER