

SUPERSEDED 46102
54619

CERTIFICATE NO. 26096

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Edith Gilmour, et al
(Name of applicant)
of Roseburg Oregon
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Olalla Creek
(Name of stream)
a tributary of South Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.946
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 0.0 ft. South and 3570 ft. East from the 1/4 Section
(N. or S.) (E. or W.)
corner of Sec; 4 and 5 Tp. 29S- Rg 7 W. WM. These points being on the North
Secs; 4-5-8-9
line and West line of Jno. Fisher D.L.C. No. 41--Tp. 29S--Rg 7 W. WM.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 and NE 1/4 of Sec. 4 and 9, Tp. 29 S
(Give smallest legal subdivision) (N. or S.)
R. 7 W, W. M., in the county of Douglas
(E. or W.)

5. The Portable Pipe Line to be 800 ft.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the 4 of Sec. 4, Tp. 29 S
(Smallest legal subdivision) (N. or S.)
R. 7 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3'6" feet, length on top 60' feet, length at bottom 55' feet; material to be used and character of construction timber crib
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)
wasteway over dam (see Remarks)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 4" Centrifugal
(Size and type of pump)
Model B A.C. tractor 16-22 horsepower 18' from creek level to
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
highest point to be irrigated

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 800 ft.; size at intake, 4 in.; size at ft. from intake in.; size at place of use 2" in.; difference in elevation between intake and place of use, 15 ft. Is grade uniform? Yes. Estimated capacity, 0.946 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
29 S	7 W	4	NE $\frac{1}{4}$ SE $\frac{1}{4}$	0.3
"	"	4	NW $\frac{1}{4}$ SE $\frac{1}{4}$	22.1
"	"	4	SW $\frac{1}{4}$ SE $\frac{1}{4}$	11.6
"	"	4	NE $\frac{1}{4}$ SW $\frac{1}{4}$	8.6
"	"	4	SE $\frac{1}{4}$ SW $\frac{1}{4}$	33.0
"	"	9	NE $\frac{1}{4}$ NW $\frac{1}{4}$	0.1
				75.7

Deed Records - Vol. 23 - Pg 371-P-All Jno. Fisher D.L.C. No. 41 except 150 Ac

M & B Vol. 68 Pg 492D

Beginning along the line between the John Fisher D.L.C. and Linus Bushnell homestead line, along public road and then running 5 chains in a Southeasterly direction until it intersects the J. Fisher donation line.

This parcel of land is taken from the Southwest corner of Linus Bushnell homestead situated in T-29-R-7 W.W.M. Sec 4, Lots 2 and 3 and containing 2 Ac. more or less. The present fence being this line hereafter.

(If more space required, attach separate sheet)

(a) Character of soil Silty Clay Loam and Clay Loam.

(b) Kind of crops raised General Farm Crops.

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower,

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

(Name of) County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1000.00

12. Construction work will begin on or before April 1st 1946

13. Construction work will be completed on or before July 1st 1947

14. The water will be completely applied to the proposed use on or before July 1st 1947

(Sgd) Mary L. Pargeter
Belle N. McKnight
F. S. Martin

(Sgd) Elizabeth Ollivant
(Signature of applicant)
Edith Gilmour
W. H. Northcraft

Remarks: All of the land to be irrigated is inside the boundaries of the Jno. Fisher D.L.C. No. 41 except a small area in the NW 1/4 SE 1/4 of Section 4 - Tp. 29 S - Rg. 7 W. W.M., which in reality is part of Lot 2 of Section 4 - Tp. 29 S - Rg. 7 W. W.M. The original survey of Tp. 29 S - R 7 W WM is very inaccurate and on the ground does not conform with the original field notes.

However the land shown to be irrigated is relatively correct with reference to the Corner of Sections 4-5-8-9 Tp. 29 S - Rg 7 W WM., and the 1/4 Sec. Cor., of Sections 4 and 5 - Tp 29 S Rg. 7 W. WM.

This plant will be a portable sprinkler system.

The dam is to provide a sump, as the creek at this point does not have a natural sump.

However above and below this point there are natural sumps that can be used, but by building a dam at the point shown a much shorter pipe line can be used.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion by proper signatures

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 9, 1945.

WITNESS my hand this 8th day of November, 1945.

CHAS. E. STRICKLIN
STATE ENGINEER

By
Ed K. Humphrey, Assistant

Application No. 21185

Permit No. 16603

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25 day of September 1945 at 1 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

December 20, 1945

Recorded in book No. 41 of

Permits on page 16603

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 16 Page 36 A

Fees Paid \$16.40

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.95 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Olalla Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 25, 1945

Actual construction work shall begin on or before December 20, 1946 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1947

Complete application of the water to the proposed use shall be made on or before October 1, 1948

WITNESS my hand this 20th day of December, 1945

CHAS. E. STRICKLIN

STATE ENGINEER