

* APPLICATION FOR PERMIT

CERTIFICATE NO. 20716

To appropriate the Public Waters of the State of Oregon

I, Oliver C. Wilcut (Name of applicant)

of Greenleaf (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an unnamed stream trib. of Lake Creek (Name of stream)

a tributary of Siuslaw River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01

cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic including irrig. of 1/2 ac. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

dom. lawns or gardens

4. The point of diversion is located 1000 ft. N and 100 ft. W from the E 1/4

corner of Sec. 16, T. 17 S., R. 9 W., W. 1/4 approximately (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NE 1/4 of Sec. 16, Tp. 17 S., R. 9 W., W. M., in the county of Lane

5. The pipe to be 900

in length, terminating in the SE 1/4 NE 1/4 of Sec. 16, Tp. 17 S., R. 9 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 feet, length on top 12 feet, length at bottom

feet; material to be used and character of construction concrete (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Gravity flow (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 900 ft.; size at intake, 1 in.; size at ft. from intake in.; size at place of use 1 in.; difference in elevation between intake and place of use, 150 ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Includes handwritten entries: 17 S, 9 W, 16, E 1/2 SE 1/4 NE 1/4, 10, and an arrow pointing to the 10.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal Subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

(Name of) County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 1

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 175.00

12. Construction work will begin on or before One year after approval

13. Construction work will be completed on or before Two yrs " "

14. The water will be completely applied to the proposed use on or before 3 " " "

(Sgd) Oliver C. Wilcut
(Signature of applicant)

By Wilma E. Wilcut

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 21201

Permit No. 16618

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of October 1945, at 3:45 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

December 20, 1945

Recorded in book No. 41 of Permits on page 16618

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 18 Page 26 A

Fees Paid \$10.00

PERMIT

STATE OF OREGON,

County of Marion,

} ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from An Unnamed Stream

The use to which this water is to be applied is Domestic, including irrigation of not to exceed 1/2 acre domestic gardens.

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 4, 1945

Actual construction work shall begin on or before December 20, 1946 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1947

Complete application of the water to the proposed use shall be made on or before

October 1, 1948

WITNESS my hand this 20th day of December, 1945

CHAS. E. STRICKLIN

STATE ENGINEER