

CERTIFICATE NO. 15236

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, O. L. Waterman (Name of applicant) of 421 Evelyn Ave. (Mailing address), Grants Pass, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Waterman Reservoir (Name of stream) "Unnamed Springs", a tributary of East Fork Illinois River

2. The amount of water which the applicant intends to apply to beneficial use is 0.20 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic, Stock, Fish, and lily pond (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1000 ft. N and 1000 ft. E from the W corner of Section 31 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NW 1/4 of Sec. 31, Tp. 39 S, R. 7 W, W. M., in the county of Josephine

5. The Reservoir to be in length, terminating in the SW 1/4 NW 1/4 of Sec. 31, Tp. 39 S, R. 7 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 5 feet, length on top 300 feet, length at bottom feet; material to be used and character of construction Earth (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber. One opening 1' x 0.5' (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) None feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, None ft.; size at intake, _____ in.; size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

8. Location of area to be irrigated, or place of use _____

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
39 S	7 W	31	SW 1/4 NW 1/4	Domestic, stock, fish and lily pond

(If more space required, attach separate sheet)

(a) Character of soil _____

(b) Kind of crops raised _____

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.
(Head)

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____
(Legal Subdivision)

Tp. _____, R. _____, W. M. _____
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? _____
(Yes or No)

(g) If so, name stream and locate point of return _____
_____, Sec. _____, Tp. _____, R. _____, W. M. _____
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500.
- 12. Construction work will begin on or before ...Work completed.....
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before

(Sgd) O. L. Waterman
(Signature of applicant)

421 Evelyn Ave Grants Pass Ore

Remarks: The Southwest Quarter (SW $\frac{1}{4}$) of the Northwest Quarter (NW $\frac{1}{4}$)
of Section 31, Township 39, South Range 7 West of the Willamette
Meridian in Josephine County, Oregon

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for addition and correction

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before November 11,, 194... 5

WITNESS my hand this 11th day of October, 194... 5

CHAS. E. STRICKLIN
STATE ENGINEER

By
Ed K. Humphrey, Assistant

Application No. 21208

Permit No. 16624

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8 day of Oct, 1945 at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

December 20, 1945

Recorded in book No. 41 of

Permits on page 16624

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 81

Fees Paid \$10.00

PERMIT

STATE OF OREGON, } ss
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.20 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Springs and Waterman Reservoir to be appropriated under Application No. R-21207, Permit No. R-829.

The use to which this water is to be applied is Domestic, Stock, Fish and Lily Pond, being 0.01 c.f.s. for domestic, 0.01 c.f.s. for stock, and 0.18 c.f.s. for fish and lily pond.

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 8, 1945

Actual construction work shall begin on or before December 20, 1946 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1947

Complete application of the water to the proposed use shall be made on or before

October 1, 1948

WITNESS my hand this 20th day of December, 1945

CHAS. E. STRICKLIN

STATE ENGINEER